

Pharmacology Notes II

pp 201-323

2

Alexander T. Shulgin
1483 Shulgin Road
Lafayette, Calif. 94549
(415) 934-4930

reward for return

Copied 10/8/78 (2 BILL Subsequent
entry ★, 290 on.

Notebooks copied and closed
5/27/81



NATIONAL

43-581

Made In U. S. A.

Partial Index

201

*

opt. cal
primer
↓

MD-Series

(319)

(278)

26-Series

2-carbon series

(323)

3-carbon series

255 259 (1) MD-1 MDA 37, 123, 202, 203, 234, 240, 186, 207, 210, 231, 234, 235, 240, 241, 243, 244
230 231 (2) MD-2 MDMA 206, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

N-1 178-200
N-2 (st) 194 220
N-4 (ip) 219
N-6 (φ) 221
N-7 (Pr) 223

4-SCH₃ 3,5-OH₂ 239
2-CB. 172, 204, 211, 279
2-CD. 175, 273, 280, 285
2-CE. 236, 329
2-CT. 315
localine 279, 365
furaline 209
(AM) benzocaine 48
mescaline 1, 7, 321

MEM. 78, 80, 112, 229
2,5 DMA 57, 58, 276
MDA-2 215, 287
MMDA-3a 281
TMA-6 253
TMA. 227
TMA-2 224
homo-TMA. 222
LMI. 212
DOET 213
DOB. 226
4-Thio. MMDA-2 240

N-methyl-3 carbon

MDA. MDMA. Q. U.
2,5-DMA 277

ZZ 196

DOM 164
DOB 208



Misc.

heroin 225
X, O-DMS 184, 196, 252, 286
LSD 214, 269, 330
Primer studies 233, 234
247, 249, 256, 267
288, 317
Kava kava 291
psilocin 292
4-OH DIPT 293
5-MODMIT 298
4-OH MIPT 312
Kot. 317




3,4 methylenedioxy amphetamine · HCl (Commercial, purified by recrystallization by Shulgin)

Ivan's MDA-



- 1 mg no effect
- 7 July 65 10 mg no effect, or very mild arousal
- 8 July 65 26 mg taken at 11¹⁵ am, by 12¹⁵, noticeable enhancement of visual perception. Some pupil dilatation, according to companion (Phil). Elevation of mood, similar to amphetamine, but tending to fallness. Objects brighter, color more intense. Tapering off by 3⁰⁰ pm. This dose was 0.4 mg/kg, lower limit of effect noted by Maxine
- 14 Feb 67 55 mg Taken 4³⁰ pm. Noted beginning of effects by 5³⁰, peak 7⁰⁰-9⁰⁰ pm. Color intensification; enhancement of visual acuity, perhaps describable as contrast enhancement, which, together with color intensification, produced a strong total visual effect without distortion (except for an almost unbearable awareness of unseeing). Lying down resting before dinner, had warm, comfortable feeling of body and warm effect. Relaxed, happy, warm with heart under. No eyes closed imagery; pupils considerably dilated. Deep inspiration and expiration in breathing, especially on exertion. Went to sleep readily at 12³⁰ pm, after slept restlessly.
- 14 March 67 100 mg A deep intoxication but no perceptual distortion. Heightened awareness of empathy, self, others. Light on feet, anxious to walk, drive, etc., no difficulty with coordination or judgement apparent. Tired for the following two three days.


continuation



continued 246

- ± 20
+ 40
++ 60 mg 11:25 AM [0:00] ATIS Oct 26 1976 {0:50} 1st notice - pleasant window - {1:10} blend of both worlds (5 straight, 1 window) - I would rather the other way about - but I can at least make sense on the phone. {1:55 - 2:30} plateau lots of erotic fantasy, and fantasy about fantasy - a sensory physical window. {3:30} largely cleared - all in all a fine experience - I would not be offended at 2x effect - Lets go 60 → 80 MDMA is somewhat less potent. MDA asserts its sensual nature; MDMA lets you do the asserting. Both are delightful.
- ++ 80 mg 12:00 noon [0:00] ATIS Oct 29 1976 [0:40] on scheduled - first hints [0:50] such a gentle and friendly haunting. MDA is a friend. [1:30 - 2:00] steady & holding. Blue Jay making his beak at the top of the dead tree near the lab filled the valley i noise! ~~2x~~ Erotic without being aroused! {3:40} tapering off. The whole experience was totally controllable, answer plausible, drive carable. {6:00 - 10:00} slight unworldliness - a lingering effect. As if my glasses were slightly askew.
- ++ 100 mg 12:15 noon [0:00] ATIS Nov 12 1976 [0:35] - first trace of window and gradual from [0:35] to [1:00] to get complete. Some visual cloudiness on periphery. Erotic again, but substantially impotent! {2:30} tapering. {3:10} largely out. Throughout evening - no appetite + at all (modest helping → stuffed feeling) and some leg pain as if I had hiked a few miles yesterday. a little residual tooth gritty at [10:00] still. No difficulty sleeping. Still impotent in AM however!
- +++ 120 mg 9:20 AM [0:00] ATIS Jan 25 1977 [0:22] 1st window [0:30] coming on strong - slight nausea [0:32] more so - several compulsive sneezes. [0:40] dilation considerable - still nausea - SKLET when walking. [0:44] time slowing [0:55] behind lab, fire started in lab - want to add fuel, still it is just started. I am +++ [0:55] time slowing [1:10] this is a people-dry. {2:10} mail call - emerge OK and relax back in OK. {2:25} drooping? {3:00} completely impotent, but cont. orgasm - excellent {3:40} drooping {4:30} all gone except for peripheral grindy.
- + 80 mg 9:20 AM [0:00] 5/27/77 [0:30] start [0:45] development well underway (1:00) windows controlled - full + - at club - walk to PAM'S - back - physical aroused nice - {2:00} clearing {2:30} out except for tooth clench - this persists until ~[12:00].
- +++ 120 mg 9:30 AM [0:00] 6/21/77 [0:23] 1st warning [0:25] start window [0:28 - 0:40] rapid development to hills! - redwood grove - drive strange but OK some hints of nausea up to +++ by [0:50] [1:30] still +++ {2:00} +++ or ++ {2:45} drop to ++, eat {4:00} still +, able to yield or to resist {7:00} clear mental [10] clear
- +++ 160 mg 9:03 AM [0:00] 6/24/77 [0:40] note in eyes [0:49] start window [0:20 - 0:40] rapid development - quite eye oriented. Driving would be difficult here. At later full, OK! Compulsive sneezes - no nausea - no vegetable. [0:40] developed! time very slow [1:00] full +++ cardwable! {1:30} still {1:45} start down? {2:00} + 40 mg - no more window, but addn intox {3:00} + 40 mg 2, 240 more tooth clench {3:30} more development. {5:00} drop - still tooth clench {7:00} mentally OK - physical teeth & eye unfocus {11:00} mentally clear, trace tooth. Easy sleep & good dreams

continuing:



4-Bromo-2-carbon-

0.5 mg -
1.0 mg -
1.6 mg -
2.1 mg -
2.6 mg -
3.2 mg ±
3.8 mg -
4.5 mg +
5.5 mg +
7.0 mg +++
7.0 mg +
7.0 mg +
8.0 mg +

see page 172 (June 25 1974 - Oct 24 1976)

paper 2 Calkin:
thush: 6
[Active 10-15]

± 8.2 mg 2:20 PM [0:00] ATIS Nov 7 1976. slightest effect if any [1:00-2:00] at [3:00] certainly sober in every way.

++ 10 mg 10:04 AM [0:00] ATIS Dec 27 1976 - Dave ^{p:211} 7.0 mg (he +++)(we ++)(or +) 12th effects at [0:30] [1:00-2:00] talk - some object pulsing - "Kribbeln" [3:00-3:30] eat normally - Nini was content [5:00-6:00] trace residue - overall (+) (of max y +++). Dave gives ++ at

± 12 mg 12:48 PM [0:00] ATIS Feb 1 1977; at [0:30] a wee bit light head? [1:00] 10% window - but it came upon me slowly without noise - I didn't see it as it came - overall substantially no effects! Two recent histories to consider. Yesterday (1/31/77) 5 mg N-Me DOB. Also, 10 mg above was with someone, and this was alone. Give ±

± 10 mg 2:32 [5:30 → escalate g.v. = 0:00] 8/19/77 [0:45] hints of light-headedness - at [1:00] ± only [1:30] I am obviously fundamentally tolerant to all window effects - also light chest pain - complete wash-out for a few days.

+ 16 mg 9:30 PM [0:00] 9/21/77 on flight to Atlanta. intense talk & passenger - some moments of vision - no sleep - not too good an environment to test. probably +.


+ 10 mg 9:35 AM [0:00] 4/25/78 - after 1 week clear [0:30] alert [1:00] at +, could be easily suppressed early enthusiasm - [4:00] completely clear - muddled effects - not much window.

+ 16 mg 7:50 AM [0:00] 5/2/78 [0:35] alert [0:50] very little if anything [2:00] at + if anything - fully pleasant - good piano - etc. fun. yesterday MDE + LSD.

++ 20 mg + 10 mg 5/6/78 9:50 PM [0:00] one day after MEM [0:30] mild alert [0:45] development [1:00] fully potent ent, g - [1:15] still develop [1:45] ++ at least [2:00] clear call on phone - easy eye - [3:00] coming down - sob - [4:00] clear + 10 mg [5:15] no added effects - wasted [5:45] no residue.

+ 20 mg 5/24/78 9:55 [0:00] (+15 B.O.) modest intro - + max. ex. d.k. unobvious window -

+++ 20 mg 7/15/78 9:15 PM [0:00] [1:00] something nice, quiet, strange (GRAY 20+ (at [2:00]) 44 mg - [1:30] - to + or ++, exclusively intense ext. (1:40) I call - intense hallucinations - blood try bed - dark - eyes closed - wild active 2001 lines [1:50] faces - faces in window - mis light cns emulsion [2:00] full ++ intense neurological inanimate things OK - long excitement [3:00] still ++ still neurological excitement grossly distorted - clown in but intensity 11. max ++



S-2


+++ 5.0 mg 11/21/76 9:45 AM = [0:00] AT3 Sunday. [0:38] almost believable (2nd effect). [0:50] going into smooth threshold - it occurs to me that the concept of $dASC/dt$ is more important in a drug's acceptance than the potency per se. [1:15] slight window effect [1:20] into something. [1:30] more window [1:45] spectacular of [1:50] effects still developing - beginnings of visual effects. [2:00] wood moving in fireplace - on the edge of visual hallucinations the note paper crumples as I write on it. Try lunch just to get it past me - no appetite - talk c 1515 on intransigency & state borders. [2:45] things won't stay still - moving all the time [3:00] concept of communication (non-verbal) - this is it - too bad about the visual disturbances - too bad about the long livedness - but that's the way it comes. [3:10] pure power [3:20] cat events - can force things to move - intellectual explosion. There is light all around me - visually everything is bathed in soft light - I can make things flow. However I wonder if I could stand others around me, as free as I? I would have to extract an oath, which could not be violated, → that they would direct their energy into writing, or into weed chopping type work on demand, and not try to challenge the authority of the demander. → that they would make no demand upon me that I would not be allowed to refuse. → and if an emergency should come up, I should take control. With these requirements met, this could be an incredible tool to explore the intellectual unknown - no one will emerge unchanged. This, to another in my presence, would constitute psychosurgery. [4:20] some drop out in intensity [5:00] becoming quite lucid - residual shakes and muscular tremors. [7:00] still shakes - intellectually normal again. at [12:00] still tooth-rubby. sleep at [14:00] restful but restful - AM no after effect.

++(+) 4.0 mg 2/24/77 9:45 AM. AT3 (+ 4.0 mg Dave + Edward observer) [0:30] slight hang-over note - good light window. [1:50] Silly window - solipsism cell to Joe at [3:00] spent for long walk - back at [6:00] - much talk on nonverbal communication - not too productive - I with lapses out of motor control, then in - his sensory stability loss ~ ++ - mine + at most. - I am still aware at [12:00]. Sleep well at ~ [14:00] and no AM problems. Dave gives it a ++ in quantitative.

+++ 5.0 mg 1/7/79 11:00 AM = [0:00] CP + 5 subtle meet to ++ in [1:30] drive mystery spot, begin - to ++ at [2:30 - 5:00] gradual decline - unworldly day - CP is weaker - weakness. no peak effect of above 11/21/76 handled well. Some sleep problems. ++

N-Ethyl-MDA
"MDE"

- 20 mg 11/30/76 - ATS 9:15 AM 5 mg + 15 mg at 10:45 AM. - no effects whatsoever.
- 40 mg 12/11/76 - ATS 10:55 AM - foul taste. n.e.
- 60 mg 12/13/76 - ATS 2:45 PM - slightest hint at [0:50]? - no effects.
- + 80 mg 12/18/76 ATS 10:50 AM - [0:30] first window - interesting - but not MDMA. I feel as if I am looking at the world - (popped eyes [1:25] still sl. threshold [10:2] [2:10] completely clear - all was a slight but real threshold. at [8:00] a little stary - as if ^{had been} awake for 24 hrs - perhaps just the coughing from my cold.
- ++ 100 mg 12/23/76 ATS 9:55 AM - orange juice [0:23] 1st hint [0:25] rapid buildup [0:42] address to the MDMA problem - G. - warm light all around me. [0:50] ~ 50% into it. The drug does nothing but change the state - everything that occurs, we bring into it. As intense or as dull as we choose to make again - like the alcohol drink. [1:25] dropping off already - [2:30] completely clear - car to Laf. no residue! This is about as active, or somewhat less active, than MDMA, and somewhat faster & shorter lived. V. similar
- + 100 mg 5/17/77 ATS 9:10 AM - [0:23] warning [0:25] start from [0:50] - ~~to~~ to 1:40 steady at + one. [2:00] dropping eye-throw. teller Bob 2/11/77 MDE more amphetamine-like than MDMA
- + 120 mg 6/12/77 ATS 2:15 PM [0:50] some little thing [1:00] am at + but it was absolutely quiet gentle there (250 mg Lophophane yesterday) [1:40] still + [2:00] what little I had is disabbed [3:00] clear except for a little jaw. + one at worst.
- + 140 mg 8/2/77 ATS 9:33 AM [0:00] alert at [0:24] start at [0:35] - develop to [1:00] which is +. some teeth chatter pulse 80 [1:12] clearing [2:00] clear.
- (±) 160 mg 8/4/77 ATS 4:00 PM only ± at 1-2 hrs - previous history: food - chocolate at [0:15]; psychobigical - effective 4-5+ reaction on 8/3; tolerance 140 mg on 8/2 - no conclusion from all this - also see p 244, 245.
- ++ 200 mg 8/7/77 ATS 10:45 AM [0:00] [0:24] alert - flat until [0:34] - then a smooth simple develop went to [0:50] at a ++. Some sl. shakes, eyes dilated, some seeing problems. [1:15] lunch - no appetite [2:00] rapidly dropping. [3:00] quite repaired. at [3:35] 60 µg LSD g.v. ^{page 244} 244
- + 200 mg 8/13/77 ATS 10:45 AM [0:00] [0:34] alert - develop from [0:38 to 0:50] → + intox only - by [2:00] clearing is rapid [2:15] a little physical left. at [3:00] 60 µg LSD g.v. 247
- ++ 280 mg 2/7/78 ATS 10:15 AM [0:00] ~ 200 mg. [0:16] microscopic alert [0:30] begin to a very simple window ++ at [0:45] [1:00] some eye-throw - dilation [1:30] dropping? [1:45] yes. [2:00] + 80 mg [2:25] increased jaw clench, more eye problems [2:35] mental effects recovered but barely to a +. Physical problems are definitely increased. Writing is poor - quite drunk-like [3:15] out - see 256 for LSD exploitation.
- + 200 mg 5/1/78 4:25 PM [0:00] [0:20] alert [0:40] start in eyes - to [1:00] a + - not the impact of MDMA, but ~ 120 mg - [1:40] almost clear - exploitation - LSD g.v. 267.




MDMA - or "MDM"

cont. from p. 186.

- ↑
- 40 mg
- 60 mg
+ 80 mg
++ 100 mg
+ 100 mg
++ 100 mg
- pg 186
- p. 210
- 11/24/76 - ATS - 9:20 AM; 100mg Dave & 100mg Edward at same grow-time - first effects by all three at [0:30] - Dave comments on odd personal attachments to wool sweater. BZ too much. [0:35] at 60% - I am overly volatile. [0:45-0:50] stable at 60% - good rapport & dog. (each of us interact, but each can be quite alone). at [3:05] I am at 10% and leave. Further comments: Dave: AM next - still 10% - things more & jerky motion. Traffic coming towards him → perspective novelty. Book falling to floor has a series of disjointed positions en passant and he is most attentive to such movement. some amphetamine-like after effects in difficulty to sleep. Edward: AM still 5% overall extremely controlled yet rich. Preferred to subsequent 300mg mescaline. Some emotional release (tears re commitment to Pharmacy) and art relief (eye-drawing & pastels). No CNS residue.
- ++ 110mg 12/2/76 - ATS - 12:00 noon. Outside experiment. Overall duration [0:35-3:00] but again a 60% max window. Touch stones - pelicans, cyclamen, beech - no driving difficulties.
- + 100mg 1/4/77 ATS 10:40 AM - new batch - at club. [0:40] 1st awareness [1:00-2:00] max, but extremely subtle - I am apparently now able to completely assimilate the degree of window. Drove back from SF to farm at [2:00] without concern. 1+ out of 4+ at most.
- +++ 125mg 3/8/77 ATS 9:50 AM [0:00] [0:23-0:30] slight window development [0:30-0:40] "noisily" developed up to full 100% window. Now what happens? [0:47] back of lab becomes a chapel - time moving very slowly - erotic seems completely out of place. Pulse 120, b.p. ↑? [1:00] the world is complete in my chapel [1:25] how can one titrate recovery? Hand-rubbing on tummy very satisfying. still 100% [1:32] still 100% pulse back to 108 - teeth grit. [1:38] first noticeable drop - I can allow my eyes to unbalance! [2:20] dropping [2:40] down to 20% - I could have driven or played piano (I did) at any time, quite well. [3:00] not yet quite clear. [4:00] out - wee bit of residual teeth-clench. On ASC scale, ++.
- ++ 100mg 3/25/77 ATS - social setting - cocktail hr. with snarks - in imitation of alcohol-drink (no-cal exertion) - snack ~ 1 hr - consumed in 50 ml tonic water & others & wine - mild intox - start 20-30 min - last total another 1-1.5 hr good interaction - intox level ++ (this was Beau from strain). quite successful.
- ++ 120 mg 4/15/77 ATS - 10:00 AM [0:00] 1st note [0:20] [0:30-1:00] appears to give levels of window. [2:00-2:15] attempt ext. completely inebriated - forced stim → eg. inebriated erection or orgasm!! [3:45] returning quickly [5:30] - clear - puked again. sl. debility. ++
- { + 80 mg
++ 80 mg
+ 60 mg } chronic - see page 232


continued 235



4-Bromo-N-methyl DMA.

- 0.05mg 12/11/76 5:00 PM. ATS no effect.
 - 0.1 mg 12/21/76 12:10 PM ATS no effects.
 - 0.2 mg 12/24/76 11:10 AM ATS no effects.
 - 0.4 mg 12/26/76 10:30 AM ATS no effects.
 - 0.7 mg 12/30/76 2:20 PM ATS no effects.
 - ± 1.2 mg 1/6/77 10:33 AM ATS possible threshold at [1:10]: from [2:30-3:30] slight metallic taste - hang-over feeling - out by [6:00] - probably no effect but up slow.
 - 1.8 mg 1/18/77 10:15 AM ATS = [0:00]; [2:00] light glow? [3:00] nothing.
 - ± 3.0 mg 1/23/77 11:00 AM ATS = [0:00]. [2:00] trace at best - probably nothing.
 - 5.0 mg 1/31/77 11:05 AM ATS = [0:00] [1:10] trace light head? (4:00-6:00) trace unreal? no effect.
 - + (++) 8.0 mg 2/13/77 10:40 AM ATS = [0:00] [1:20] light head [2:10] real effects - a generally good-effect spaced - nothing tangible [5:20] still aware - some teeth rubbing - effects have been steady for last 3 hrs - so this is long-lasting - there are lots of physical effects which may be kidding me into providing some of the mental. [6:20] almost entirely physical - tight teeth - general physical tensions - hyperreflexia - some mydriasis - these are lessened by [8:00] and do not interfere with sleep at [12:00]. There is no desire to proceed any further, at least at the present time. Mental (+) physical.
- Next day - slight improvement of persistence of tox.

FLIP - 10mg n.e. but + 24 hrs
 → severe response to 5 mg P80P-
 see report of (+) STP



4-propoxy-3,5-dimethoxy
phenethylamine

"Proscaline"

209

- ± 6mg 1/5/77 10:15AM ATS - slight window aff[100] - stable and still believable at [2:00] and at [2:30] - absolutely nothing at [6:00]. sl. effect?
- + 15mg 1/7/77 9:05AM ATS - no noticeable onset of anything. The middle of the day was relaxed, and beset with many trivial acts of bad judgement (e.g., turning of the car engine to get out to open the gate, opening wrong drawer to get scissors, forgetting to buy the champagne for Owen's Russian dinner party, the purpose of leaving farm). In evening, judgement is fine - no sleep problems. Not a psychotomimetic, but what is it. Try 25 & open eyes.
- 25mg 1/30/77 11:05AM ATS at [1:10] ^{see 40mg & 50mg on 1/24/77} microscopic light-head? [2:35] nothing whatsoever wasted day. [4:00] still nothing. Slight hang-over feeling all day? no effect. to bed at (13:00) (midnight) and couldn't sleep until 2:30AM. effect? no effect!
- ++ 40mg 2/12/77 10:35AM ATS = [0:00] [0:13] possible light head - paraesthesia. (1:00) exclamation paraesthesia (1:08) effects are real - no good name for it; if 2x effects (at higher dose) ok - if 10x - too much. (2:10) possibly flowing - I am reminded of x-o-DMS - but not mescaline (2:30) end of Salomé - intense - hard flow. (4:00) still real - under good control - but that is me, not the compound that is control. Hard anaesthesia as is 4-Pr-3,5-DMA? - Clear by evening [10:00] - no difficulty sleeping. Between + & ++
- ++ 60mg 3/3/77 9:00AM = [0:00] ATS (1:10) - some window ~~nothing~~ + something else (2:00) eyes-open awareness - there is a glitter of all light against dark - I can (and will) relax into a real effect (2:15) nice - I can enter or withdraw as I wish (2:30) clear-headed work in the lab - but with shakes. [5:00] still some shakes - but window gone - I was mentally clear all day - but went through an incredible arab - daydream. [7:00] at club - still a little wide-eyed and hyperreflexic - mentally sharp. (14:00) still noticeable tooth-missing. This is much more effective than mescaline at 100mg (±) or at 200mg (±). Assign 5 M.V. as of the moment. This is just 1/2 of Gordon assignment.

Gordon p197 - 11 mg $\approx$ 75-100 mg mescaline
15 mg $\approx$ 200 mg mescaline!?

Gordon letter 1/4/77 25mg "quite effective"
and guesses at 10MV. or more. 5-6hrs

Gray letter 5/16/77 - N-butyl (n-butyl)
mescaline - strange going-on at 20mg

see 419

of feelings is easier.

The most important effect is however
the Balance, the feeling of to be between
two worlds, the window effect, the feeling
(after you have passed the window) that you
can look to the world like from a airplane,
And in the same time the possibility, to
be really in the middle of a forest: the
possibility to shift to different levels of
perception, feeling, thoughts.


You can handle the drug and not the
drug you.

(No appetite at all)

This page is blank because there is no facing page in lab book.

Denise

11/24/76



100 mg

time course: after 20-30 min first effects
 ' 40 min ~ 50%
 ' 1h - 1.5h 100% for 3h
 ~ ~6h ~ 50%
 ~ ~12-20h ~ 10% ('hypnotic effect')


units: ++!

Enhancement of ^{acoustic} auditory tactile and visual perception. The perspective is the most changed phenomenon: like a wide-angle lens ($f \approx 35$) (Kodak $f \approx 28$) you see deeper, more details and during the same time the total f.ex. shadow-light increasing with 30-40% color increase. A very heavy resonance through the total body-apparatus = skull! = skeleton? Every step has his resonance through the total body. During Hall-time a musical input is to much. All noises are louder, the normal selective threshold is lowered.

The body is nearly without weight, there is no effort to stand up or walk around. The blood circulation is increased, so the result is a warm feeling. The erotic - not sexual - feeling is increased; personal contact, expression

Denise

12/27/76



7 mg

Time course: after 20 min first effects
 " 1 h 100% for ~ 3-4 h
 " 6 h ~ 20-30%
 " 7 h ~ 0


units: +1 (1 1/2)

Enhancement of mostly tactile, less
 olfactory or visible perception.

vision: only light + shadow, no colors,
 however ~ 30% of Meskian effect
 in "lim-shape-movements".


tactile: the body is more divided in warm +
 cold tones; body sensations are enhanced;
 the resonance in the skeleton (skel) is the
 same like with all other substances.
 A lot of inner trembling (uncertainty) by
 touching something.

In comparison to TMA (a homogeneous drug)
 + 3,4-2C is less balanced, some properties are
 more enhanced, whereas other effects are
 missing. The window effect is not with both legs,
 Jan Paul (with one (vision) still before the window.
 normal amblyopia + taste)



STP (continuing).

- 0.2mg - } from page 84, other subjects 2.3-4.1 g.v.
- + 1.0mg +
- ++ 1.4mg ++
- + 2.5mg + 1/8/77 10:22 AM ATS [1:30] aware - eat lunch [2:00] steady [3:20] mental flow of conversation - faint on Opera (Gounod) - heavy letter - still at [4:20] [6:00] out - late evening - some residual physical. Trace edge movement? overall 1+ of 4+.
- +++ 4.0mg +++ 1/11/77 10:30 AM ATS [0:50] trace light-headedness or maybe window - [1:20] very into it - almost a mescaline-like unreality. [3:15] still very deeply there - this is a chemical EST - am able to haul out personal problems and reorganize - resolve my designs on helping other people learn with drugs - stop being selfish and "as if I were the only one who could run the show". [4:00] I am in complete control, even though I am very deeply into it. [6:00] begin recording in the 1/11 letter [6:15] deeply into it or completely out of it - how can I ever tell - a great deal of control in edge-effects pulsing, object movement - all can flow or behave, as I wish. [7:30] in darkness - white light flickering in visual field - this may night make night-driving dangerous. [10:00] flickers gone [13:30] - minor problems sleeping - then good restful sleep - in ATS - refreshed - no residue. 3+.
- ++ 3.0mg ++ 2/8/77 in part to directly challenge the 4 mg DOET (g.v.) as ± vs ++. intense interaction, hypnotic games, Denise. Able to drive carefully but well at [4-5] hrs - residual effects evident through dinner [8] but lost drive ACT show Gentlemen. Clear at [12]. A true, honest ++. Serious, intense, and truly psychological.
- ++ 3.0mg 2/22/77 interaction experiment 10:30 - [0:00] [1:30 - 4:30] in continuous conversation with see-through - other's eyes success. Thought fusion - remarkable non-verbal transfer by eyecontact [6:00] driving controlled but fine. Concept of "rim".
- +++ 5.0mg 3/1/80 12:07 - [0:00] AP =. [0:40] quiet start, walking to mail [1:00] between + & ++, climbing. [1:25] to ++, relatively quiet development [1:40] > ++ [2:25] about ++, cognitively clear, cloudiness in peripheral vision. Rest of notes lost. Check CL notes.
- ++ .5 5.0mg 5/3/80 11:25 - [0:00] ATS, CL, CD 5mg M.S. 4mg + 1 @ [1:45] CM, 4mg P.G. 3mg + 1 @ [2:05] CN, CO 3.5mg S.D. 2mg Dave quiet onset - barely + @ [1:15] quiet to ++ or more ATS, CR by [2:00] - by [2:30 - 4:00] patterns established. AB, BB ecstatic; CO highly successful monogram intoxicated (good) Kelly oscillates between ecstasy & agony (4:1:9!). CL & ATS. 9L > ++ CR quite light. CN heavy body - largely unpleasant - good in retrospect. CD an incredible day - expresses hints of hidden anger. Warm farm day. Largely down by [9:00] (matzo ball soup) except Kelly, ~~etc.~~ (still on through night - no sleep, from K's to long pine next A.M. early - refreshed, extraordinary) and CN (sleep problems, eye difficulty - could not drive @ [11:00]). Excellent day. See 357-9
- | | | | |
|-----|-----|-----|-----|
| max | 300 | 400 | 500 |
| Don | ③ | ④ | ⑤ |
| LSO | ⑥⑦⑧ | ⑩⑪ | ⑫⑬ |

DOET (continuing)
to 429

- 0.2 mg
± 0.7 mg
+ 1.0 mg
++ 1.5 mg
+ 2.5 mg

} from page 45 - other subjects 0.9 - 2.0 g i.v.

1/15/77 10:30 AM ATS = [0:00] At [1:15] first paraesthetic twinges [2:00] very light intoxication - less than DOM. [3:00] I can enjoy it or ignore it - this might normally be missed - but there are signs of "unmasking" but no windows. [4:30] still light effect - this has all been very little more than threshold. [9:30] still residual awareness. [13:00] probably clear of symptoms.


± (++) 4.0 mg 2/4/77 10:30 AM ATS = [0:00] At [1:15] effects noted - and I was surprised as I had forgotten expt. [1:50] slight but real [2:15] subtle - can be ignored. As window or as STP - psychotomimetic - only ± - But - as word, energizer - there was surely a ++ or better effect. Lakshmi is right! None of the psychotomimetic effects - but one bringing into function whatever one wants. Worked cleaning lab to 11 PM - slept very well. A good, going effect - but not by any means any LSD or STP seriousness.

+++ ! 6.0 mg 10/9/77 12:15 PM ATS = [0:00] effects at [1:15] - emotional interaction cTOE - unfair - alone at [2:15] intensely stirred [2:30] to +++ - the psychosis of the 2-carbon - completely - except that there is much sensory distortion. [3:30] onto bed c radio - mental construction - eyes closed - open, walls fall in [5:15] to hill top - sensory interubation is wild - but controllable. [5:45] eat c some success - mental is straightening up, but sensory is still wild. Lakshmi is wrong - this is an LSD-like psychotomimetic, + psychosis aspects. [8:15] sanity OK - sensory still wild. Rotate K.R. flask without touching it. Haze on patio can be twitched at will, mentally. [12:00] try bed - no sleep. Next AM - strange - but perhaps due to no sleep. Next afternoon - pretty much OK. A wild and not too unpleasant +++ - at least the sensory provides some reward for the psychosis.

+++ 6.0 mg 12/17/78 (AB 6.0, BB 6.0) 10:50 [0:00] - [1:00] subtle onset [2:00] very quickly into ++ AB a little less, BB a little more [2:30 - 5:00] BB up to state of physical distress - (facial muscles - extreme tremor. Biding time of recovery. AB drops back to comfort and assist - I go back and forth - concerned by but not worried. Dogless g dog-wall around many blocks. [8:00] generalized reviews - BB only occasionally back into body still ++ or +++ [12:00] comfortable post - psychedelic reverse. BB stable AB completely reenters the ++ that he had denied himself. [14:00] try bed - [14 - 18:00] perhaps sleep, perhaps not, but vivid "movie" of space flight - computers - watch miswatch DNA synthesis - dragon parade - oblivion. Complete recall. Restful sleep (18-22).

LSD - a recalibration (cont. 269)

- 20ug 1/22/77 9:50 AM - AT5 - cinematic frame stary at 11:00-12:00 (11:20) - n
- + 40ug 1/29/77 10:20 AM AT5 [0:00] [0:30] - (1st note [0:45] more [1:00] real - nothing tonight - effects totally in mind, no outside world confirmation [1:10] I can start α -rhythm thump moving - and I can turn off. [2:00] richness of controlled complexity. LSD is complex, MDMA is simple, as can be heard thought of art (d = vs.) [3:00] drooping [4:00] nearly repaired [6:00] set free - no after effects.
- ++ 60ug 2/3/77 9:15 AM. AT5 [0:33] noticable window - develops f 10 $\rightarrow$ 20% at [1:20] - at [2:00] pretend to run exec. committee. OK - but intellectually fuzzy. I would have to imitate the speech patterns of myself sober - by memory - and I had never paid that much attention to them. [2:30] - face detachment - disform. [3:00] Beethoven Op 56 - appreciate art of balance this (23 vs. orchestra 100 - (3:30) noticable repair. [4:00] prepare for city. Overall - almost no moving things - distortion not even inevitable - but intell. fuzzy real. Might appreciate a sitter i too much layers auto.
- ± 60ug 7/4/77 10:10 AM = [0:00] [0:40] alert [1:00] very light darting [2:30] $\pm$ at best. out set 24/11 7/3/77 p 233.
- +++ (+) 80ug 7/30/77 4:55 PM [0:00] [0:35] aware of start - from [0:35 to 1:00] development of complete LSD-window - not rising ^(light) window of MDMA, but dark LSD window - complete at [1:00] - some darting (1:40-2:00) heavy - +++ with start of open-ended "insanity" with free-mind running and interpretive chaos. Faces are blotched & exaggerated. Dinner talk on est was strange - but well carried off. [3:15] largely repaired [6:00] all out except for a trace flypiss - give +++ for LSD window (dark window) and + for interpretive dissociation - this is a new parameter to bring into control.
- ++++ 60ug (3:35 after 200ug MDE) 8/7/77 - see p. 247
- + 60ug (2:00 after 120ug MDMA) 8/10/77 see p. 247
- +++ 60ug (3:00 after 200ug MDE) 8/14/77 see p. 247
- + 40ug (2:00 after 160ug MDMA) 8/20/77 see p. 247
- several other exploitations - see MDE, MDPR, MDIP, MDOR, etc.
- +++ 80ug 9/13/77 (2 days PN) 6:05 PM [0:00] first [0:40] [1:10] comes on c brittle edge [2:00] dinner finished - am +++ - all emotions out in open Joe on piano, I in dark - tears just stream down to window which is "open" to sky! light f. piano man is a fire c sparks and humming twigs! Again, difference between dark & day! see "holobrynn" - at [7:00] try sleep - OK - active & easily remembered dreams. +++ I must try an sleep at night
- ++ 60ug 12/2/77 (8:45 AM = [0:00]) [0:30] alert [1:00] - developing quickly to ++ (2:00) full ++ if not more - talk is elliptical - thought processes are illogical. Change-of-look crisis at Med Center - I cannot relate to anyone or even to the fact [3:00] things still unreal. I can get things to flow. [3:30] fewer & fewer over-flights of reality; i.e. jarring back. (5:30) substantially, clear



MDMA-2 continuing.

-	1 mg	-
-	8 mg	-
±	10.4 mg	±
++	16 mg	++
+	16 mg	+
±	24 mg	±
++	30 mg	++

from page 49, other subjects to 60 mg, q.v.

2/19/77 9:40 AM = [0:00] [0:32] first subtle note [0:45] slow window development very nice. [1:00] well into window - but the slow coming on makes it (1) easily assimilated and (2) difficult to quantitate. I must be 50%. [1:15] exchange stopped - I am stable - search for new inputs [2:00] steady: all awareness truly enhanced - it would be impossible for any person, at this level, on this drug, to have a bad trip. There is nothing disturbed, so there can be no misrepresentations as a result. No sensory distortion. [3:00] still full ASC, long talk - Gordon fine! [4:30] still full. This is a slow MDA - equivalent to 80 mg fully as controllable - a marvelous drug. Would be good for introducing a person to slow-on, slow-off. No apparent impotency (unlike MDA). [6:00] drooping - window pretty much gone. Some MDA gritty remains. [9:00] clear except for some tooth-rub. [11:00] all clear.

+++ 40 mg. 2/27/77 9:00 AM = [0:00] [0:30] note a trace light head [0:45 - 1:00] window developing slowly - occasional nausea [1:00 - 1:20] very smooth development of an ASC - I can surely do anything I wish (phone, count stand, drive). Getting to this state (not the state itself) was so smooth it could be missed. The state is unmistakable however. [1:30] stretched feeling at eyes, above ears - as if eyes were popping - kind of a temporal organ feel - yet eyes are normal. This is continuous and nice. [2:00] intense - and after for a while. [3:00] still delightfully stoned [5:00] some drooping [6:00] 60% repaired - to SF (driving) but still some awareness of certain movement at recital [12:00] sl. residual tooth-rubbing. This is $\approx$ 100 mg MDA but a longer time scale.


+++ 50 mg. 3/30/77 9:05 AM = [0:00] (to estimate "long-acting martini" potential. [0:30] 1st trace lt. head [0:42 - 1:10] - complete development of ASC - slightly pop-eyed. [1:35] fully stoned. 4:!! yet I can embed any needed sensibility (in the French sense) [3:00 - 4:00] lunch - still stoned - phone OK, talk OK. [6:00] sobering up - I could drive OK - but then I probably could have all day. The teeth-gritty remains. [9:00] sober - teeth-grit - unpleasant temporal headache. [14:00] to sleep - no problems. Next day no residue, but rest anyway. Too long - too much gritty and jaw clench. Maybe the "R" isomer! Maybe the N-methyl?

+ 30 mg 6/3/77 9:00 AM = [0:00] [0:45] slow development [1:30] real 1 + off - worse. Can't grow - at [3:00] no more than + - + 15 mg - little additional effect - evening clear up to 4 PM.

8 Febr. 77 3 mg SOM (JTP) effect: H to 3 1/2

Dave
2/8/77

time-effect curve is very hard to describe, because we were involved in such a important task, roughly: 30-40 min after uptake the first crawling, fumbling, activation; after 60-70 min the first optical, acoustical and tactical effects, for me no specific pleasure (talk!); after 10 h nearly no effect (sensations) besides sleeping difficulties and in a sense consciousness-alterations: the possibility to separate different phenomena from their normal purpose-combination; for the hooting of a police car can be separated from their car and connect with my thoughts for an other purpose. The effects: with this dosage level you are able to "observe" very sharp as with LSD, but you are not fixed on one object. You are able to change as with mescaline, but unlike mescaline you lose the possibility to focus on all different depths. The light is brilliantly clear. The movements are more busy, not so much in large waves, the colors are brighter, but not disturbing; harmony: interlacement of sensations with the possibility to work with this change; the alteration is "closer" in, with you. It is not a new world, it is an expanded continuing reality. In this state you get sometimes the feeling, the certainty (?), that body, head and mind are one unit, one ball, one circle, not far away in your imagination but very close in front of you, in yourself. In this



4-ethoxy-3,5-dimethoxy
phenethylamine
"Escaline"

217

Gordon material has EtOH of hydration?
1650, 80 mg $\cong$ 68 awh.
60 mg $\cong$ 51 awh.

- 10 mg 2/26/77 10:30 AM ATB. no effects.

- 20 mg 2/28/77 10:00 AM ATB - no effects.

+ 40 mg 3/12/77 2:37 PM ATB - at (2:00 - 3:00) an extraordinary muscular hyperreflexia certainly real - clearly an honest 1+ as to physical - nothing sensory or mental. at (4:00) dinner (at Helen's apartment) went well but I had some problems putting thoughts to words smoothly. Played excellent chess - Joe, and my French reading went normally. Beware, aleph-6, 20 pg, 4 in AM. Sleep OK.

+++ 60 mg 3/23/77 10:00 AM = [0:00] [0:30 - 0:45] - development of a quiet ASC [1:00] very real - none of the methylene dioxy noise this is noisy, rest is quiet. (2:00 - 2:20) eyes closed in bed, in ~ darkness - excellent! Attention can be paid to external sounds (for safety, telephone, etc) while a parallel image can unfold and develop in the mind. A face forms - a set of eyes, and you watch as the mind embroiders it with colors, glitter, designs - you watch as it unfolds. Are you creating (am I creating) it in a flow process - creativity on demand, on call? or is this all tucked away somewhere - preformed - and just oo'ing out? Try improvising on piano. fine. @ (3:00) try outside world - drive to bank, photo shop, post office. all OK. All faces are with a mescaline-ness - no one is pretty - but every one is somehow human. Back at (4:30) - still soundly altered. (6:00) drooping. Good appetite. +++


Gordon 4/14/77 letter 22 mg > than = dose of proscarbide

+ 80 mg 8/14/77 9:05 AM = [0:00] [0:45] sl. et head (1:00) slight effects (2:00) mentally thin and real effect - OK at +. perhaps a functional tolerance from yesterday's MDE-LSI (5:15) what little fleeting effects are now long gone. + I must repeat after several days drug-effect-free. This is not self-consistent.

+++ 60 mg AMPHIDROUS BATCH. 6/14/80 5:05 = [0:00] AP =. Alerts ~ [3:30] by [1:15] at or above ++. This out 2C-B's 2C-B for eroticism. Erotic synthesis to music, fantasy - more complex (unreality edging) than 2-CB (5:30) eat a little - very much >+ almost +++ . AP +++ . driving impossible. St. Vartan Symphony, by Haydn, Unicorn #317 - As you participate in art, you become one with art, thus you are art. Fantasy can become unexcitable for lack of edges for pulling out (griffing). (7:30) try sleep - 2 or 3 intense darts. 2 glasses wine softens the v. strong-up nervous system. Sleep to (14:00) - adequate ATB, not so AP. Good, intense +++ - with some physical price afterwards, but well worth it. +++

moments you loose your body weight.

In general, one of the most impressive quantities of this drug is, that it has beside sensation - power "thinking-power". It goes straight forward to your self.



You are not looking to a movie, to a picture show, you are looking to, in yourself, looking from an other point of view, the pattern of your own thinking is lifted. At least one result is, that you are relativating your old positions, that you bear problems resulting from facts easier; "they get a smaller ^(importance) number". - for the first time I felt the need, to write down my experience in our "book". The first sentence which I wrote down was: "of course, I am still under the effect of this substance, but for that very reason I have the wish to write."

- Besides all this, it is an unbelievable experience to discover, to learn the power of this substance, together with the creator of this "powder".


+ still during the effects of the drug.

This page is blank because there is no facing page in lab book.


S-OCH₃-DIPTcontinued f. p176, 191
to p 417

- 1.0 mg
 ± 1.8 mg
 - 2.5 mg
 + 3.2 mg
 ++ 4.0 mg
 + 4.0 mg
 + 5.0 mg
 +++ 6.0 mg

page 176, 191




- + 6.0 mg 3/1/77 9:30 AM ATS [0:00] - 1st et. head at [0:27] - [0:33-0:50] gradual window then more quickly to ~[1:10]. [1:10-1:45] intox - but full control of acts and thoughts. [2:20] sober - completely clear afternoon. No more than +.
- + 8.0 mg 3/5/77 9:140 AM ATS [0:00] [0:40-1:00] very quiet window (unlike the "noisy" one of MDMA [1:30] - I suffer from the lack of an objective test for this state - I have a broad sensory sphere - and yet am sober - I feel richly aware [2:00] clearing or cleared? - [2:40] completely clear - yesterday was - went a few days before any further testing. At most ± +.
- +++ (+) 10 mg 3/17/77 9:00 AM ATS [0:00] 1st window at [0:20] - rapid development [0:55] colors on edges of wiggles in eyes - on periphery of vision - a sort of Tess & Allen sunray design & intense color contrasts [1:30] still full - sphere - inebriated by gaudy unbroken [2:00] still there. I would have greatest difficulty in driving a car - I would be limited by the logic of my responses - i.e. some LSD effects. [3:00] some drooping - mail - call - some phone calls [3:30] 1/2 way down [6:00] quite clear - but later in evening - outside-body clean feeling - no stim of MDMA - more like PSOP. between 3 & 4t.
- + 8 mg 5/3/77 7:55 PM - 1 hr post tram [0:20] early warning alert. [0:40] light window opening. [0:55] at a ± + & quiet window [1:00] + is all - rapid recovery. at [2:00] out - Again - yesterday 220 mg MDMA - cross tolerance?
- + 8 mg 5/6/77 9:35 PM - water shed theory & DOB. [0:40] effect of window without any window actually occurring. [1:00] aware of sensory thrust, twangs [1:20] I am getting changings of the nervous system - and I jump in reflex - zep. zep. [2:05] still some clamps - will I sleep? to bed. [4:30] still awake. occasional reflex jerk to what appears to be a burst of sound (speech?) or other stim. Then sleep. overall + - but not an enjoyable experiment. It is as if the residual DOB ~~had~~ hid the window - and let through the neural stimuli. PEA os. inside?
- + 10 mg 5/10/77 3:25 PM ATS (see 26-6, AM) [0:30] tingle - alert. [0:55] I got there quietly - no window but awareness of all kinds of little sensory darts [1:00] - twangs - this at high level will be a sense distorter - PSOP-like? [2:00-3:00] to fish groats - no problems driving. Intensity faces: quite sober but tend to emotional reaction. [3:00] drooping [4:00] out - residual good clean feeling. I am not at all sure now that I like this drug as much as I had thought. I must reacquaint & ~~be~~ LSD - I may have lost my responsiveness to this - which might make the homologs (me, 1p, 1p; $\frac{1}{2}$; etc) difficult to assay. We shall see - I am done with this for now.




aleph-4

- 0.2mg 3/7/77 11:20 AM ATS. A couple of paresthetic twinges in mid-afternoon. n.e.
- ± 0.5mg 3/11/77 9:53 AM ATS. Oddness at Genova at 11:30 - a couple of erratic acts - walks against red line - eh Edward spotted threshold at panoramic picnic - I did not. no effect?
- ± 0.8mg 3/16/77 9:45 AM ATS. warmth in PM - and early evening? - no effect.
- 1.4mg 3/19/77 10:28 AM ATS no effect
- 2.0mg 4/3/77 10:00 AM ATS n.e.
- ± 3.0mg 4/8/77 10:30 AM ATS was the day exceptionally nice? - probably no effect.
- + 4.0mg 4/17/77 10:15 AM ATS = [0:00] [1:05] - first intellectual twinge? interpretation window? [2:05] temporal pressure. [4:00] still an effect - sl. numbness of left hand - tremor at piano sl. unreal. Would I challenge 200 µg LSD NO! I am definitely not at a baseline from which I would, or could, control everything. I am now truly + - no more + nonsense. [5:15] still unreal still +. even more? [5:45] the teeth still clenchy - this is long-lasting. [7:15] physically still aware. mentally - how can I tell? I never was too far. Still have a pop-eyed feel to everything. I must apply myself to continue working. [12:00] a little physical residue still.
- ++ 6.0mg 9:00 AM = [0:00] (7/2/77) ATS. [1:00] but subtle notes [1:30] - something thin. not brittle but interesting - developing [2:30] strange - still developing [4:30] I am in a TMA-like state. Correctly psychotomimetic - a ++, = in all ways to recent 130 mg TMA try - no window, not much fun [5:30] at supermarket. full ++ - faces - detail [6:30] noticeable drop. some physical - mental state constriction - this is not for pleasure. quite potent - [7:30] only an occasional twinge - at [12:00] saturation 200 µg TMA q.v. - 24 hrs following - quite vandy.
- +++ 8.0mg 8/27/77 9:35 AM = [0:00] [1:00] thin head [1:10] thin - as if my skin above the ears was stretched too tight [1:15] something starts [2:00] up to a + it is something serious - none of the fun of the MD series, none of the sinister of LSD - it is building up [3:00 - 4:00] quite unreal - intense - could not tell from LSD - except no window - and reality loss is not apparent - easy of - none of the fun of the MDs. [4:30] - being in the dark might be interesting [4:35] my writing is rather bad [4:50] psychological urge to vomit - get rid of inner hangups - analysis of bonds - want to hide my face - cry - vomit - at +++ no more intense is possible - not and still keep it all together - I am more than any dose on any other aleph. [5:00] fully +++ I could not drive a car - I could hit another car, run over someone, and not respond to it. Yet - no trace of window - either ~~TMA~~ TMA or LSD - the "sinister" LSD window is clearly this effect superimposed on real window. This state is pure something. What - call it aleph state. No sign of slackening. Time to interest 1515 again (bedroom cleanup project) [5:30] some sedative action? I keep wanting to dump crap f. body, vomit, vomit on on start 2 fresh inside. This is snake oil, psychologically deep + hyper reflexive + sedate + CV ↓ [6:15] no more up [6:35] returning, rapidly - to + [8:30] mentally OK, physical (nervous) [14:30] still body. nervous. Shower - good sleep. AM OK

24. Febr. 77 Yang



The time-effect-curve: after ~ 30 min the first effects, which are increasing for the next 30-60 min: a warm feeling in the total body, a light head-pressure, which is changing after a time in the feeling. That warm head is one "ballon" without any anatomical differentiation. The visual (color) perception is not very much increased (more after ~ 6 h), the perception is only little changed (at least I did not notice it), I did not see sharper as after DMT. I noticed more little waves of movement, very smooth, not to busy as with DMT. The tactile perception is enhanced; a feeling like with STP (boom) and HDTA (firm, push) together. The acoustical perception is slightly enhanced. The taste is not so much decreased as with DMT, but the feeling of soft fluid food is increased. - After 8-10 h nearly the effect more; no trouble with sleep (as with DMT). All together, the drug has an effect of sensoric and sensual enhancement but at least at such a dosage level no disturbance, no overwhelming extropective feature.



aleph-6

- 0.02 mg 11:00 AM 3/12/77 ATB. n.e.
- 0.04 mg 10:15 AM 3/13/77 ATB n.e.
- 0.1 mg 11:00 AM 3/20/77 ATB n.e.
- 0.25 mg 9:10 AM 4/6/77 ATB n.e.
- 0.5 mg 10:15 AM 4/14/77 ATB n.e.
- 1.0 mg 11:00 AM 4/26/77 ATB n.e.
- ± 2.0 mg 9:30 AM 5/5/77 ATB a couple of paraesthetic tingles 11:00 AM n.e. n.e. ±?
- 3.0 mg 9:45 AM 5/10/77 ATB. n.e.
- 6.0 mg 9:15 AM 10/2/77 ATB n.e.
- 10.0 mg 9:07 AM 11/7/77 ATB. latter part of day, quite depressed. n.e.
- + 20 mg 8:15 AM 1/19/78 ATB (2:45) something? (3:30) a +, but what? (6:00-7:15) am I clear, or am I still +? - in crowds - all voices are equal w/ me (METHUEN) but not disturbing - I am not clear. [10:00] - surely clear! - overall + if at all. ++
- + 30 mg 11:40 AM = (0:00) 12/10/78 (11:00) slight alert (2:00) same alert. maybe at + → a gentle unworldliness - not easily definable [12:00] - same indefinable something, an odd unreality while driving - clearly, long lasting. I cannot put characters to it.
- + 40 mg 12:12 = (0:00) 3/14/79 (0:40) alert (1:15) a subtle but real +, not interfering w/ work - actually helping! I am primed, little more. (2:40) static. Use as primer to 450 (p 288)

Elaborated and philosophical report would be done if desired.

The main effect for me was (is) - perhaps ^{a typically} increased again as with STP as a result of our talks - that this substance still more than STP "studies in my head"; that should express, that more the introspective - not to much the outer world - was the main feature.


Although the thinking process was sometimes not so straight forward as with STP; sometimes it was more the pleasure and play of thoughts, than the necessity of thinking.

However the substance is very helpful for the experience of yourself and the world, your world; it lifts (as STP) normal, familiar thinking patterns and allows you to experience with more freedom. Because of the easier handling of the outer world (less sensory disturbance and easier controlling) and a less "amphetamine-effect" it seems to me, that this compound is a better possibility for a lighter and experience during a "normal weekday".

The danger of a separation from body and mind is not so large, because the body-feeling is always present and very good. So, the dualism (the old one) from mind and body seems to be more existent any more (for my feeling very important, if one's want to create more specific compounds).

This is mostly a personal comment; a more official


This page is blank because there is no facing page in lab book.



4-ethoxy TMA
4-ethoxy-3,5 DMA.

3C-E


- 5mg 3/21/77 11:25 AM ATS no effect
- 10mg 3/28/77 9:30 AM ATS - dusty smell at (2:00) - n.e.
- 15mg 4/1/77 10:30 AM ATS - sl. aggressive driving - that's all - n.e.
- ± 20mg 4/6/77 10:00 AM ATS - sl. v. nice spaced day from (2:00) to maybe (5:00) ±?
- + 30mg 4/9/77 9:00 AM ATS = [0:00] at [1:00] a light, nice unworldliness - of window - extremely quiet - I never saw it - no trace of body inadequacy - normal physics - sl. ASC (1:15) level a peaceful state - something of the intellectual strain of aleph-2 without the form (2:00) - a little teeth clench begins - but still excellent high - I would comfortably endure 2x dose (3:00) mental steady - physical more - (4:20) mental gone, largely - physical there for a while yet - (9:00) all physical gone - overall - (+)
- ± 40mg 7/22/77 9:30 AM = [0:00] (1:00-1:10) something (1:30) muscular shakes - slight mental but much heavier on physical. Inconclusive.
- ++ 50mg 11/8/77 9:00 AM = [0:00] (0:45) warm entry - something real (1:00) developing - no noise (1:30) interesting stone - no brittleness at + or ++ - climbing (2:00) an LSD-like hit x. ≈ 60mg - window edges of reality loss (3:30) still at + or ++; the real mental makes the physical trivial (4:00) call a ++ - probably not able to run 1/4 or drive car (5:00) largely clear & (10:00) clear.
- (++) 40mg 8/10/78 9:00 AM = [0:00] [1:40] aware of some effect [1:00] a change (undefinable) but pleasant + I hope it develops further. (1:30) smile + (2:00) real +; very little window as MDMA window (2:30) an unworldly +. very much in control, but with an undertone of unreality that is vaguely reminiscent of a quiet LSD. If there were a great deal more sensory input, I might not see it; and if I were in complete sensory quiet I would miss it too, but just where I am, I can see it. Zenic state of awareness. Almost bath-like. (2:45) an honest >+, even ++ of a fascinating, different state of C. Anti-erotic. (4:00) probably still at ++, normal appetite. vaguely unreal world around me. (5:00) noticeable slipping (6:00) substantially out (8:00) sober - no residue.
- ++ 60mg 6/6/80 3:30 PM = [0:00] CL =. [0:30] ATS aware, CL body effects [1:40] some visual, developing rapidly, nicely. CL bursts of color [1:55] CL very uncomfortable in body - well >> ++ - quite anxious - ATS to + or maybe a bit more. [1:15] CL ++, shakes, quite concerned; ATS slow. (2:45) kitchen for juice - extremely erotic (7:00) up for food - ATS at [2-3] drifted and relaxed into ++; never above. Easy fantasy - fair sleep at (9:00) me overall ++ CL at or above ++. 40mg probably proper dosage.



aleph - 7

223 *
to p 338

- 0.5mg 5/22/77 8:45 AM ATS n.e.
- 1.0mg 3/24/77 12:10 PM AB @2:20 pulse 100 - n.e.
- ± 2.0mg 3/29/77 10:00 AM ATS The day was unusually warm - Sat up CS work & Far evening - Doug, difficulty in sleeping (midnight to ~2 AM) - stimulation? quite ±
- + 3.0mg 4/12/77 9:40 AM ATS = (0:00) at (2:00) a parasthetic twinge or two (2:00) easy & relaxed (4:00) enough to say + eventually willing to push - but for now let this ride out. Some physical tension. Wired? Definitely no window. Afternoon - Frank (8:00) still very aware - gritty. (9:30) food quite this - ears still "popped". Sleep OK at (13:00). ~ +
- + 5.0mg 11/12/77 7:50 = (0:00) (0:40) alert (1:00) something to ± (1:30) to + onto (4:00) still + - no fun - no window (6:00) drifting - a dream but not intense aleph. (9:00) out (16:00) unable to sleep - daze at (20:00) - next day no problems. +
- +++ (-5) 7mg 6/13/78 9:30 = (0:00) (0:55) start? (1:10) develop to at least + (1:45) home from shopping, developing more (2:00) intense or (2:20) becoming body-depersonalized (2:30) at full +++ - call for help? go for mail (2:45) deeper and deeper - none of any familiar landmarks - no window - no ISO reality loss - no shakes and shimmers - but intense, profound +++ of something, characterized only by the absence of extremes. Frightening because it is deepening and I don't know where - drive to Kantor's - incredible drive & lane markers flitting up and past my line of sight - but basically sound driving. Arrive at Greg's at (4:15) for baby-sit & his observations (6:00) subtle transfer to a +++ of a good sort - recognizable as friendly - allowing assurance of security. (7:00) first sign of softening - to perhaps ++ but still intensely stoned (10:00) eat fruit salad - still at least + (14:00) home again still + first urination of the experiment - write this up. I will try to sleep but I don't expect much success - hot shower & try at (15:15) light dozing at best - awake and up at (22:00) with possibly some effects still. These passed quickly, and the rest of the day was OK. An hour's sleep at (31:00) relieved the slight tiredness. Overall - a strange experience - perhaps reflecting the depression that was my state before the experiment - but it was an extremely deep something that I had never experienced before and could give no name to. I will repeat in the near future, but with someone with me. over ++.
- To give a name to the effect (which has reoccurred, see aleph-4 6/17/77) call it Beth.
- ++ (+) 6mg 7/8/78 Ed; Dave long each 2:00 AM = (0:00). (0:20 - 0:40) alerts all - nothing more. (1:30) slight tremors - 1st effects (2:00) G.B. into brief MDMA state. I at + and developing (2:15) Ed into physical, I am developing (2:25) still & what is it? (3:30) end of extreme neutral - state is going to "mescaline" now. (4:00) painting, Dave goes to K. Jarrett - Dave emotional collapse. this to (5:15) (8:20) back from walk - wide-angle vision - tender & wine - still +. try beethoven. all music & silly distractions except jazz concert. (10:00) try sleep. difficult. AM. me OK. they residual - strangeness lasted for 2 days. The both +++ - I at ++. Definitely not aleph-4.



TMA-2 continuing study.

-	4 mg	54 page
-	7.7 mg	54 "
±	8 mg	151 "
±	10 mg	151 "
++	13 mg	151 "
±	16 mg	151 "
+++	25 mg	54 "


(10-60 mg others - pp 54-55)

++ 20 mg 4/2/77 10AM = [0:00] ATS - part of 3-way comparison. [0:50] noticed sl. lt. head - as I was looking for it [1:00] altering quietly. [1:07] now a little more noisy. I enjoy the noise. [3:15] - outdoor almost normal - in lab, sensory richness - I would be interested to see 2x this effect. [4:00] I can make oranges in the lab. I must remember that a drug effect is always give and take. It catalyzes, but the subject brings the Rx to be catalyzed. I could see where another person with nowhere to turn might be very panicky at this level - quite like LSD in its "through whose eyes am I seeing this?" [6:00] clearing - between + and ++.

+ 25 mg 10/6/77 6:00AM = [0:00] [1:00] aware [1:20] build up [2:20] easy imagery & eyes closed [3:15] still + or ++. writing in fair shape. - no - I am at + [4:00] coming down fast.

+++ 40 mg 12/8/77 30 mg 10:00AM = [0:00] [0:25] alert [1:00] developing [1:30] to ++ [2:00] + 10 mg - to SF. [4:00] +++ completely stoned but sensible! order picture at club [6:00] dominos - excellent [8:00] largely back! at +, whole day under control - bought painting - meet Gary - read three incredible letters. I must equate to 60 mg MEM. excellent, but not for a naive person without prior instruction first. I will repeat with interest.

+++ 40 mg. 8/26/80, with 5 µCi 4 C. AP $\pm$. 2:15 PM = [0:00] alert at [0:30] [0:35] Genie call! [0:45] past +, to [8:15] over ++ [1:30] +++ that extends to (4-5) much erotic & easy fantasy. Spin back & forth between imagery & visual stonedness. Nuisance to give spunk hourly. Try ASC Rhine things at [5:00] Not too good. [6:00] ATS to ++ CL still +++ . ATS anorexia, CL not so. [8:00] eat eggs - no background yet at all. [9:00] sleep OK. AM [16:00] awake - no residue. CL sleeps, lethargic through day. Good; somewhat psychedelic; +++ . OK again.




Harmaline

Adam letter ~7/11/78

100 mg ~ nothing
 300 mg 3 hrs on, 8 hr duration
 {100 mg DMT} 15 min burning, 20 nausea
 {100 mg harm} 45 peak DMT like
 3 1/2 gms.


- 25 mg 4/4/77 10:45 AM ATS - no effects -
- 50 mg 4/19/77 9:30 AM ATS - n.e.
- 75 mg 5/28/77 10:20 AM ATS - n.e.
- 100 mg 8/1/77 9:20 AM ATS [2:00] bl. litch head? - otherwise nothing (-)
- ± 300 mg 9/7/79 9:00 AM ATS {0:50} alert - nothing more {2:00} + 100 mg {3:30} another alert? -
 bare threshold at most. Challenge ~ L50 - see some primer studies p288.
- ++ 400 mg 3/10/79 (+ 400 BK, 175 SD) 10:50 AM {0:00} by {1:30} ATS to ++, lightness, unsteady, AB
 ~ continuous nausea, diarrhea, CA light. [2:30] AB misestimates time by 1 hr.,
 ATS struggle for any eyes-closed imagery. All extremely sedated. [4:00] 1st drop [4:30]
 rapid drop. soup. In general, no rewards for the body malaise. ++

on to Joffe - p. 326.




DOB - recalibration
for eventual "R" and "S" study.

- (-) 0.01 mg } from page 152 0.02 - 1.5 mg with others.
- 0.03 mg
- 0.1 mg
- ± 0.2 mg
- ± 0.4 mg 4/10/77 9:15 AM = [0:00] [1:00 - 1:15] v. slight head effect [2:00] clear. [3:30] a little addle-headed - maybe staring through [9:00] [12:00] all OK. at most, ±
- + 0.6 mg 5/6/77 7:05 AM = [0:00] note quiet, subtle windows [3:00 - 8:00] - drop at [8:00 - 11] clear at [12] - try water ^{shed} run off - 5:00 PM, DIT at [14:30] q.v. overall +, interest = 1 van
- + 1.0 mg 5/15/77 6:30 AM = [0:00] [1:15] aware - a very light effect persisted all day. Probably gone by [12:00] but still intense talk - thought I would have trouble sleeping, but OK. Most clear. +
- +++ 2.0 mg (7/21/79) ATS, CL = 7:45 PM = [0:00] [1:10] real effects - very quiet entry [2:00] to ++ - descending f. [3 to 4] to a +++ (physically (much tremor) and mentally (Möbius strip of reality) some LSD-like aspects - extremely easy eyes - closed entry into problems. (personal) of depth, yet easy exit. little eyes-open distortion. Music quite impressive [5-6 hrs] (++) Some fitful sleep [8-10 hrs]. 12 hrs still ++ - easy lapses of attention [20] still + finally out (?) [36 hrs]. Very rewarding. Interesting to check "R" mirror.
- +++ 2.8 mg 12/28/79 CL = 7:00 PM = [0:00] Both clear, 2d p. absorb. [1:00] to + or sl. >+ [1:30] ATS ~ ++ CL > ++ [3] CL severe cramp - Near fainting response to "pain" - but no pain. Near loss of consciousness → flashing depersonalization - out of body [3:5 to 5] clear +++ some visual - but truly extreme MDA, MDMA-like - this time no Möbius unreality [6] ATS prison ring around room. severe "after images" = point light [9:00] off of ++ - 1st sleep - v. deep [14:00] still + - nearly [24] before completely baseline. Not the drama of the 2.0 mg - but very +++.




TMA - recalibration

- $\pm$ 20 mg } fun/p/s 8,9,13. 120-270 with others.
 ++(+) 225 mg }
 - 20 mg 4/12/77 n.e. (10:15 AM)
 $\pm$ 40 mg 4/21/77 9:25 AM ATS. at [1:00-1:30] sl. pleasant awareness. persists to ~[5-6] - threshold $\pm$
 $\pm$ 60 mg 4/30/77 11:30 AM - slightest threshold (2:00-4:00) certainly clear at [7:00]. $\pm$ at most.
 $\pm$ 100 mg 5/20/77 11:00 AM. Threshold [1:00-1:30] - complicate c MDMA saturation - see 233 $\pm$
 ++ 130 mg 6/27/77 9:00 AM. [0:00][0:20-1:00] intermittent nausea, & profound depression.
 @ [1:10] sl effect [1:25] I am yielding mental control - to whom? [1:35] control back - almost fun!
 (2:00) clear ++ - but not here via window (which would have been fun). window is not
 where you are, but how you get there. Physical side effects are bothersome. [2:30] a ++
 window state - but superficial physical twitching - some minor clats [3:00] I had
 forgotten what psychedelomic was. This is one. I prefer the psychedelic effects.
 This is not too pleasant. If I eat, it may subside (6:00) recovery. back down then
 me + - but not to base. [8:00] - mentally out. body lingers. see 239. overall ++




Lophophine
see earlier tries - p 127

- 60 mg 4/20/77 9:30 AM ATS - no effect
- 100 mg 4/24/77 11:15 AM ATS - no effect.
- 150 mg 5/1/77 11:05 AM ATS - no effects
- 200 mg 5/8/77 7:10 AM ATS - hint at [2:20] ? - no effects.
- ± 250 mg 6/11/77 10:30 AM ATS - [2:30 - 4:30] indicators of threshold effects - still indistinguishable - [6:00] - certainly out, possible ±.



MEM
continuing study.

- 8 mg
+ 10 mg
± 11 mg
+ 12 mg
+ 16 mg
++ 20 mg
- pages 80, 151 others 15-40 mg p 78.
- 4/23/77 9:50 AM=[0:00] [1:00-1:10] dusty smell & taste - quiet window - I could drive - but would "hurry to the club" [2:20] I like - not deep but pleasant - quiet window of ~50% [4:00] still - ≈ 80-100 mg MDA or better, a slow MDM or MMDA-2 - much like 30 mg MMDA-2 - same speed - same potency - [5:00] some orange enhancement? - [8:00] - completely clear - no residues - no gritty. ++
- 4/29/77 10:00 AM=[0:00] [0:45] slight awareness [1:00] - dry nose - development of window but slowly. This is the 1/2 hr point of MDMA - [2:00] a completely functional level of intoxication. For a preheated intox, combine 80 mg MDMA + 25 mg MEM, the MDMA covers 1/2 hr → 1 1/2 hr, and thus 1 hr → 3 or 4 hr! [2:15] no buzz - nothing is crawling - would it for someone else? (3:30) still there. overall ++, and I am (or would be) fully willing to go to +++. This is not TMA-2. No teeth gritty either. [4:00] ~~it~~ began to drop - window closing [5:30] mentally almost out - physically some residue - fingers of left hand numb - pleasure in shaking my body. still no teeth grit. [7:00] mental completely out - trace physical. Excellent sleep. no AM residues. Superior to MMDA-2
- 5/4/77 11:10 AM=[0:00] [0:45] early warning alert [1:00]-[1:05] window developing but slowly. 5%? [1:20] to 20% [1:30] challenge in public - drive to Donner - fine eat lunch - 2 hr conversation @ Gladys, Danny + Pitter - sensible [3:30] back to 74B driving fine - can handle anything - Complete window? Hard to tell - might as well be. [4:00] still amblely stoned - pure clean window - strong temptation to add something to experiment (exploit the window, or blast it wider). resist. my interpretation is fine - talk fine - handle any situation. motor excellent - pulse 80 - I am just stoned. 100% window, 0% anything in addition. [5:00] still there [5:40] notice first drop [6:00] straightening out very quickly [8:00] solved in every way - physical never was much - mental is clear the [3:00] is a sure plateau which would allow a second drug challenge.
- 5/11/77 9:00 AM see saturation expt. p 233. MEM = ++.
- 5/21/77 9:15 AM see saturation expt. p 233 MEM = +
- 5/19/77 3 days DW 10:30 AM=[0:00] take 30 mg [0:35] alert [1:00] some development [1:30] between + and ++, take 30 more (2:00-4:00) a super MDMA high - all entertainment - no WD - still coming on (3:00-1:30) full +++ but functional - phone talk ok - into self-destructive mood - note to Ed I was BK who stabilized - concept of (5:30 PM) - am to French class. [7:00] pretty much out - (12:00) only a residual clear - teeth rubbery, easy sleep. full +++ - I will repeat myself
- 11/18/77 9:00 AM=[0:00] 1 day after MDMA q.v. alert 2(0:50) [1:00] start [2:00] between + & ++ [3:00] a valid sparkling + (4:00) still + (6:00) still something (9:00) clean - fine try again ++



"R" MDMA

Amos: "R" 70-80+

"S" 40 → strain

- 40 mg 10:00 AM 5/9/77 [0:30] ? then nothing - n.e.
- 60 mg 8:25 AM 5/12/77 maybe some brightening - definitely no window, n.e.
- ± 80 mg 10:05 AM 5/14/77 = [0:00] slight quiet window? at [0:45] at [1:25] ±? light effect - maybe real [2:25] clear - or the very slightest of residues (4:00) is mg (+) with - see saturation p 234
- ± 100 mg 12:20 PM 5/16/77 = [0:00] drive 40 min - no threshold - beach - at best ± in afternoon & early evening intense photophobia (i.e. dilation & "snow-blindness") - no real indicators of anything.
- 100 mg 9:50 AM 6/2/77 - ^{2nd} or two paroxysmic twinges at [1:00] - nothing else - no dilation - no effects. -
- + 120 mg 10:04 AM 6/17/77 happy birthday! = [0:00] [0:35] something thin and nice [1:00] I have to call + - very light spacey. (1:30 - 3:30) steady trivial intoxic [5:00] still ± [7:00] probably out.
- ± 160 mg 9:30 AM 6/23/77; [0:35] something starts [0:45] a bit more but that is all - either a very short + or a longer ± [1:30] ± - [3:00] nothing - call ±.
- + 200 mg 9:22 AM 6/30/77 [0:25] alert? start? [0:35] development - to + [1:00] down already? [1:30] out and clear. Very short, modest +.

Amos "R" 80 mg → ~ 80 mg de
120 mg → "more"


Amos has reason to think his
"R" is partly racemic!

Amos now thinks (6/6/77) his
R is S - as it is dextrorotatory
∴ 80 ±, 120 more - all OK for
S or de.

Ed - early July 1977 - had all
the racemate color effects (ex.
40 and 100 mg) i.e. 40 mg of "R"


Amos Blind study -

- A. 140 mg de MDMA
- B. 150 mg "S" MDMA
- C. 150 mg "R" MDMA
- D. 100 mg MDA de



"8" MDMA.

- ± 40 mg 11:40 AM = [0:00] 5/30/77. [0:35] something? [1:00] possible threshold (2:20) clear - (4:10) heavy-eyed - almost sleepy. [6:10] intense photophobia - chemicals in eyes from lab work or fumes contact? 700mg oak extract day. Assign +.
- ++ 60 mg 5/31/77 8:30 AM: [0:00] [0:20] early warning! - then nothing [0:30] window starts - excellent [0:35] pretty, clear - I hope it develops further [0:40] I am already between + and ++ - handwriting OK but writing faster than usual. [0:50] stable between + and ++ - could I drive? maybe not; maybe ++ [0:55] time going so slowly - ~~not~~ mentally so active. I am quite dilated [1:25] still pretty much there, but I could drive - if I fail one. [1:40] drooping but still fine! [2:00] out [2:30] relaxed - comfortable. - all afternoon peaceful - relaxed - mentally completely clear & alert - no trace of physical residue whatsoever - no photophobia - a very successful ++.
- + 80 mg 6/4/77 1:30 PM (c Dale 120A racemate) [0:00] 0:30 - note 1st effect - gentle and not too noisy window to [1:30] - then drop - real but modest - evening very sleepy but up to 4 AM previous night.
- ++ 100 mg 6/7/77 9:00 AM = [0:00] [0:30] alert [0:40] nice development. slower than racemate? [0:45] to [1:10] steady - to a + or ++ hard to tell. Could I drive? I am verbally and mentally clear - mechanically I am excited - writing with large script - piano excellent. [1:25] a good ++ stored - some dilation - pulse 108 [2:00] still delightful (2:15) drooping This does not have the "fire" of the racemate at full level, or the "rush" getting there. [3:00] largely out. To town for lecture (went well!).
- +++ 120 mg 6/16/77 9:10 AM = [0:00] [0:23] early warning [0:30] start - rapid development [0:36] already to ++? [0:40] still developing - I am surely ++. dilation. [0:45] completely there. +++ - driving would be impossible. Typing difficult [0:50] piano excellent - at plateau? [1:05] still +++ but am writing letters in fine control! [1:15] trying lying down with eyes closed - loss of all effects! The visual process is needed for awareness of drug effect. [1:20] dilation yet more right more than left again. [1:30] - drooping a little - some teeth clench; still ++ [1:40] drooping more quickly (2:20) still + getting red ready for trip to town [4:00] still detectable effect - very pleasant and restful - negl. teeth rub - no eye throw. Evening - excellent sleep.
- ++ 100 mg 6/18/77 3:48 PM = [0:00] c Alder 100 mg/day [0:29] start window [0:42] increasing [0:47] at ++ [1:30] 1st sign of drop. [2:00] down to 20% 2:30 out. Some residual for a couple of hrs. more. Fine sleep at 7:00
- + 60 mg 8/5/77 9:10 AM = [0:00] [0:30] alert? [0:40] modest - to + only by [0:55] quiet - no more than +. all gone by [2:00]
- 60 mg 8/24/77 (~ 8/20/77) - 120 mg except no stagger - drunk water described - peak at 3 hrs - trace still at 6 hrs.
- ++ 100 mg ATS 11/6/77 8:45 AM. [0:30] clut in eyes [0:35] to [0:55] smooth to + to ++ [1:05] quite a bit of teeth clench, at ++ [1:40] still terribly teeth clench. Overall so what - I have other things to do. [2:45] almost down. still teeth clench - why bother. ++. end.

MDM - continued
from 207

+ { 80 mg }
 +++ { 80 mg } May 2 1977 - 10:05 AM = [0:00] a challenge to body memory and to the
 + { 60 mg } ability to still pickup fuzzy threshold. [80 mg] [0:25] early warning
 alert on schedule [0:30] slight effects. [0:45] 10-20% window [1:10] max.
 a simple (+) - no more than 1 +. [1:35] clearing [2:00] clear - no physical - no mental
 [3:00] + [80 mg] to challenge residue [0:35] aware of new window. [0:40] def.
 more than 1st time around at this level at this time. [0:45] extensive
 development - possibly ++? more extreme mydriasis now than 1st time
 [0:55] still ++ - quite a bit of teeth clench - more than before - probably
 could not drive. [1:05] at least ++ - but physical definitely more than
 before. All in all, equate to 120 mg, with +++ . I must establish
 the 140 mg level for this experience as well as for the 70 mg "R" and "S"
 experiments. [1:20] - no eyes-closed - but some stop-motion on head
 swings [1:30] - mental receding - physical still there. [1:45] mental
 down more - physical persists. completely impotent. [2:00] mentally
 almost out - physical down - mydriasis largely gone. [2:40] mentally
 clear - some physical still there. [3:00] + [60 mg] = [0:00] [0:15] clear
 both mental and pretty much physical [0:35] something comes? [0:45]
 up to + already - muscles - clench teeth - eyes - also building up. Rx
 could be + and is being kicked by the physical - no - it is really
 a +. [1:00] real +, also muscular tightness returns. I am
 hyperreflexive [2:00] mentally clear - physical residues. [3:15]
 something still lingers. [5:00] all traces gone - muscle and head.
 Clearly there is no short-term tolerance buildup - on the contrary, the
 second dose obviously builds on the first, even when there are no
 detectable effects remaining of the first. Also, the third on the
 second. Also note - total daily load (220 mg) was symptom-free
 at 5 hrs after last exposure. No sleep problems. A busy day.

+++ { 140 } May, 7 1977 - to prepare for watershed expts & for R & S winners. [140 mg] at
 ++ { 60 } 9:45 AM = [0:00] [0:22] early warning. [0:24] muscles starts [0:24] rapid development
 I am at 20% [0:30] pulse 100 b.p. OK. [0:40] flat - must be 100% [1:15] still marvelous.
 still flat - quite dilated - some eye focus problem [1:35] drooping? [1:55] almost out - a
 little residual clench. [2:30] mentally out - some physical grit [3:00] eat lunch.
 [4:00] = [0:00] [60 mg] challenge. [0:24] new window. [0:53] $\approx$ 80 mg - full + [1:00]
 in window, but entry was quiet - I didn't see it coming. ++ [1:15] slack to +?
 [1:25] "I feel that drink" - head effect rather than window. [1:45] clearing - eyes
 a little wobbly. [1:50] sober eyes a little crossed? Last eyes focusing OK at [3:00].

Priming with
Drug #1 - then { + MDMA (at either pentad
or min. eff. dose) }

++
↓
+++
30 mg MEM 5/11/77 AT 9:00 AM = [0:00] [0:40] notice [0:55] sharking window [1:15] steady - full
ASC - about +- I could drive - maybe even be in court - but marginal. (1:35)
steady - full +- did drive to store room (on hill) - interaction - attendant got - I had
wrong employee number - all went well [1:45::0:00] steady at ++, + 40 mg ± MDMA
[2:20::0:35] steady at ++ - no effect - failure. [1:0:37] something growing? [0:40] I am
getting further into something. I would like to talk seriously to someone. I could focus
on any detail! [1:0:45] There is no noise of window - because window is already
developed. It is a matter of content rather than of transition. Continue to do lab
work - into +++ I am unquestionably richer [1:0:55] Hemphill came in!! I rolled with
it very well. I am not deeper in intoxication - I am richer in content. +++ At
[1:1:15] I feel richness is over - drive to dinner - lunch talk to 1:00 PM (4:00::2:15) -
normal MEM++ let us see that play itself out now. [5:00] still MEM [5:00] dropping
but a little physical residue [6:00] mentally almost clear - still some physical
[8:00] pretty much out in all aspects. good evening - easy sleep - no AM problems.

±
↓
±
100 mg TMA 5/20/77 g.v. 11:00 AM = [0:00] - + threshold at [1:00-1:30] - stable - at [2:45] add
to load with 40 mg ± MDMA - nothing - at [3:45] [1:00 new] another 20 mg. -
still nothing. maybe a little sloppier - still ±. Out in evening to Oliver's slide
show - no problem - no sleep problem - no augmentation ± → +

+
↓
++
40 mg MEM 5/21/77 g.v. 9:15 AM = [0:00] [0:45] early warning [1:00-1:45] develop slowly
to a mental +, a physical ++ [2:00] stable + add 40 mg MDMA. [0:30] something
sharkles [0:40] more sharkle - no noise - no more window - but I am where I
like to be, in a very familiar place. [1:00 new] - ++ I am quite sure. by [1:30]
probably back to + - by [2:00] [4:00 of original] definitely + only. (7:00)
clearing or cleared - at [9:00] completely clear and ate with extreme appetite -
but it didn't take much to fill me. Practically no physical residue.

++
↓
-
16 mg alph-4 [0:00-12:00] + 80 mg MDMA (7/2/77) (f 219) [0:40] slight darting? absolutely no
window - (1:00) - nothing.

±
↓
+ ±
120 mg MDIP see 237 + 80 mg MDMA (6/25/77) proper response at [0:33]

160 mg MDIP see 237 + 80 mg MDMA (7/3/77) at [2:00] → + at least at [1:00] [2:00] + 40 → nothing
(too small a response)

±
↓
++
60 mg PMA see 141 + 140 mg MDMA (9/29/77) at [7:00] - full ++ response by [0:50] - at [1:10]
much nystagmus & tremor in rt eye - hard to keep under control (2:30) writing
very bad (at Club) and eye problems persist. Evening driving at (8:00) highly focalized
and difficult. No sleep problems. Unpleasant.

SATURATION EXPERIMENT

MDMA - then [vomitant c]
[another drug]

± 80 mg "R" MDMA 5/14/77 at [0:00] - ± see
↓ page 230. at [4:00] [10 or 15 mg] D-methamphetamine
- no effects whatsoever.

Amos "R" MDMA - 100 mg (0:00) - stronger onset.
Modest effect - climbs to max at 1 1/2 - 2 hrs -
start not until 1 hr. out at 3 1/2. at 4 hrs is
d-meth (alone - trivial effect) - in 15 minutes ↑
MDMA acting - much more than 100 mg alone.
Modest length. This all < 5/13/77. ^{see p 230}

TOLERANCE MDMA vs. MDMA.


- + 120 #1 (11:58 AM 7/5/77) - see p 241 - + normal climb.
++ 160 #2 (9:00 AM 7/6/77) develop [0:45 - 1:10] to ++ some excessive eye 1:35 back to + - not
terribly pleasant, but not unpleasant (2:00) a bit dopey. (2:45) out (4:40) aware? risk
MDA (40) DMSO at (5:20) - n.e.? of MDMA at 7:20 n.e.! -
+ (+) 160 #3 (9:32 AM 7/7/77) (0:20) alert (0:23) start - still some increase at (0:50) (1:10) stable
(1:30) returning. recovered completely by (4:00). between + and ++
+ 160 #4 (9:30 AM 7/8/77) (0:29) alert (0:26) start (0:45) level - + at most (1:15) drooping (2:00) out
± 160 #5 (10:30 AM 7/9/77) (0:25) alert (0:35) to ± - no more. clear very shortly thereafter
still noticeable mydriasis
± (-) 160 #6 (9:45 AM 7/10/77) (~1:00) slight awareness - ± quickly gone. - possibly -

CROSS TOLERANCE MDMA vs. MDA.

- ++ 120 MDA (9:17 AM, 7/11/77) (0:38) alert - ± (1:03) real + and prepares to ++ (1:30) steady ++ - and
shutly - starts drooping. (5:00) mentally clear - some physical awareness (5:00) still some
teeth clench. (9:00) physically and mentally clear. This is close in chronology (onset,
duration, to the 80 mg xft of 10/29/76 (page 203) - So there is a slight decrement in
effectiveness (partial cross-tolerance) but nothing approaching the complete
tolerance generated by MDMA for MDMA. Set in a several day washout, with
no MD anything exposure, to challenge loss of tolerance.


TOLERANCE LOSS

- + 120 MDMA (1:30 PM, 7/17/77) 6 day wash-out - alert (0:30) - modest development to a simple
one +. substantially complete loss of tolerance. largely lost. ± to 7/5/77 + at 20 mg.
+ 120 MDMA (2:20 PM, 7/24/77) 13 day post tolerance - alert (0:30) - exactly like 7/17/77 above -
physical awareness for 6 hrs - sl. mental for 1 hr. +.
++ → +++ 200 MDE (at [-3.35] - post symptomatic) - + 60 µg LSD - see p 247



MDMA. continued f. 207
continue to 241

- 235
- 232
- 100 mg 5/19/77 ATS 9:30=[0:00] [0:20] early warning [0:30] start [0:45] to [1:15] steady at +, clear by [2:00] - overall 1+ - this on 24 hrs following d-methamphetamine. - no potent
- 110 mg 5/21/77 ATS 9:55=[0:00] [0:35] start to [0:55] + 1 good interaction = CN, also 110 mg much tea - clear at [3:00] - he by [4:00] experiment well received.
- 120 mg 5/29/77 ATS 3:35=[0:00] [0:25] start - build up to 1 hr Gladys ^{Gladys 120 mg} slightly behind me - at [1:25] ± 60 dropping? [2:25] clear. at [5:15] + 60 mg - ~~me~~ - [1:30] (new) + don't see it coming but I think it is there. As before - head effect rather than window. [3:00] sl. trouble sleeping.
- 120 mg 6/4/77 CN 1:30 PM (with me, 80 mg "S".
- 160 mg 6/10/77 after 72 hrs. clear 12:48 [0:00] - this to check against 80 mg, 100 mg "S".
↓
++ [0:30] start at eyes - develop slowly [0:45] still developing [1:00] quite dilated pulse 100 - development of just a window - nothing else. [1:05] complete - some stop motion in eyes. [1:30] full ++ or +++ quite insistent but intellectually alert [1:50] still there - good piano [2:05] down a bit [2:15] down to + [2:30] dropping 60 quickly [3:00] + 60 mg = [0:00] booster = ineffective amount [0:30] eyes again [0:33] reentry to window - no rush, just development [0:50] pulse 96 - back up to + or ++. [1:00] more eye throw - most effects in eye & jaw. give it ++ [1:45] dropping - a little physical tension to ~ [5:00].
- 100 mg 6/13/77 new batch 2:28S 10:45 AM = [0:00] [0:30] aware [0:45] development nice [1:00] honest + or even ++ - definitely more than MDE of yesterday - [1:45] dropping but still there [2:30] substantially out - still aware of something [4:45] completely clear.
- 100 [5:00]=[0:00] 100 mg [0:40] aware - but no noise [1:20] still drunk - but is there any window? [2:00] some eye intox - I am shacey - intox. but not windowy! [3:30] clear. +
- 80 mg 6/14/77 10:AM = [0:00] - first effects at just [0:30]
↓
+ 40 mg [0:30] S 120 [0:40] slow but real window development - to + [0:50] stable at +? - the second 40 hasn't come through yet? [0:55] developing a bit more
↓
+ 40 mg [1:00] [1:15] deepening - 1st signs of muscular tremors [1:25] - just about to ++ - some eye problems - not as satisfactory as all at once.
↓
++ 40 mg [1:30] [1:35] more muscular. pulse OK, b.p. OK. eyes dilated. I am at ++ but the window virtues are lost in the eyes - there is a general intoxication. I am complete in ASC conversion. Nothing more can happen. Mentally only +.
↓
+ 60 mg [2:00] S 260 mg [2:25] up again [2:30] more. back to ++ (2:40) completely insistent. [3:00] completely inebriated - but not too windowed ++ [3:30] eyes still throwing - maybe + [4:00] repairing [4:30] trace yet of shakel - not yet out [7:00] clear. no residue - no problem sleeping at [12:00].
- 120 mg 6/17/77 (see 230) - really 120 "R" → 120 dl. proper chronology. +
100 mg 6/18/77 1515 with me 100 mg "S". ++. Her down: [0:30] 3:45 PM [0:00] start window - fingers tingle - 1 1/2 martinis [0:37] 3 martinis [0:50] ++ [1:20] changes in perspective - sun in trees - some mercurial vision. [2:10] quite dilated - hd at lft = Millie - not ticklish (5:00) window gone relaxed - [7:00] hypnagogic visions in bed. AM - good sleep - relaxed all day. Good experience see 242-243



2-carbon DOET

cont. p. 329

- 5 mg 12:15 PM 5/23/77 = [0:00] [2:15] something? - no - tortoise - n.e.
- ++ 10 mg 9:15 AM = [0:00] 5/26/77 [1:15] starting - then head [2:00] quite real - a 1+ but I am still developing [2:15] up to ++ I am pretty sure - no window but strange stoned - closer to LSD. [3:00] drive to Berk. like a drive in a cup - smooth - must force good judgement [4:00] CN returns - still ++ stoned - [5:00] to +? am I dropping [6:00] largely out. strange day. I will give it a ++ but will be careful & larger cuts.
- +++ 15 mg 9:30 AM = [0:00] 8/3/77 [0:33] first note - to 5% then flat. [0:55] things now start - interesting - not MDMA noise - but not LSD sinister, quite, either. [1:10] at ++ - driving skill might be questioned; $\approx$ 120 MDMA, $\approx$ 80 MDA, $\approx$ 30 mg MDM. some erotic. [1:15] still developing [1:25] some darting, & LSD underlines [2:00] permit things to flow - they do [2:15] up to +++ - not the best of stoned, but by no means the worst [2:30] +++ - drive to Gladys for lunch. passed OK. [4:00] to ++ [4:30] to + [7:00] out & eat for teeth clench and some eye focus. At no point was CN on the edge of control - loss.
- +++! 20 mg 11:30 AM = [0:00] 9/25/77 Memphis. [0:45] first something - It is brittle & LSD-like. What is it? [1:00] fascinating, stoned - interaction might be interesting - but better be alone. [1:10] some abdominal cramp - writing bad - try reading [1:50] withdraw - selfish - call to lunch - must go - unable even to talk. Erin's face! Paul's backside! [2:45] ^[3:15] lunch over. cork pull! cheese - completely out of control, $\approx$ 250-300 μ g LSD. I have creaked up. I would devote myself to religion, if this were feasible. I must control. I am scared shitless - I have made a fool of myself. Am I catalytically fixed? I am counting the minutes - entertainment long gone. I cannot dare go to sleep, as I could not dare lose visual control of sanity.
- [3:45] A nihilist illusion, consummated by a nihilist organism - a nader of nothingness which means that if I can conceive of such nonsense, I must be repairing, I hope. I am extremely scared, intellectually. Ed. help. This is not the aleph game - this is the insanity game.
- [3:50] OK again? - not OK again. was the Monet scene out of the window real? Still life? what an intellectually shitty way to commit suicide. Why not with a gun like a man?
- [4:00] possibility of repair? - No, I have lost it again.
- [4:20] more OK than Oct, but when out, really out. The window is a sense game. Fine. The aleph is an intellect game. Fine. This is stark insanity. My Father speaking to me in Russian, reading to me, with his clear patient voice - I was not hostile, just arrogant. I have destroyed ISIS with my arrogance - must I destroy myself.
- [4:45] yet it is this very arrogance that has made me what I am - that has permitted discovery - invention. I have experienced the birth of it and the death of it. At the moment I am recovering the central control of it.
- [5:00] Recovering control. Not hungry. [5:10] rapid improvement - better now than when I went to lunch (at [2:00]). [5:40] I might almost try venturing into the kitchen.
- [6:00] Try to talk to Ginger OK. herb make pie. Good appetite. Extraordinary day. max. no. 1 + 5.



MDIP

237

- 10 mg 12:15 PM 6/20/77 ATS. n.e.
- 20 mg 3:15 PM 6/20/77 ATS. n.e.
- 40 mg 11:33 AM 6/25/77 ATS - It headed at [1:30]? no. n.e.
- 80 mg 10:00 AM 6/26/77 ATS n.e.
- ± 120 mg 9:30 AM 6/29/77 ATS = [0:00] - something (quiet) at [1:05] [1:15] slightest threshold at most ±. [2:15] nothing. at [5:30] challenge - 80mg MDMA - response proper - [0:33] start, to honest + at [6:30] second 80mg [7:02] [0:32 new] eye-drunk - no window transition [0:40] drunk - [1:00] intox at eye level up to ++ [1:30] almost clear. The two drugs obviously do not see one-another at 5 hrs.
- ± 160 mg 10:20 AM 7/3/77 ATS [0:35] something? [0:45] ± [1:00] nothing more - saturation MDMA g.v.
- (+) 200 mg 3:00 PM 8/2/77 ATS [0:00] (5 1/2 hrs after 140 MDE) [0:15] twice alert? [0:30] shakes in hand [0:55] slight intox - no noticeable window - intox is pleasant (not LSD) this is + [1:10] receding? Was there a MDE interaction? [1:38] out except for pep-eyes. [2:00] all out. This might be ice-bug effects.
- ± 250 mg 9:30 AM = [0:00] 8/17/77 - on third day of complete drug washout [0:35] slightest / wake head disturbance [0:45] slightly more? would have missed if there were any sensory inputs at all [1:00] sl. physical malaise - no mental window, no LSD window - at most ± [1:30] completely (-) - see LSD challenge p 247.

SASHA'S TENNESSEE EXPERIENCE

2.45 Lunch over. Lynn's backside! Child's face!

3.15 Completely out of control. About equal to 300 miles of LSD. I have cracked up. I must control. Am scared shitless.... I must try not to go to sleep, as I don't dare lose the visual connection to sanity. I see myself dying.

(SAW SELF AS OLD MAN DYING)

3.45 A nadir of nothingness. I am extremely scared. God help. The is the insanity game.

3.50 OK again? Not OK again. Was the Vermeer scene out of the window real? Still life?

4.20 This is stark insanity. My father, clear immediate, speaking to me in Russian, reading to me, with his patient voice. I am very little, sitting on his knee.

5.00 Recovering control. Know where I'm going. Not hungry.

5.40 Might almost consider venturing into the kitchen.

↑ realized that
I never listened
when he read

As of 6/23/77

as of 4/2/78

Raw Data
(round odd 10's down)

as of 7/29/79

max 3

2

1

0

MDMA

R

us

RS

us

S

R

RS

S

date

20

40

60

80

100

120

140

160

180

200

220

1223

*2

2,2

2,3

3 2223 12 12 3
 22 1112 12 3
 22 12222
 22223
 21123
 12122.5

max 3

2

1

0

MDMA

Sum of 18mers

us

RS

.5

20

40

60

80

100

120

140

160

180

max 3

2

1

0

MDA

40


80

120

160


200

240



4-thiomescaline, to page 345.

- 2 mg 6/27/77 ATS 5:30 PM - in wake of TMA - n.e.
- 3 mg 6/30/77 CT n.e.
- 6 mg 7/1/77 ATS [10:00 AM] = [0:00] n.e.
- ± 10 mg 7/9/77 CT possible ±
- + 16 mg 7/25/77 ATS 9:03 AM, possible threshold [1:00] (1:45) a real +; this is persistent on thru noon hour into early afternoon (4:00?) - evening, light frontal headache - for now, +
- ± 25 mg 8/21/77 ATS (10:30 AM) = [0:00] (2:00-2:30) slightly starchy (3:00) a + or +, but I can't say what the action is (7:00) largely clear. yesterday MDMA-150! +
- ++ 40 mg 9/17/77 ATS (10:55) = [0:00] (0:35) alert (0:55) some physical - something starts (2:00) to a ++ full. between ++ & +++ from (2:00 to 3:30) things crawl but speech interaction & CT normal. Leary of lab work (5:00) slow drop (6:15) still + or ++ (7:00) to dinner (9:00) pretty much out - some physical residue. Some alert overall - & crawls f. LSD - ++
- + 16 mg 9/17/77 CT light effect, but +. felt all gone in evening (6:00) but the slightest stimulus would bring up a light-headedness - neighbor of us & much window.
- ++ 30 mg 9/17/77 ATS 9:20 AM = [0:00] (0:30) tingle (0:40) - (1:00) to a ++ smooth, almost LSD-like edge-off unreality (1:20) physical tremor - things that I had written make no sense - at 2x intensity I would need a baby-sitter. Overwhelming alibi-like concept. For the first time I recognize that I can be viewed as a non-neuter - a male - can allow myself to be so viewed, rather than as the neuter that I had been by choice as an agreement to Nina. Nina had been my "5:30" for 30 years, good, and with her death, I felt the need to self-imbricate them. But there is an encapsulation in 5:30's. Have I never been looked at as a ♂ & some attractiveness? Have I never been aware of this? I had never allowed myself to be sexually exploratory - the commitment was complete, was respected, and is now met. Don't let DD be forced into playing a's role. It would be selfish to (1) demand a new 5:30 role, (2) require her to be it (3) destroy another's love in the process. No. Let DD be free. (2:00) full ++ - can I bring Joe for lunch? Sure. (5:00) coming out - good talk & Joe (7:00) mentally clear - but physical shakes, muscle memory. (9:00) all clear. ++
- ++ 30 mg 4/8/78 9:30 AM (Dave & BV, Ed & ZS) 10:30 to ++ some little window Ed. severe vt. cramps - clown - garden (asparagus) try to eat (soup scene) - intense alibi interaction - development to mutual "schizophrenic" state - much reality loss - lab - hill - kits in driveway - try to prepare for CN's dinner 5-5:30 (8:00) Boulder house - still able to flip in easily - (14:00) to sleep (OK) next day repaired. future and not too nice (re fun) but rewarding. They ++
- ++ 40 mg 10/5/79 12:50 PM = [0:00] CL =. Alerts (0:15) AP (0:25) PTS last development AP to ++ (1:00), ATS (0:40) - (1:30) (1:40) CL ++ and more ATS ++, almost ++. Eyes-closed imagery, Dave unimpressive, some clock-stop. much motion in visual detail. Complex and & depth of mescaline. Start dropping by (7:00). Both & intestinal crawls - eat (modestly) (10:30) (12) sleep fit fully - intense and rich dreams - urine production very light (~500 ml/18 hrs) to be worked up for Archetype. (20:00) completely clear - no residue. extremely rewarding



4-thio-MMDA-2

- 10 mg 9:30 AM 7/13/77 ATS - n.e.
- 15 mg <7/25/77 CT - n.e.
- 24 mg 7/26/77 ATS 1:50 PM - possible cardiovascular stimulation in afternoon - but was in sun chopping weeds for a few hrs. pulse 90-100 - stimulation? Probably nothing - no other signs - no mental. (-)
- 40 mg 10/31/77 ATS 7:53 AM - (2:00) (1:00) sh-teeth clench? - n.e.
- ± 28 mg 5/12/79 CT AM. 3 hrs - exhilaration? - some clench? tremor? ± approximately.

5mg - 7.7mg ± CT <6/27/77



MDMA - continued f. ps.
207 235
232

241

- ++ 160 mg 9:00 AM = [0:00] 6/28/77 [0:23] early alert [0:26] first window, slight dilation - window in head, not eye like early MDA. [0:30] up [0:50] developed - a ++ - 50% dilation [1:15] a bit in eyes, jaw [1:30] drooping [1:45] to + [2:00] almost clear, eyes almost normal [3:00 = 0:00] 100 mg [0:30] reintro. but no noise [0:35 - 1:00] develop nice intro-window state but quiet entry - pulse 100 [1:15] heavy in eyes [1:30] drooping - some residual dilation, some mental? lots of eye throw [4:30] out in all ways.
- + 120 mg 11:58 AM = [0:00] 7/5/77 CR 100 mg. ATS: [0:30] alert [0:42] to 25% - that is all - to bed by one + back and almost out at [2:00] def. at [4:00] CR dizzy at [0:30] [0:35] "heat-wave" as when drinking tea - eye-centered effect - colors - bright colors - first yellows and golds. Buffet picture - this up fast [1:00] on to about [3:00] - nothing but "oh, look at this!" [4:00] down - colors largely gone. No comment or recognition of window. To easy sleep [11:00 - 12:00] except when eyes ~~close~~ closed - colors again. Shapes forms, no motion. in AM [21:00] maybe still some golds. Also - sl. headache again. Enjoyed.
- 120 mg 10:34 AM = [0:00] CR 7/9/77. [0:35] sl. lt. hd. - "vibrations to sound. [0:47] development - out of lab to outside - some anxiety until ~ [0:50] - plateau - very comfortable - enjoyable - [1:00 - 2:00] lunch - much talk - [2:30] st. dn. - still volatile. mydriasis until ~ [4:00]. acknowledge "window" concept. Quite thirsty all during. Could have applied himself to any task but couldn't be bothered. Might have maintained anxiety & outside challenge, but there was none.
- ++ 120 mg 9:10 AM = [0:00] ATS (8/10/77) Preliminary to exploitation study v. 247 [0:32] alert [0:37] start to [1:00] as a gentle ++. lighter than 200 mg MDE, i. 2 → 3 OK [1:00] recovering [2:00] largely back
- ++ 160 mg 1:35 PM = [0:00] ATS 8/20/77 + 100 CR 120 CN 100 AI preliminary to exploitation study p 247. [0:21] parasympathetic [0:29] alert develops to ~ [1:00] - drop a little before [2:00] - ++ (weak) (see 408) (unusual)
- + 140 mg 10:05 PM = [0:00] 9/23/77. motel room Birmingham. overall very light effects - + - no ability to sleep until [6:00] [9:30] awake & well rested.
- ++ 160 + 60 mg 12:55 = [0:00] 10/23/77 CN 120 + 40, CR 100 + 40. Oakland museum. ! alert [0:25] - to ++ by [1:00] supplement at [2:00] [4:00] CR ear pounding [6:30] largely out. V. well recovered. (see misentry, p 246)
- ++ 160 + 100 mg 11:40 = [0:00] 11/17/77 CU 100 mg + 70 mg. Bay sail paper chum. to ++ supplement at [2:30] 0:30 metabolism again. Side effect - CU & open up tubes - difficulty talking. Residues into 5th (7 1/2) hr. No appetite. No sleep problems. Second dose → ++ at night.
on to p 261

MDHA - intrigued me because everyone who used it answered the question "What is this?" in the same way: "I don't know." "What happened?" "Nothing." And now I understand those answers. I, too, think nothing happened. But, Something seemed changed. Before the "windows" opened completely, I had some somatic effects - a tingling sensation in the fingers & temples - a pleasant sensation, not distracting. However, just after that a slight ^{and dizzy} nausea similar to a little too much alcohol. Subjective sensation that my hands were cold. Not certain when nausea disappeared but all sensations were reduced when walking outside. The attention could be diverted from physical symptoms to outside, nature-oriented interests. The mood was light, happy. But with an underlying conviction that something significant was about to happen - not bad (or good either ^{for that matter}), but just that something important was in the wings.

Particularly acute analytical power.

(esp. gold on the pine boughs)

Some mercurial reminiscence, with Calceola however, the most notable visual experience was that of change in perspective both in the near visual field & in the distance. Also the feeling that my usually poor vision for distance was sharpened. I felt I saw details in the distance that I could not normally see & the next day I confirmed that I could not see what I remembered seeing on the previous day.

After the peak experience passed - major somatic & psychological state was one of deep relaxation. I, who can only barely tolerate having my feet touched, felt no sensation of being tickled about the feet. I felt that I could talk about deep or personal subjects with great profundity or special clarity and experienced some of the feeling one has after the second martini that one is discovering brilliantly and with

3/ particularly acute analytical powers.

Throughout the afternoon I felt very thirsty - dry mouth - and consumed a lot of water. I consequently needed to urinate frequently. I got a picture in the psychic sense, that I habitually eat too much salty food.

A ~~major~~ subjective experience was one of no appetite. Food tasted & smelled good & normal, but food just didn't seem interesting & I didn't feel hunger.

No difficulty with motor coordination - could play piano, judgement not impaired at any time. However, I lacked motivation or patience to carry out any task unless absolutely necessary.

The relaxation continued into the evening. Had especially vivid hypnagogic imagery on going to bed. Slept soundly through the night. The relaxation was still present the next day with feeling of general lassitude, lethargy. Also slept soundly on that night.

In connection w/ relaxed feeling - neck turned better than usual - full 90° ~~in each~~ both left & right. Slower returned to normal the next day. No doubt a tension related problem.


4/ General remarks, in retrospect:

Some of the larger quality of psychological state on Sunday night have been related to weariness from Friday when I was up late, having worked hard for several weekends & on Friday preparing for the dinner party on Friday.

Generally, found it an interesting experience, worth repeating to test the persistence of some of the somatic experience, particularly the relaxation & the lack of hunger.


Also, I think it would be interesting to indulge in stimulating conversation. Therefore, a group experience might be interesting, although possibly everyone would be too relaxed to get involved.

Also, since there is an introspective quality to the experience, it might be fun to devise a way to experiment with ones own body (mental) or interest, e.g. I would like to try some of the psychic tricks I am interested in.




MDDM.

- 5 mg (7/6/77) ATS 4:22 PM. n.e.
- 10 mg (7/8/77) ATS 1:10 PM [0:00] n.e. 2:10 PM + 10 mg n.e.
- 25 mg (7/10/77) ATS 3:40 AM. in 6th day of MDMA tolerance. n.e.
- 40 mg (7/14/77) ATS 4:30 PM. n.e.
- 65 mg (8/4/77) ATS 12:55 PM n.e.
- 100 mg (8/9/77) ATS 9:35 AM - searing taste. disturbance ~ [3:30]? n.e.
- 150 mg (9/11/77) ATS 6:00 AM n.e.



methoxyethyl MDA.


- 5 mg (7/14/77) ATS 12:00 noon n.e.
- 10 mg (8/4/77) ATS 10:10 AM n.e.
- 20 mg (8/6/77) ATS 11:00 AM. paraesthetic twinge at 1:30? - n.e.
- 40 mg (8/12/77) ATS 9:20 AM n.e.
- 70 mg (8/26/77) ATS 11:25 AM n.e.
- 100 mg (9/6/77) ATS 3:08 PM - absolutely nothing. n.e.
- 180 mg (11/21/77) ATS 8:05 AM (0:00) - n.e. Exhilaration - see p256.



Continuation of 202, 203
on to 278


- ++ 140 mg (7/21/77) 10:02 AM = [0:00] interaction experiment - alert 0:35 - [0:45] $\bar{c}$ considerable nausea (transferred) strong development of little loss in motor skills (pinna - lab manipulation) keywords cutting, commune, muscular and related awareness into evening. (12:00) - sleep easy. AM - clear. ++ overall. Mirror faces - mouth, eyes, teeth. $\bar{c}$
- ++ 100 mg 9/27/77 7:00 AM = [0:00] [0:30] compulsive sneezes - aware pulse to 116. [0:45] to 120 - nausea - [0:50] window - but $\bar{c}$ a serious note [1:00] still noisy, pulse 108 - at ++ - [1:20 - 2:00] pulse down - steady. [4:00] clear credit for teeth.
- ++ 120 mg 10/26/77 in two parts 3:00 PM 80 mg (this after N-methoxy MDA) [0:27] slight alert [0:30] start [0:45] to + not much more [1:20] + 40 mg Σ 120 mg [1:50] still easy + [2:05] [0:45 new] to ++ but generally. [2:30] [1:10] back to + only - very well controlled. [4:00] [2:45] almost at
- [++] 160 mg 11/4/77 $\bar{c}$ TIS. 120 mg ~~120 mg~~ 7:30 - [2:00] mine start [0:32] to [0:50] full ++ [2:00] steady but start down. [3:00] stone drop [4:00] out. TIS. start [2:28] - plateau - held to $\bar{c}$ [1:20] - then drops anxiety and to full window - steady at [2:00] [3:00] a little down - [4:00] largely down - would like to repeat Sunday.
- + 120 mg 11/13/77 6:30 PM [0:00] [1:00] eerie driving - to club, soup, wine - at + or ++ night experiment - no significant passing of + with minimum sensory input - move - normal - normal sleep at [5:00] - at home - only +. MDA is not a night eyes-chased material.
- +++ 120 $\rightarrow$ 260 12/3/77 9:15 AM = [0:00] [0:25] alert [1:30 $\rightarrow$ 1:00] to ++ [1:30] ++ [2:00] dropping + 80 mg [0:19] sparkle again, more at [0:25] develop to ++ at [1:00] - teeth grit - no car driving [2:00] some eye unfocus clearing + 60 mg [0:30] sparkle again - back up to ++ at [1:00] $\bar{c}$ more teeth clench. [3:00] clear but residual teeth clench into evening. Afterflow relaxed. Overall pleasant.
- ++ 140 mg 12/27/78 combination CN 100, CR. 80 11:45 = [0:00] [0:30] nausea develop to [1:00] at ++ $\bar{c}$ nausea gone. [2:00] still ++ [2:40] dropping. [4:00] back from hill - teeth clench and other physical into [3:00] still.
- ++ 100 mg night experiment. 11:15 PM 60 mg 0:50 + 40 mg to [2:00] to ++ real - chills - shivers. [3:15] complete wakefulness, complete input. [4:15 - 6:15] frustrated dozing awake pulse 108 - [0:30] completely clear. Next night combusting sleep. ++
- ++ 100 mg 6/21/78 2 PM = [0:00] [0:30] aware 0:40 developing [0:50] up to a ++ window - a little nausea, a little sweating. [1:00] ++ window + that little something [1:30] stable between + & ++ [2:00] slight down - 200 has on terrific but compl. imp. [2:15] rapid recovery. [3:00] pretty much out - certainly no more than $\pm$.

- ++++ 8/7/77. Exp. to see if sensitivity to LSD is reduced (precluded against) by pretreatment with MDMA-type drugs - viz., the $\pm$ of 7/4/77 at 60 μ g on the day following 160 mg MDIP and 80 mg MDMA. At [3:35] into 200 mg MDE (post-symptomatic) take 60 μ g LSD. [0:00] [0:40-1:00] build up of sensory sparkle - mentally clear. [1:20] development into ++ of LSD - with edge-loss of reality. This is as clean an LSD as I have ever in my life experienced. The temptation is to profall it deeper and more open with another 40 or 60 μ g. No - I am too much on the rim of reality as it is - learn to in-and-out with this. [1:50] The world is dancing around me. Terrible temptation to expand the experiment. RESIST. [1:54] I am at a place, fully +++, where neither the MD series or LSD alone can get me. When LSD has to do the opening job, it pretty well tires you out - but with MDE to open things? is MDE needed - could MDMA work? Might this allow the detection of v. small amts. of LSD? Lets next try 120 MDMA and 60 μ g LSD together, or slightly spaced. I am at +++ - I must resist the temptation to supplement and extend this state, but I don't want it to end. [2:40] perhaps the slight sign of drooping. at [3:00] am at ++, and resist the 40 μ g additional LSD all ready! [4:00] at full happy + - and I am not yet sure if I am glad or sorry I resisted. That was probably the most sorely tempting maneuver that I have ever been confronted with. At my present + I am complete ecstatic about my experiment. [7:00] some blips residual. The dancing, beautiful, in love with everything world of the (2:00-2:30) period was one of my rare +++ peak experiences. Will I ever succeed in recapturing it? Let us try 120 μ g MDMA and at about 1 hr, 60 μ g LSD. Evening - excellent sleep. no AM res.
- + 8/10/77 MDMA $\rightarrow$ LSD. 120 mg MDMA at [-2:00] g.v. 60 μ g LSD at [0:00] [0:35] quiet window to about [1:20] to a + at most. [1:30] no hum window - outside no better [2:00] drooping MDMA does not do it [2:40] virtually out - the two drugs do not see one-another
- +++ 8/19/77 MDE $\rightarrow$ LSD 200 mg MDE at [-3:00] g.v. 60 μ g LSD = [0:00] notice at [0:30] - slow and quiet development to + at [0:45] [1:05] further, from [1:00 to 2:00] very enjoyable develop. to a full +++ [2:30] spectacular world - I would like to maintain or extend this state. [3:00] still there [3:45] back to + or ++ - next time lets try 200 mg MDE + 60 μ g LSD together. [4:30] still big + and happy [5:30] still aware - no sleep problems.
- ++ 8/17/77 MDIP $\rightarrow$ LSD 250 mg MDIP at [-2:30] g.v. 60 μ g LSD = [0:00] [0:35] edge notice first edge effect [0:45] slow development [1:00] up to +, still dense. [1:15] going into what would be LSD alone. [2:00] straight LSD at ++ [2:30] drive to red-wood gone, back - edge-reality loss - if there is any enhancement of LSD - it is in the direction of reality loss, NOT window. [3:15] drooping [5:00] drooping, but am still +; [8:00] still trace residual. At [12:00] to bed - no sleep to [16:00], then only firstful. AM - fine. no residue




- 1.0 mg 8/8/77 12:50 PM - hints of previous effects at [2:00]? - n.e.
- 2.0 mg 8/11/77 11:45 AM - n.e.
- 4.0 mg 8/16/77 11:00 AM - n.e.
- 7.0 mg 8/19/77 12:07 PM - n.e.
- 10.0 mg 8/26/77 9:00 AM - n.e.
- 20.0 mg 8/31/77 11:27 AM - n.e.
- 50 mg 9/20/77 11:55 AM - n.e.
- 100 mg 10/26/77 8:17 AM - n.e.
- 150 mg 11/10/77 9:40 AM - n.e. (see exploitation, p. 256).

- 8/20/77 MDMA $\rightarrow$ LSD. 160mg MDMA at [2:00] q.v. + 40 μ g LSD [0:00] - an overall very light + - but the effects were LSD, not super-MDMA window. max at [1:30-2:00] then gradual slope off.
- 8/23/77 MDE + LSD 160 MDE + 60 μ g LSD 10:30 AM - [0:00] [0:33] start [0:40] not too noisy, but very nice window - to + one - still only MDE [0:45] first strengthening by LSD? - to a ++ and very nice. This seems to be building up in mini-plateaus. [0:53] - still developing (1:00) full ++ - concept that this (MDE) can be considered as an anti-LSD, invert LSD $\rightarrow$ window; i.e. antipsychotic? I may be ++. [1:45] steady, erotic is fun but not worth the bother. [2:15] still ++ [2:45] beautiful place. [3:00] still ++ [4:30] down thru ++ to + [5:00] below + [6:00] nearly out [12:00] (an addn so MDE at [1:30] $\rightarrow$ 2nd - washed).
- 8/28/77 MDE + LSD 160 MDE + 80 μ g LSD (to check "functional" tolerance of yesterday's aleph (2-4) in window. ~~to~~ 9:41 = [0:00] [0:23] alert [0:27] noisy start [0:34] yesterday's lesson is clear - LSD is aleph + window - this again seems to develop in plateaus. [0:45] I feel the window contributions of LSD are being noticed [0:55] at ++ - pure window [1:15] at +++ - functional - anti-erotic [2:20] dropping [2:45] more down [3:30] mentally clear - teeth gritty and some eye-pop. Δ noticed this & dilation. [4:30] still a little abrasiveness.
- 9/7/77 MDE + LSD 120 MDE + 60 μ g LSD 6:48 AM [0:24] alert [0:30] noisy, underway [0:45] pretty much open window [1:00] full ++ [1:30] super window - full ++ to +++ [2:15] beautiful piano [2:40] pretty + one [3:20] some LSD-like aspects of residual intox. [4:15] + 60 mg MDE [4:50] rekindle window without any noise [5:30] physically brittle & MDE - still a little window [9:00] out - good lab work [13:00] out entirely - good sleep at [19:00]. ++ to +++
- 10/18/77 MDPB + LSD at [-4 to -6] 180mg MDPB + 60 μ g LSD [0:21] alert [0:27] start of a very nice window. plateau at 10% [0:45] well into a ++ window [1:10] on impulse - to Bant - to S.F. full ++. I want to explore [1:20] concrete undulation - full adventure [1:50] windowless foreign world from Powell St station - up Powell - up gear - at Taylor - club is completely foreign. exciting & immune ++ if not more. [2:30] from club to porno movie - fantasy & erotic - the S.F. wandering in the 1st application - first essay into world on impulse - [4:30] back to club - clearing. [6:00] French class - still + but in good wit and control. [9:00] probably clear. Overall - extraordinary beautiful, foreign day, at ++ easily and the alien nature puts it almost to 4+.

N-(β -hydroxyethyl)-MAA

- 1.5 mg 2/9/77 11:40 AM n.e.
- 5 mg 9/13/77 10:04 AM n.e.
- 10 mg 9/16/77 10:02 AM n.e.
- 20 mg 10/3/77 9:00 AM n.e.
- 50 mg 10/8/77 3:26 PM n.e.



continuing studies.
See page 187

-	1.5 mg	} page 187
±	3.0 mg	
±	4.3 mg	
++	6.6 mg	
+	10 mg	
+++	15 mg	

- + 10 mg 7/28/77 interaction experiment - dark - eyes closed - ofen trials, ~ midnight (0:00) [0:30] 1st efforts (0:30-0:50) almost nausea - unpleasant body. All this without visual input (8mg/→) [1:00] start eyes closed structures. Lines - shapes & str. edges - start simple - become complex - lost & eyes opening. Distinct light in closed eye field - candle stimulus not very useful. Erotic but unpleasant. Into gentle sleep at (~3:00). Colors largely pink, white & black! -
- + 10 mg 9/11/77 night-time again 9:30 PM = [0:00] sleep. Brown but clear. (0:35) alert & light flickers. [1:00] eyes open - little if anything - eyes closed (dark) → light in the fields - debarmentalization - action & lines & shapes - gentle sleep (~2-3:00)




α, O-DMS.

2184
196

- 0.1 my
 ± 0.2
 - 0.4
 - 0.7
 + 1.0
 + 1.3
 ± 1.3
 + 2.3
 +++ 3.0

p. 184., 196.

- +++ 4.5 my - 3.0 my at 8:45 AM (0:00) 10/1/77. (0:45) trace thin? (1:00) a little aware on the edges - no nausea or physical, this time (see 3.0 my!) (1:40) no noise but now physical uneasiness (1:20) at +, and developing - there is some noise. (2:00) between + and ++ - supplement - 1.5 my. some shakes (3:00) super-window state, at ++ to +++ - entertain no intellectual, no psychosis (3:30) ++, things are crawling (4:30) super window - full +++ stoned - some darting (5:30) back to ++ (6:30) full + still, some physical mewing (7:00-9:00) hold at +, lots of physical. (12:00) mentally pretty much clear - but teeth-clench & retatal stimulation.
- ++ 4.0 my 9:30 AM (0:00) 11/27/77 (0:30) alert to (1:00) fleeting nausea - compulsive sneezes. (1:30) sl effects - plane to Syracuse (2:00) to ++ - talkative, hypnotic overall ++ - pretty clear - wine in evening.
- ++ 4.0 my 10:55 AM (0:00) 3.0 + 1.0 at (2:45) AB, BB, CR, ^{3 hrs} CN no adjustment. all malaise to (1:15) then slow development - not too full at (2:45) - additional. Full intox (4-6). AB at ++, S, CR, BB ++ - all - virtues > negatives. CN full ++ and having much much Kelly anchor work. Not pleasant. General drunken intoxication and leg problems AB almost silly drunk at (9:00). All - sleep problems. CN & AB into next day (~40-50%).




TMA-6 continuing study
See 93-98; 150, 188

- 8 mg
± 12 mg
+ 16 mg
+ 20 mg


++ 25 mg 10/9/77 7:45 AM [0:00] [1:00] slight thum, nice awareness - alert. [2:00] smooth intake - quite willing to go higher sometime - tea-cup feeling in car-drive. [2:30] nice relaxed intoxication [3:00] up to snore Hk ++ [4:00] in seminar - talk OK - somewhat wimpy - I might prefer to avoid social interactions at higher doses. [6:00] dropping but still something. [7:30] still aware - long lasting but nice [8:00] mellow - relax - no jolt [12:00] clear - no residue.

++ 30 mg 9/26/79 9:38 AM [0:00] [0:35] alert - slow development [1:00] to + [1:20] slightly over +, [2:00] ++ not too much character [2:45] an ej - not too unstable - no eye wiggles - no edge effects, some introspection [4:30] back to + - a little eyes - closed dis-jointedness [6:00] largely out - pleasant afterglow - rather hungry [12:00] still trace. overall - not too rewarding at this level - no visual, little insight. Sometime higher.

to 633


MDPR
MD-12

- 10 mg 10/11/77 8:40 AM. AT5. n.e.
 - 40 mg 10/12/77 20 mg 7:23 AM; 20 mg 8:28 AM. n.e.
 - 60 mg 10/14/77 8:35 AM AT5 (1:00) cold extremities? (2:00) no. n.e.
 - ± 180 mg 10/18/77 7:12 AM 120 mg (0:33) slight hint of light head - still (-) (1:20) slight clench in teeth (2:15) fully (-) - supplement 60 mg - at most ± - conclude $\bar{c}$ LSD g.v. p. 249
 - 200 mg 10/30/77 7:40 AM n.e. conclude $\bar{c}$ LSD g.v. 256.
- Several priming studies $\bar{c}$ LSD - see under primer studies.

MDAG
MD-13

- 1.3 mg 10/11/77 4:35 PM. ADS n.e.
- 5 mg 10/13/77 8:20 AM ADS 9:30 sore knees, hang-over? - n.e.
- 20 mg 10/17/77 10 mg 8:00 AM, 10 mg 9:08 AM - probably n.e.
- 80 mg 10/20/77 40 mg 8:00 AM (=10:00) + 40 mg 10:08 [2] [3] something? no - n.e.
- 180 mg 10/22/77 120 mg 8:01 AM + 60 mg 9:30 (=10:00) - no effects. exploitation $\bar{c}$ CSD p 249

- 10/27/77 MDAL + LSD at [-4h, 3] 180 mg MDAL + 60 µg LSD 12:21 {0:00} {0:25} alert (1:40) first sparkle (1:00) up to + or a little more (2:00) still +. is it limited due to yesterday's DOB (functional tolerance?) or is MDAL an antagonist? (4:30) substantially clear - overall + or ++ (8:00) clear.
- 10/30/77 MDPB + LSD. 200 mg MDPB at [-2:00] 9:50 {60 µg} {0:00} {0:20} alert {0:23} start {0:30} 60-20% window - to complete at ~ (1:00) (1:10) full ++, erotic ej! (2:00) to a full ++ still erotic - an extraordinarily super fertile personal person to person window - no trace of sinister or ego of LSD - things would probably happen if I wanted them to. (3:30) still very ++ - I have an overpowering urge to go out and be with people - touch - see - talk - companionship - drug! back at ~ 3:00 ammer of - continue erotic! - (6:00) drive to COOP for groceries - fine - weird voices in Berks Farms & milk shake! - (8:30) completely clear - excellent relaxed after glow. Incredibly beautiful day. I want to share this with someone someday. +++ (!)
- 11/5/77 Amphetamine + LSD 15 mg d-amphet at [-2:00] 12:53 {60 µg X sugar} {0:00} {0:29} alert (1:10) between + and ++ to (2:00) a good + one - but LSD-like. (4:20) still some residues. no erotic.
- 11/10/77 N-OH₃ MDA + LSD 180 mg N-OH₃ at [-1:35] 11:25 {sugar} {0:00} {0:25} alert {0:40} start {0:50} to + - nothing remarkable (2:00) at + or ++ to museum to meet CN (3:00) valid ++ perhaps somewhat intensified over straight LSD, but basically not the explosive thing of MDPB. (4:00) still + to ++. (5:00) to city (6:00) still slight (8:00) out. Pleasant. ++
- 11/21/77 N-methoxyethyl MDA + LSD 180 mg N-methoxyethyl at [-1:30] 40 µg LSD (SE deny careful). (0:30) aware (1:00) let LSD (1:45) at + to ++ - strong + would go to window? no. drivable. good interaction - everyone but no incredible MDPB-LSD. (4:00) largely clear (5:00) still residue - nice afterglow - not super window. Call + but actually between + & ++.
- 12/18/77 MDPB + LSD. [-2:00] (930 AM). Ed 120 Dave 140 HTS 180; ± body window, ±, -. at {0:00} 40, 50, 60 µg - walks (0:00 - 3:00) spider webs, horse riders, redwood tree, mushroom, mossy rock, grass up nose - quite cold. (3:00 - 5:00) into warm. Dave to mirror. balance game - neutral point. (5:00) 2 defined by protein (8:00) Dave bolts food - then off (10:00) Dave showers 50/50 10 mg diazepam - (14:00) Dave + 10 mg diaz, Ed + 5 mg (16:00) sleep a twis. Monday Dave catnaps. Tuesday Dave, very sleepy - driving detail, not in travel service, abba's office. Tree pops. - mine ~ ++ but disturbed by Dave's distraction - too complex - three.
- 2/7/78 MDE + LSD [-3:15, 1:15] 8 280 mg MDE + 40 µg at {0:00} - even at (0:45) nothing but the residual grindiness of the MDE. (1:10) to a + (1:40) still probably only one + - it is obscured by the physical disturbance of the MDE (2:40) futile erotic - (4:00) largely out. Teeth grit on to at least (8:00) - overall no more than + or ++ at most.



MPM - See page 82

- 0.3 mg
 - 0.9 mg
 - 2.7 mg
 - 4.2 mg
 - 6.6 mg
 - 9.4 mg
 - 11.6 mg
 - ± 14 mg
 - 20 mg
- p-82. 1963-1977


put 50 mg in NIDA
paper 4/8/77.

+ 30 mg B/3/77 8:20 (0:00) alert? (1:30) - to S.F. more than + (2:00) at + - I cannot identify the nature - eyes closed it would be lost - at play or music - would be lost. window? (4:00) going down - never were really high - It would have been interesting to see where it would have gone. (7:00) completely clear.




"R" MDA (levo isomer)

- ± 80 mg 60 mg at 12:30 = (0:00) (10/31/77 - see p 240 for earlier experiment in day) (0:30) alert - (0:35) start - but jaw clenching too (0:55) ± at rest + 20 mg at (1:00) (2:00) sneaked into a + or possibly still + (2:45) absolutely nothing. (3:20) = (0:00) + 60 mg re-dose: Σ 110 R 30 S (1:00) more teeth clench - a bit in the eyes too. (2:00) some physical but mental out.
- ++ 120 mg 11/15/77 at 8:00 = (0:00) (0:27) aware (0:37) developing quickly (1:00) to a + or ++ - winks eyes, but something more. Not just fun but something serious. (1:15) + - steady, #? - my writing, r good (2:30) rapid down - some physical residues. overall + or ++
- ++ 100 mg entry on page 259 belongs here. ++ i 100 mg ←
- + 60 mg 3/11/78 at 11:05 AM = (0:00) (0:30) → sl. alert - non-window development to (1:00) - not too much non-window - real + or even ++. very cold - electric blanket (2:15) still + or ++ (4:00) still noticeable - clear at (6:00) - erotic but impotent. This at 6 days clean. Not too entertaining.



"S" MDA (dextro-isomer)

- ± 80 mg 11/11/77 11:43 = [0:00] (0:50) thin light ± - delirious full [1:15] light threshold - quite willing to push [2:40] out. ±
- + 120 mg 11/19/77 7:30 AM = [0:00] alert 2 (0:30) (0:40) delirious full development (1:00) full + development (1:30) still + 1 delirious this is exquisite window [2:30] start down (3:00) pretty much out
- ++ 100 mg 12/24/78 8:40 AM = [0:00] (0:35) alert (1:40 - 1:15) rapid development to ++ or more largely window but something serious (1:30) drive ~ 80-90 - to post office, Lawrence store (2:30) still ++ (4:00) low in 1 van still + and is he aware? (5:00) back to 74 B still aware but tranquil (7:00) largely out (9:00) completely out.
- ++ 160 mg 2/18/78 9:30 AM = [0:00] (0:25) alert - something nice (0:30 - 0:40) compulsive sneezes, window development rapid - muscular tremor - nausea - physicals quite severe (0:40) to + slight mydriasis - clear eyes closed (0:50) actual retching - eyes open is everything; closed, sober - muscular spasms - preconvulsive? (2:00) drooping - mentally at +, physical problems quite real. (3:00) clearing - still teeth clench (3:40) completely out - peaceful benign mood - relaxed, attentive (5:00) residual intentional tremor in leg muscles. Eyes completely clear. The mental was not worth the physical.



MEM continued
from 229, cont. 270

+++ 70 mg 11/22/77 40 mg at 8:50 = [0:00] [0:30] microscopic alert - outdoors I would never see it. (1:00) start [1:30] ± or at most + [2:00] + 30 mg [2:15] smooth ++ [2:45] - sat up to complete window - yet can act subtly. [3:45] excellent erotic, +++ certain $\bar{c}$ ~ + flygirl [4:30] drive to Herb's - to S.F. - a couple of reality, loses on bridge - sober but +++! [5:00] rapid recovery - a very functional day. I am going to consider this as a post MDMA instruction - beginnings of reality loss.

++ 50 mg 11/29/77 at 5:50 AM = [0:00] - [1:00] brittle development - airplane flight syndrome → Chicago → SF. funny macerate - at [2:30] quite ++ - some eyes - closed! wasted experiment

++ 50 mg 12/3/77 at 9:25 AM - Brooke 30 mg = [1:00] effects underway. [1:20] between + & ++ my max was ++ $\bar{c}$ some dropping ~~was~~ started at [3:00] Brook maintained a +++ to about [5:00 to 6:00] - his MEM - MDMA = alcohol unreality - not too pleasant - drunken intox by but body motor OK. transfer stomach problems. Valuable experiment. ++

++ 30 mg 12/10/77 new batch 9:15 AM = [0:00] [0:30] alert [1:00] almost ++ already - Marcela spotted it - bad breath & eyes glossy! - Danson - museum, skinboat. [5:00] dropping [8:00] out starwars.


+++ 50 mg 12/12/77 interaction CU @ 25 mg 10:30 = [0:00] [1:00] zen [2:00] mini - hilarious but going deeply. [4:00] CU at ++ and more - stomach "cancer" & pain - this at heather. [6:00] to grocery store - stable at reality - less pain - body collapse. [8:00] hints of refusal [9:00] to allow - very, very drunk - immense flashing of cancer guilt (feelings & def-transfer complications).

++ 50 mg 12/17/77 interaction Edward (@ 20 + 10 mg) Denise (@ 25 + 10 mg). 12:5 PM Maria Laake monastery. ATS - to ++ early - much alert - mini excellent - Keith Jarrett. Dave + 10 @ 2:45 - unreality in thought process. to ++ 15! - Edward + 10 mg @ 2:45 - enjoyable + conceptual facilitation - strong mini effects - Fanni & Brahms Reguin. overall +. (Supplement at [3:00])

++ 40 mg 1/7/78 9:00 = [0:00] [0:30] alert [1:00] to ++ - intellectual, not fun window. [1:15] I see myself here in cold office in 20 years - not nice. [2:30] still ++ or +++ - decline window sufficient [4:00] to ++ - still not organized intellectually. [7:00] < +, but still detectable.

+++ 50 mg 2/5/78 10:30 AM = [0:00] 40 mg, $\bar{c}$ Brook 25 & Marcela 20. alert [0:30] at [1:00] Brooke full or nearly so, I & Marcela to + or ++. [1:30] Kari in L. Room. 2:30 Marcela + 7 ATS + 10 Brooke 0. all with probable +++ at [3:30]. much sea - talk - magic flute (6:00) around block - eat accelerates always. Brake a little gas for - otherwise super - window with that something else - largely out by [9:00].


DY, AC - 20 + 25; 20 - Holly; Kelly 5/21/78 - he, under
 he - gids + homosexual the line to ~ CAB, BB, contact
 she OK. 5/28/78 - he high $\bar{c}$ ATS, BK, SK $\bar{c}$ alert
 on to 2 - CB DM



261
Continuing f. 241


- ++ 200 mg 11/26/77 - CV 140 - fog sailing CV lifted at 0:40 to 100% - too abrupt. - no supplements - ext. tubes in comb. - vomit, eating, demeanors all OK this time. Misc - probably ++ but in the cold of outside this is an unsure assignment.
- + 150 mg 12/30/77 - DAVE (120) Istanbul - ferry trip - TD + only. cool outside.
- ++ 180 mg 1/9/78 (120) alert (1:40) ++ - I had forgotten how sniffling MDMA really is. (1:00) ++ (2:20) loose teeth clench, eye throw, otherwise almost out (3:00) mental out (3:00) out, ^{physiognomy} out, ^{physiognomy} out.
- + 210 mg 1/10/78 - confirm new lot, at (3:00) +60 → 270 mg - second dosage largely quit - 1st proper chronology - ^{message} chemical OK (for DY, CV experiment, also for CW) Impotent.
- ++ 180 + 60 + 70 1/15/78 combination: DY 110 + 70 + 70, CV 140 + 40 + 70 → S 310, 250, 250 nothing at (1:40) S (4:20) (11:25 = 0:00) Chron. proper - toxicity: DY short, brief myasthenia - muscle incoordination - tension + headache. CV - in AM. (to 20:00) visual light against dark, vacuosa, & faint briefly. AT5 - some hang over next day - however considerable wine in (9:00-11:00) sit. 2 supplements too much.
- ++ 160 + 40 1/25/78 combination AB 120 + 40 BB 100 + 40 Kelly 120 + 40, Holly 100 ~~100~~ 1:15 (0:00) alerts at (0:10 - 0:30) J.S. (0:45) nausea - vomiting - recognition of damage to stomach from chronic alcohol. AT5 to ++ (1:40) supplement all but Holly (3:00) drooping - into evening - relaxed afterglow - very successful.
- ++ 160 + 40 2/11/78 combination AB 120 + 40, BB 100 + 40, AT5 160 + 40. chron. perfect to ++, suppl. at (1:10) ~~was~~ - U.C. Museum. going down at (3:00) largely out at (4:00) H
- ++(+). 200 + 60 3/3/78 combination DY 160 + 60 CV 160 + 60 CX 125 + 60 all suppl. at (2:00) 8:25 PM = (0:00) chron. normal - all to ~++. DY! compulsive vision - irritat - chest pain at ~ (0:40) followed by lightning & thunder - v-shock ~10 min. Later (~3:00) from tub house on hill then fog is doubled star of david, then red, white & green swastika. Pro forms, and admitted psychosomatic. AT5 - heavy myasthenia at (1:00-1:30) - face masks (puffy, gold & green runs in tub at (3:30) - illumination & physical, mine ++. Post mortem: (12:00) start retreat and for 24 hrs - infantile retreat - amnesia ~ 16 years amnesia of childhood - then OK. DY sup ↑
- ++ 160 + 60 3/5/78 combination CM 160 + 60, BB 100 + 60, Kelly 160 + 60 Holly 100 only 10:20 = (0:00) - supplement at (1:30) normal chronology. Fleeting nausea by Holly at (1:15). Out at (1:20) - uneventful - relaxed afterglow. End of series.

262



- 10 mg Dec 10, 1977 10:30 AM = [0:00] - n.e.

- 40 mg 5/17/78 9:18 AM = [0:00] n.e.



MDOH
MD-15.

263

- 2 mg 1/31/78 8:23 AM 0.7 mg - 9⁴³ 1.3 mg & 2.0 mg n.e.
- 5 mg 2/1/78 2:45 PM n.e.
- 10 mg 2/9/78 ATS 11:00 AM = [0:00] - a little wue that evening, was very much felt. n.e.
- 20 mg 4/10/78 ATS 8:05 AM = [0:00] - no effect.
- ± 70 mg 5/19/78 ATS 8:30 AM = [0:00] 40 mg at [1:00] something? [1:30] clear [1:45 = 0:00] + 30 mg. [0:30] again - a ± with something wue (0:45) more (1:15) steady ± or even + (1:45) clear ^{see 267}
- + 80 mg 5/31/78 ATS 9:03 AM = [0:00] a deep dry-free. [0:35] alert [0:50] develop - fleeting nausea - but largely window. [1:00] + of window [1:30] stable at + (1:40) drop [2:00] still more drop [2:20] - see explanation p. 267. Interesting (+).


Sample or resynthesis has completely different properties. This is probably MDA, generated by the in situ disproportionation of MDOH on distillation. Proper product is now at hand, but assay must start again.

- ± 10 mg 3/22/79 10:40 AM = [0:00] [1:10] could I kid myself at threshold? [1:35] ±? [2:00] maybe ±, maybe -? [3:00] - certainly -.
- 20 mg 3/23/79 11:00 AM = [0:00] [1:40] a little unworldly? - no, nothing.
- + 60 mg 3/27/79 10:15 AM = [0:00] (initially 40 mg) (0:40) alert? [1:00] a light but real awareness - + - cannot give character yet, but very interested - no motor problems - [1:20] boost ± 20 mg [2:00] an honest + - lotsa shakle [2:30] drooping - challenge ± LSD _{p288}
- ++ 100 mg 4/9/79 2:00 = [0:00] [0:30] alert [0:35] start [0:45] developing - no character yet - basically pleasant, moderately noisy, (1:00) to a simile + [1:15] still developing [1:30] at ++, extraordinarily simile, even similer than MDMA - piano playing excellent [1:45] stable at ++ [2:00] beginning to drop off ++ [2:30] back to + one. challenge ± MDA, see primer study p 317.
- ++ 80 mg 3/30/79 10:35 = [0:00] [0:35] aware - diarrhea [0:45] going into something - reasonably quiet entry [0:50] paraesthesia [1:00] a simile + - MDMA like - very simile. (1:20) between + & ++. [1:30] almost ++ - Simile! (1:50) drooping [2:00] rapidly down - impotent [3:20] substantially out. good afterglow.


- ++ 120 mg 4/15/79 (12:54 = 0:00) AB 120, CA 100. Gradual & quiet (so, so quiet!) development - AB feels like MDMA, then light LSD, then MDA - supplement [2:20] 40 mg each - quite a bit of intox. difficult to weight out - thermotropic - long, slow afterglow. intense anorexia - lucid dreams, significant - perhaps a bit much - very enjoyable but not too rewarding.
- ++ 100 mg 4/25/79 [11:50 = 0:00] ATS, AD, S.D., D.E., J.S., M.S., D.G., P.G., all 100 mg] alerts all ~ [0:25 to 0:35] rapid development to ~ [1:00] or [1:15] CR + ^{Ed, CQ, AB, Holly, Kelly, CN, CR} ~~Holly~~ briefly intense intox, then assimilate. Kelly barely ++? CR nearly ++ as was CN. we ++. Ed ++. relaxed - none of the confidences of MDMA - straight intox but delightful. wide window - st. drop variously between 3:00 and 5:00. CN + Holly euphoric - negligible B.P.T. Considerable anorexia. Most ± long sleep (deep) and languor next day. Impotent ± Ed but facile much appreciated.

Kelly dream 422

continue p 324



- 200 mg 2/1/78 1/3 9:45 AM = [0:00] [1:30] 2/3 n.e.
- 70 mg 2/4/78 5 mg 9:20 = [0:00] [1:45] + 5 mg [3:15] + 10 mg - in evening very depressed & away of extreme loneliness - n.e.
- 60 mg 2/23/78 40 mg 8:25 AM [0:00] + 20 mg @ [1:05] - n.e.
- 150 mg 6/5/78 100 mg 8:05 AM [0:00] + 50 mg @ [1:00] - n.e.



Alph-4

Jan 21 1978

mailed
1/23 → 1/30

1 mg + 2 mg after 4 h. Wish

- 1⁰⁰: first effects, the perspective a little unsharp.
- 1³⁰: feet + hands cold, some tremor, temperature changing (cold - warm) as in front of a fire place (front + back): amphetamine effects. faces of people changed. more fear + anxiety, white surfaces with two "looking" points (not unreal)
- 4⁰⁰: the amphetamine effects are gone, but nothing specific other occurred. I add 2 mg and got approx for 1 h more again some amphet. effects.
- 5-10⁰⁰: If I did not know, that I took a compound, I wouldn't notice any change beside the fact, that I am awake, not tired at all. In no way turned on, chased by something, not psychotomimetic, schizoid as with H₂MT. Sitting in a chair, nearly free from body weight or pain; free from the urge to do something specifically; one starts to read, to listen to music etc by choice, by chance, without a schedule; the process of thinking seems easier; there is a change of context, which is evident, therefore not surprising! The face of the cover of the book "People of Kai" had always the expression of a state of being; but I noticed, that it expresses a state of pretense. Later on I read, that the face

This page is blank because there is no facing page in lab book.

and body colouring is done for the purpose of impressing other people, in the same way as we are dressing ourselves).

How such things during talking with CY

"interpretative window" seems right.

No MISTA window, no colours, music a bit more intrusive. - Good sleep without a sedative; AMOK - I am not yet sure about the effectiveness of the substance. After ca 4h is a loss of the unproductive euphoric effect and for the next 5-6h a physical and mental active state. The increased interpretative power could possibly occur also after a good night's rest?

If not - then for a drug effect; then this drug has really something new, which seems to be a combination of a balanced state between relaxation and awareness (without nervousness 4h after intake), without any reality loss.

Aleph-4 bing fiola

22.1.78

Additional notes
in cover/under
1/23 → 1/30

- [0:00] - [1:00] nothing; [1:15] slight window, some "amphetamine" effect;
[1:45] completely "normal" but on a different level?
[2:15] controlled, "normal" reading, listening to music, pharmacy, telephone-calls. Some development of mental sharpness, clarity.
[3:00] lying in the sun = completely at peace, psychologically. body, spirit, soul = one.
[4:00] more reading, thinking. EST-window clear, but peaceful. "Normal". Challenge of thoughts by asking questions: nothing special. nothing overwhelming. Well balanced, but mentally very active. (u. gone). Experience of "Eternity" very peaceful.
[5:00] lost and lonely, but controllable. slowly dropping, nearly unnoticeable
[6:00] out → or still in? As there was no real change in the beginning, so not in the end.



aliph-4. See 219, 265.
(continued)

++ (+) 8.0 mg 2/2/78 7:30 AM {0:00} (1:10-1:20) slight awareness - static at $\pm$ (2:00) to + or ++ - shower - shave - eat breakfast all now - food sl. heavy in stomach. - almost no windows, almost no LSD unreality. (2:30) evaluate - oral vs genital abuse (cigaretts at $\sim$ 1 mm m $\sim$ 1 1/2 push/day. Stop now - stated $\pm$ 4 & will start again - latter is better for health. Am at full + or ++ - would I push $\pm$ more no could I still drive $\sim$ yes shall. $\pm$ 160 mda no. - i. ++ at least. If this were pushed, it might well become something different - but then aliph would be lost. easy $\pm$.

{3:00} - little sense disturbance - bed $\pm$ radio so so. a little sedative-hypnotic sounds are distractions - go outside (3:30) I have intellectual world by the balls. So has Diane (2 l's) (4:00) slight drop? no. go for mail - still ++ or more.

{4:20} call CZ - ever present ambal. Dave had ++ at 8. Must write Amanda - we have both labored and produced aliph. (5:15) sl. recovery. orange is excellent. to hell $\pm$ smoking & $\pm$ drinking. (5:30) back to $\pm$ - the slight intox of the shower. (6:00) - long ~~talk~~ talk $\pm$ Ivan back to Normal? made full sense. (7:00) drive to Club - still some intox. faces in S.F.! (10:00) still not certain I am out (11:00) sleep OK, Am fine.

++ 10 mg 5/21/78 (AB+BB at 8 mg each) (Holly+Kellie $\pm$ MEM, 20.30 rest). 4 hr max. ++ but DA+DB inhibited this Rx. Repeat 5 DA+DB. True aliph, but limited. DA+DB to hypnic MEM - he, under the line until late, she ++, happy. They contacted high $\pm$ us until 10¹⁵ hr.

Ed+Dave (9, 10 mg 5/13/78) interesting, deep, not intellect. This fine (balance & this neg) peaceful - physically close (to me) - 2 PM $\rightarrow$ Midnight? Acoustic effects marvelous - evening food were blissful. (letter to come.)

+++ 10 mg 5/26/78 (BA+BB at 8 mg each) all to extreme aliph in the 3-5 hr period. Ed joins - inhibition of DA+DB absent. They - next day afterglow. all at +++ . Excellent - 267

+++ 12 mg 6/17/78 (AB+BB at 10 mg; DA+DB at 7 mg). Day at Kiva's Ranch. My chemistry slow but firm (1:00) - (3:00) to +++ - good rapport $\pm$ all, esp. AB who had an excellent experience. He felt that "enhancer" was an appropriate term - anything that was to be done was done with exceptional capability - cerebral tasks - intellectual searching - problems to be addressed. DB was in excellent control. AB had about 20 minutes of Kirk at $\sim$ (3:00) $\pm$ AB observing. Kelly was, as always, below the line, but was also visually far out at the same time. All still very + or so at (2:00) AB+1: no sleep problems, DB some. DA - much - into next day and through the day with effects. Finally cleared at $\sim$ (36:00) and slept well. Excellent day.

See Ivan Potter
6/18/78

++ 10 mg 10/21/78 10:00 AM = (0:00) (AB+BB also 10 mg) (Kelly 8 mg, DB 7 mg, also Brook+CR 7 mg) to Smith Hill for day. Slow onset. Kelly notices, favorably, at $\sim$ 1 hr - comes in nicely, then descends into a self-critical "below the line" that persisted for several days again. It was only at (26:00) following, no sleep - that busy assignments

- ++ 2/12/78 MDPB + LSD [160 mg + 40 µg at 9:15 AM = 0:00] (0:30) microalert (0:40 to 1:00) slow development to a + (2:00) barely + - supplement c̄ 40 µg LSD. (2:10) to ++ - repeat absorption? (3:15) stable at ++ - very open and philosophical - butterfly letter to the Dave's. (5:00) still ++, ej! (6:15) still + - off to bed for TV & dinner 8:00 largely out. overall + only - more LSD than sub MDPB-LSD of earlier. Yesterday's heavy MDE might have made me tolerant to MDPB - or maybe the sugar-LSD solution is fading. Recheck both faults before becoming discouraged! . +
AR - rechecked LSD alone (p 264) - completely OK.
- ± 5/1/78 MDE + LSD [200 mg + 20 µg + 60 µg] [MDE at (-1:15) 0:00 = 20 µg LSD (3:15) + 60 µg LSD] slightest if any effect - rel. imp. to sleep at (5:15) - good sleep, overall ± or + at most. This is consistent c̄ 2/7/78 (p 256) and inconsistent c̄ 8/7/77 (p 247) 8/14/77 history here, 60 µg on previous day, ∴ too tolerant, exasperates.
- ++(+) 5/14/78 MDOH + LSD [70 mg MDOH at (-1:45, 3:30)] 40 µg LSD (0:20) start (0:30) develop quickly to a strong ++. Driving very difficult - buying sandwich in bait store! - some muscular twitching plateau at [1:00 to 3:30], gradual recovery. Possibly more window-like than LSD - and definitely > 40 µg response - maybe +++ at max.
- ++ 5/31/78 MDOH + LSD. (80 mg MDOH at (-2:20)) + (0:00) ^(40 µg) (0:40) start, to +, nice (1:00) pure window - beautiful - at ++ (1:40) still ++ - easy erot. (3:10) drop to + (4:00) - out. This also (like most MDPB, converts LSD at modest doses, to window. Good experiment. this was MDA, not MDOH, see 263
- + 5/22/78 2-CD + LSD ^(60 µg) 5/22/78 at (-1:30) 25 mg 2-CD. (0:20) threshold - light & nice. (0:45) still ± (1:00) + at most - thence downhill. inhibition rather than potentiation.
- ± 5/27/78. 86-4 + LSD (24 hr first 10 mg alph-a) 60 µg at 9:00 AM = (0:00) (1:00) slight alert - not yet to ± (3:00) at best ± (5:00) completely clear. Complete hysteresis.
- ± 8/7/78 1-O-DMS + LSD (24 hr first 4 mg 1-O-DMS) 60 µg at 2:50 PM = (0:00) (1:00) maybe ± (2:40) completely clear. Obviously refractory.
- +++ 8/20/78 ^{MDPB} MDPB + LSD (2 hr. prime - 160 MDPBATS, 80 mg AB+B; 60 µg LSD = (0:00) (10:30 AM) (0:30 - 1:00) develop to ++ - no distress. (1:30) to glorious +++ - alph-a state - bits of detached reality I could do something irrational without consideration of consequence. window spectacular! full ++ (5:00) 1st drop gradual decline (10:00) to a + a graceful afterglow - got modestly but c̄ enjoyment. (12:00) still a little remaining. Beautiful experiment. The AB's not quite where I was, but definitely more and richer than LSD. Then, ++. 5. To be repeated - just LSD, then c̄ 160 ~~MDPB~~ MDPB + LSD.

Alph - 4

8 mg (at one time)

29.1.78

or #, depending from the p.o. view

Time course nearly equal to 6 mg.

The amphetamine effect u.e. to 6 mg.

The overall result: not only 2 mg (a third) more; the quality changed very much.

I think that I know why you called it Alph:

It is really some thing new, a new alphabet; one 'sees' the same "words", but one 'spells' them

in another way, they look different in that

meaning that they have still the same

content as f ex. church, street, child,

women etc., but your association pattern

is different. One can write the same words

in the arabic script, it is the same

terminus technicus which one writes, but

it looks different and the meaning, the associat

are different as in another culture.

The environment is the same, is realistic,

all the time, the handling of the ground

level is always possible; after losing the any

effect (4h after intake) one is calm sitting in a

chair and still active (as with 6 mg), but

the net of thinking is shifted

One example: I was always impressed by the

"water cycle" of the nature (raining, evapo

etc.) Even by such a tremendous phenomena

I was at least subconsciously separated from

LSD - Calibration.

firm. 214 into 530

- +++ 60 µg 2/20/78 6:45 AM = [0:00] [0:30] microalert (0:50) LSD-like devel. - little window - easy ext. to [1:10] to a + LSD Bent called (OK) DC called ~ not OK. to [1:30] at + LSD - no window. [2:05] de-personalization - at + LSD - I wish Joe were gone, i.e. no surprises - how can I pretend to be OK. read? - pretend to think? have script of chapter in front of me. [2:15] driving would be mad - not for intro (window) but for unreal + a. De-personalization is extreme. [2:30] at plateau. To double the drug now, no! Only if someone I could totally trust my body to, and to understand my curiosity. I could not do it alone. My guide must: (1) understand my want, and (2) be trusted. Dave 1+, 2-, CN 1-, 2+ Ed ++. At [3:00] still plateau: analytically, I am worthless; conceptually, I am OK but scattered. I want to let go, but cannot alone. [4:00] Sacto by car - careful. [5:00] still okay but pretty much OK. [6:00] largely out. [8:00] completely out. Overall, as LSD #, but not the magic of exhibition studies & their super-windows.
- ++ 60 µg 4/30/78 1200 = [0:00] ATS 60 µg CN 40 µg CR 30 µg 3(1:00) + 10 → 60 µg - [1:00] developing - [2:00] at ++ - CN also ++ CR + coming on. to [4:00] steady ++ CR lots of windows CN some clarity. drop to [6:00] 7:00 largely out. beautiful day. ++
- ++ 100 µg 8/30/78 ~11:30 = [0:00] ATS AB, BB - for control base-line. Next ~ [0:30] for AB, BB, [0:40] ATS up to characteristic LSD ++ ~ sl. more (window, unreal; =) [4:30] 1st drop. Eat modestly but heartily at ~ [8:00] - all at or above ++ - none of the MDR augmentation.
- ++ 60 µg 9/19/78 ~11:30 = [0:00] CV 60 µg probe chm - gem & stone collection - horse back - CV - frightening reality loss, recovered ~ "peaches" - short. tears to flute music - largely out at [7:00] - extremely well received - we ++ at most, she ++ or more
- ++ 100 µg 2/3/79 ~11:00 = [0:00] AB, CA 100 each. subtle development [0:30] to ~ [1:30] - excellent plateau - no reality loss - ~ but less than full alpha-4. CA ~ some concern on rapidity of development at [0:30 - 1:00] - then excellent. Very gentle taper off from [4:00] until [12:00]. AB into next day excellent. overall ++.
- +++ 60 µg 4/26/79 night experiment (~11 PM; Ed initially 30, ATS 40). Bath, little effects - both + 20 µg at ~ [1:30] - develop to intense interaction - sexual play excellent, then Ed → cat. Then m, my Cindy, Ed vivid simultaneous living of a dozen roles, each ~ me at a crucial role - intense interaction - fear (A.B.) of fixed mad state. vivid. +++ for her ~ the imbert of living roles - pointless laughter - intense grief. dawn (~7:00) gives some recovery to bed ~ eat. strange unreality next day. I see Ed's face as metallic hinges. Probably a breakthrough, certainly overwhelming for Ed. Completion of cycle.

this circle, still the "intelligent" observer who knows this all and is "using" his knowing ^{knowing} is using the matter for his purpose.

Suddenly during the exper., talking about this subject, I noticed that I am also included in this cycles by drinking water (my body is ~80% water) and evaporating it f. ex.

So, I am a part of this circle, the water is using me - as I am using the water - for its purpose as a little hot sun.

Another phenomenon: I noticed a separation of body and mind. During listening to music and sitting with my body on the couch I was with my perception organs - the ears - with each one in front of the boxes, no space in between, the music came directly into my ears and I was dancing with each note in the space of the room. This happened in a totally un-frightening manner (totally without the LSD-Spirals), still calmly sitting on the couch. I never experienced such a peaceful flight of lightness. I experienced each nuance of a note even in such a way, that a single note on a single string of a guitar had the ^{same} sound in its resonance as ^{if} one would play all strings together with one touch. I am convinced now, that the first constructor of this instrument build it this instrument in the known ^{known} manner for such reason.

One good step forward for a substance which is ^{very} good to control, but which has power for ^{creating} the "unthinkable". In this sense ++, from the intoxication state of mescaline ++


This page is blank because there is no facing page in lab book.

MEM - continued f. 229, 260.

- ++ 30 mg - 5/5/78 10:30 AM = [0:00] interaction DA @ 30, DB @ 20, CM @ 30, BB @ 25. - development to max over (0:45) to [2:00] DA - paranoid - at ++ probably i much visual turmoil - but locked into body problems - no drop 'til 6:00 or more. DB excellent intoxication at ++ at least. CM between + & ++, sensory sharp & edge of LSD - BB rather light but positive - + ? - ATB - between + & ++ - drop noted at ~ [5:00] overall + or somewhat more - give ++.
- ++ 40 mg 3/11/79. (CR, BV, CN 30). 2:40 PM = [0:00] usual chem. both CR+CN i considerable introspection - musty eyecover - modest abstinence at [8:00] still too intox. for easy or safe drive. stay over - AM - clear & active.
- ++ 70 mg (40+30) (CL $\equiv$) 7/29/79 - 1 day post 2 CE. ATB alert [1:30] CL [1:40] develop quickly to 1.5+ at [1:40] supplement 30 mg. [2:30] at or above ++ - energy turned to physical - egg - temp exceeding hot - much dehydration - [4:30] drooping - hilarity - (6:00) eat modestly well - telephone calls - still + - good sleep. compromised ++
- +++ 50 mg 8/23/80 11:00 AM = [0:00] CL, AB, CD. $\equiv$; DF 35. On farm. AB alert at [1:00]! - all others 20-25 min. Develop to [2:00] Much G.I. & nausea, bowel distress. AB severe, BB slight, ATB, CL modest. The entire response starts somewhat negative and builds up positively as time goes on. [3:00-4:00] max. felt to be more complex than LSD, but each person is in charge. CL, BB extreme color fantasy. Eyes closed, extremely rich, but in control to open eyes, discuss everything. CD, active hallucinations in house, physical persists: CL, AB ATB, much bloating, little urine, some individual expression of body disease. [6:00] consensus of drooping, but uneven. Fruit bowl goes well. Spaghetti at [9:00] lightly eaten. Extreme anorexia. Open talk. Sleep (~ 14:00) for ATB, BB, scattered but OK, AM - no residue; CL, AB, disturbing dreams, AM. i lethargy - both i nap at ~ [24:00], then OK. Perhaps too much physical for the mental, but retrospection will tell. Generally a +++ and next time (if a next time) split the difference - all at 40, DF at 30. ++


- ++ 160 mg 5/10/78 (4:27 PM) @ CA Hong [0:37] start, to +, at ++ at 1:30 - nothing new. CA is underdeveloped intellectual impairment - vom & jaw clench. [3:30] drooping - poor appetite - CA had edges of reality loss. Previous day 8 DMT.
- ++ 140 mg 7/5/78 3:00 PM = (0:00) at Hh @ DG, Ed 100 mg. Proper chronology - subliminal 40 mg at [2:30] (5:30) clearing - walk in woods [8:30] to bed - delayed sleep. Not fine.
- ++ 160 mg (+40 @ [1:30] BB+CM 120 @ 40 @ [1:30]), 7 PM. night experiment. They started at [0:25] - I at [0:40] to ++. Visual contact is absolutely necessary - eyes closed nothing. Supplement perfectly timed. No appetite (soup barely touched). Outside shadows benign & friendly. I am DG much @ Ed Drooping at (4:00) - uneventful drive home (5:00 6:00). Gentle experience.
- + 120 mg (≡ DB, DA, AB, BB, @ 2:00 PM = [0:00] last + 40 @ [1:45] 8/4/78). Expected chronology & effect, except AB slow development & light, and ATS light. DB loses pallor - becomes beautifully articulate. No heart aggravation - if anything develops an awareness of beauty and of natural surroundings. Able to eat ice cream (normally, cold foods → severe coughing. ATS intense anorexia. Residue to [7:00]. Most beneficial expt. +
- ++ 120 mg (≡ AB, Eric), 8/26/78, all + 40 mg [1:40], [11:20 AM]. (0:30) alert all - to ++ by (1:00) and @ Supplement at [1:40] (4:00) drop. I sleep 1 1/2 hr. gentle recovery - both AB+BB - sleep paradoxically in evening. Excellent. no complications. ++.
- + 120 mg (≡ CR, CN, all + 40 [1:30] 9/4/78 12:00 = [0:00] alert [0:25 - 30] to a ++ at [1:00] - suff. at [1:30] - drop starts ~ (4:00) CR very talkative, probing, CN who is evasive and mute. He acknowledges that he can't answer directly - his anchor. Delightful turn nonetheless. Appetite almost normal at (7:00) CN good, deep sleep. Between + & ++ CN quit his job shortly thereafter. Probable outgrowth of his internal dialog.
- + 120 (100 DH, both + 40 at [2:45] 9/17/78 6:05 = [0:00] 0:25 alert 0:40 to + or ++ - limited input later in evening. Supplement maintains to ~ (6:00) when both were ~ ±. Well taken
- + 120 (100 CP, 100 DI - no supplement 9/16/78 10:45 AM = [0:00] ATS, DI normal chron. CP, nothing to [0:45] then light head, throat, cannot swallow, then to hiccups - cannot breathe. "I'm going to be alright" (?) (?) No smoking sign. at ~ [1:30] "I have the right to be alive" "It's all right to be alive" Mother's death at her birth. Next hr (to 2:30) all physical clears up. Excellent afterwards. Colors (greens) into next day. ^{met} 290

D.C. Alabama 9/16/78 120 - eat, sleep, eat, erectus, toe muscle failure to 2 year old regression. Intense and stimulating - details to come



MD-18 N-cyclopropylmethyl MDA

- 10 mg 5/16/78 5 mg 9:15 AM = (0.00) + 5 mg (1.00) n.e.



2-CD

(See 175)
(See 310)

273

*


- 2.0 mg
- 2.5 mg
- 4.5 mg
- ± 6.0 mg
- 8.0 mg
- ± 8 mg
- ± 10 mg
- ± 12 mg
- ± 15 mg
- ± 15 mg
- ± 15 mg
- + 20 mg
- ++ 25 mg
- + 20 mg

p. 175 1974-1978

paper - Irving.

threshold
active 10-15mg

- ++ 20 mg 5/18/78 7:50 AM = [0:00] (0:40) something nice but subtle starts (1:00) a snuggle +, basic, very nice - I wish it were more intense. (1:20) real + - intense of (1:35) between + and ++, but I can do anything. - weed clump - rest lost.
- (±) 25 mg 5/22/78 9:45 = [0:00] (0:30) micro-alert (0:50) slow development (1:15) at best yesterday allth - probably not? (1:30) dead at ± - see 267.
- +++ 25 mg 6/7/78 6:03 PM = (0:00) (0:45) start - eat light dinner. (1:15) Physical to ++ mental to ++ - I think I am going to like it, but at the moment I am not sure. (1:50) body, not genital org. !!! I am ++ stoned. (2:40) weed clump - intense reflection. (3:00) off of H - easily, amiable (3:20) down to (1:15) point, but this isn't too far down. (4:00) almost out (!) - (5:00) out. Impressions experiment.
- ++ 25 mg 6/10/78 11:00 PM = (0:00) (+3 25 20 20) mental & physical to ++ at (1:20) pers. conflicts intense oriental mask hallucination in tub (4:00) virtually out - overall ++.
- + 20 mg 8/19/78 9:50 AM = [0:00] (0:40) sl. aware - gentle development (1:10) between + & ++ walks to enhance, no mail (1:40) +, no more (2:00) intense of. (3:00) alga case - busy - and quite sober - virtually out.
- + 20 mg 9/9/78 10:AM = [0:00] (0:30) sl. alert in head (1:00) to a nice + (1:20) erot! - (2:00) st. shown for Paul Joy - effects somehow lost. overall light, good.
- ++ 25 mg 11/18/78 old pink XVI-43 20s = [0:00] (0:40) some alert (1:00) to a subtly obtained + or even ++ (1:40) good of, at ++ - try typing. (2:40) start down? still at a body ++, but mentally never quite there.
- + 25 mg 1/27/79 (CN, CR 25) 1:15 = [0:00] - develops from [0:45] to (1:15) to relaxed, pleasant + to ++. Light intox, CR. some chills. Escher. Abrupt descent from (3:00) to (4:00). Quite hungry - excellent appetites. Very mellow and completely relaxed. CN, CR. sl. headaches, which clear if food.

MDE. from page 206
to page 412

- ++ 180 mg 6/11/78 11:00 = (0:00) (at home = AB 160 & BB 140) alert at (0:40) - development into delightful window from (1:00) to (1:45) - very self-contained, but not with the affect transference of MOMA. - Supplement (each) of 60 mg at (2:00) led to increased eye problems and teeth clench, but no mental virtues - largely wasted. Eye problems persisted even at (10:00). Overall ++.
- ++ 160 mg 11/5/78 3:00 PM = (0:00) (farm, CN, CR 160) (0:40) onset - developed at (1:00+) - P.G. diggers intox, then v. nice, CN some fleecy pauses. Both at least ++, very much intoxicated and enjoyable, AS = some motor incoordination - no appetite at (5:00) although pretty much down. No sleep problems. in AM, CN really up, state of well-being but relaxed. Still elated. Both give v. high marks for quality of experience.
- ++ 160 mg 12/13/78 = CN 160 1:25 = (0:00) (0:30) alert (0:30) to ++. Window - not the spectacular for CN as earlier - but v. satisfactory. Gentle recovery.
- ++ 160 mg 1/24/79 = CP 160 11:00 AM = (0:00) good ++ window, some physical weakness, - out at (4:00)

-2-

do with my life? and was told, Simply be yourself. It was almost 1-1/2 hours. I was feeling more discomfort than the last time, some stomach squeamishness and some tension. Christian felt full in the experience, and reported she didn't want any more. I decided to take a supplement to see how it would affect my discomfort. Carla was feeling good, but her vision was blurry with some trouble focusing. She decided to take more also. Then Christian decided to join us, and we all took 20 mg. more. Soon after, my discomfort faded away, Carla's blurry vision disappeared, and we all went outside. Everything immediately sprang to life, and was fantastically beautiful. Christian was enjoying it immensely. We went around looking at flowers, Christian showing me things I had never seen before. I realized I had never really looked at jasmine before, as well as the incredibly beautiful orange flowers. We sat in the patio, feeling great warmth and euphoria, and stayed there until the sun went down and it was too cold to be outside. We had marvelous communication, felt extremely close to each other, and felt quite blessed for the marvelous experience. Food again tasted wonderful, and we kept visiting pleasantly and talking very openly until 10:00 p.m., when my son and his wife arrived and some other people and another party started lasting until midnight. Christian looked beautiful, and opened up significantly. She reported the following for the record:

For some time she has been taking mega-vitamin C and ginseng tea, as well as 3-4 grains of thyroid a day for several years. She stopped taking thyroid 2 days previously so as not to interfere with the experiment. Her pulse without thyroid is usually about 50; the thyroid brings it up to 72. She noticed that this experience increased her heartbeat to 80. At the height, I noticed my heart was beating faster also. She got warm this time, but was not uncomfortable as with the hot flashes of the time before. Her skin felt moist and soft. She reported acuity of vision, hearing, smell, and taste, and no unpleasantness.

REPORT OF RESULTS WITH MDMA

From Kelly 6/13/78

January 30, 1978. First experiment was January 28. This one was repeated at same doses levels, 100 mg. for Carla and 140 for me.

3:00 p.m. Start.

3:10 I can feel slightly.

3:12 I can feel some euphoria, Carla says things are looking better.

3:20 I feel it coming on strongly; Carla reports slight tingling. Verbalizes apprehension of her mother. Feels elevated pulse. Greens are very green.

3:25 Carla thinks she is going into phase II, 1/2 pleasant, 1/2 not.

3:28 Carla reports tingling, buzzing, unpleasant. I see her face distorted, but realize this could become a judgement, so look up into the beautiful blue sky and am aware of a higher level.

3:35 Carla says discomfort is tapering off. Fingers are tingling.

3:50 Not ecstatic. She is afraid of our being found out.


4:25 Discomfort has passed; Carla is getting a glow

4:50 Carla has trouble focussing. Glow comes and goes.

5:40 Very relaxed. We have a very relaxed, enjoyable evening. Effects taper off gently, leaving us in a very pleasant state, much more alive.

April 30, 1978. Carla and I started at 1:00 p.m. with Christian. The girls each take 100 mg., I take 120. This turns out to be the most pleasant of all experiences for me, euphoria coming on and steadily rising to a high peak. The experience was also totally pleasant for Carla. Christian begins to feel nauseous, goes to the bathroom and throws up. Feels a little better. She sits on sofa, has very hot flashes, very hot, uncomfortable. At peak, we go outside, I find nature brilliantly alive and fantastically beautiful, the most beautiful I have ever seen it, with tremendous euphoria. The love among the three of us is outstanding. We sit outside for a while, and have very open communication. Then Christian finds the light is too bright, and we go inside. She is now feeling good, but wants to take it easy, not too much light. We converse very openly for several hours, with a marvelous feeling of closeness. We all come down very smoothly and gently. At peak time, no one wanted to take a supplement. We visited freely and easily till dark. We ate a delicious soup Carla had prepared and enjoyed it enormously. We continued to talk very enjoyable till bedtime, when Christian departed. The three of us had never felt closer.

June 9, 1978. The experiment with Christian was repeated, starting at 2 p.m. with the same dose level. The session developed nicely, and no one felt any discomfort. Christian preferred to sit with her back to the outside light, looking at the softly lighted interior, until things began to become more vivid in color. She then chose to withdraw and close her eyes and look inside, despite Carla's and my interest in going outside. We sat with her inside for about 20 minutes, when she came out of it. She later told us she had asked, 'What shall I




2,5-DMA.

See 57, 58

- | | | | | |
|--------------------------------------|---------|---------|---|---------------|
| - | 2.3 mg | 1/30/63 | nothing | } ex page 57. |
| - | 5.0 mg | 2/1/63 | n.e | |
| - | 8.4 mg | 2/5/63 | n.e | |
| - | 13.3 mg | 2/11/63 | sl. teeth rub? n.e | |
| ± | 20.8 mg | 2/28/63 | unreal Am? possible ± | |
| + | 35 mg | 3/8/63 | stim. & intox. g.v. | |
| ± | 40 mg | 6/19/78 | 10:45 AM = [0:00] [0:40] alert? [2:00] at best a fuzzy threshold - [2:15] | |
| an additional 20 mg - nothing more ± | | | | |
| + | 80 mg | 7/13/78 | 9:37 AM [0:00] [0:35] sl. tremors - all physical [1:45] quite a bit of physical - but + at best in the mental area. | |

2 at 100 n(+) LW
 250 mg as tartrate.
 n(++) to +++ no sensory
 some "speeding"
 some "no stimulation"



DMMA

277

N-methyl-2,5-DMA *

Flip

nothing at 30, 60 mg

BB

1/10/78 - thresh

at 50mg, complete 150-200mg

- 60 mg 9/20/78 4:30 PM = [0:00] no effects.

- 100 mg 9/21/78 1:03 PM = [0:00] n.e.

± 150 mg ~~10/1~~ 9/30/78 10:30 AM = [0:00] possible sl. tingle at 1hr. ±

± 200 mg 10/5/78 11:20 = [0:00] [0:20] alert? in Safeway (0:40) nothing yet [0:45] all the ± (3:00) out if I was even ever in.


± 250 mg 10/23/78 1:30 PM = [0:00] at best, ± at ~[1:00]. Apparently not active in me. - however, subsequently, 120mg MDMA → ±. This should be tried in others.

DC 6/17/79 i.v. in 2

people at .2 mg/kg - one, something in minutes, other +, some sleep (100.2), some b.p. 140/90 - hours later (after beer) effects still. Anecdotal, oral ≈ i.v. genital tingles, back awareness.



- +++ 140 mg (+20) = 160 mg ^{6/24/78} 10:30 AM = [0:00] AB 100, DA 100, BB 80, DB 80 - alert [0:30] at (1:00) all + ++ or +++ DB is active vomiting, then excellent, ATs - nausea again - DA nothing below the line at (2:00) +20 mg (ATs, AB, BB only) - Excellent state to ~ (4:00) - then slow drop. Evening meal tasty, but lightly eaten. Pentagon foot & forehead. Beautiful tactile. All around delightful day. Evening (12:00) only a trace - minimal teeth clench. Practice in PM for recital.
- ++ 120 mg (+40) = 160 7/30/78 11:30 AM = [0:00] (CN 120+40) (CR 80+30) (DB 80+20) (DA 120+40) (BB 100+40) (AB 120+40) all supplements at (1:45). 28 is alerts & start ~ (0:30) some nausea (CR, ATs, AB) and rather well developed (++ to +++) at (1:00) - supplement at (1:45) - steady plateau to ~ (5:00) - extremely pleasant and interacting. CR was exceptionally (+++) - quiet descent through (7:00) - eating was accepted but not vigorous. CN is neptunus even at (12:00) - general jaw clenching. Some sleep disturbance. AM - CN, CR is hangover, DA & DB is languidness but reasonably active. ATs - normal.
- +++ 160 mg (in 80+80 regimen) 9/10/78 (AB, BB 80+80) - 11:25 = (0:00) first alert (0:30-0:40) no nausea - to + or 1.5 at 1:00 + 80 mg each. develop by (2:00) to ++, more. hold in excellent +++ to ~ (4:30) - then decrease gently and slowly - still + / AB or at least + at (11:00). graceful, close, pleasant day. good sleep (fat).
- +++ 160 mg (in 80+80 regimen) 9/24/78 (AB, BB 80+80; CN 70+70, CR 60+60) - balance 1 hr. CR to ++ rest ~ ++ or 2.5. CR & BB talk in sun on lawn. CN some eye problems in PM. driving OK - midnight - well accepted.
- +++ 200 mg (in 80+120 regimen) 10/8/78 (AB, BB 80+120; CD 80+80) ^{10:35 AM} no nausea (addn at 1 hr). AB slow to develop - still + at (12:00) - absolutely no appetite - but tastes excellent. BB is intense headache (11:00) - blame heat → cold (sinuses). Next day AB, BB languid, CD glowing. ATs introverted; Ed better, excellent expt. is reality complications.
- +++ 200 mg (in 100+100 regimen 11/12/78) (AB 200 BB 200 CD 200, CN 160, CR 140, all 1/2, 1/2 at (0:15). 10:50 AM = (0:00) [0:45] microscopic nausea ATs only. All is some mix at 1:00 or earlier following alert at (0:30-0:45) - into comfortable +++ by (2:00). Time distorted - extremely relaxed - fireplace in Yago's room. Excellent window with occasional L50-like preformed. Subtle decline around (6:00) - food tastes good at (8:00) but no appetite. CN is negligible eye - legs problem. Drive back at (12:00). Next day general languid except ATs - excellent & active mood. Very successful, balanced experiment. AB & CD especially but excellently interested. ++
- ++ 120 mg (in 60+60 regimen 2/12/79) (CA at 80+50) (2nd 1/2 at (1:40) 10:43 = (0:00)) - (1:30) to a ++ subtly arrived at - tendency to go towards a ~~bit~~ bit - blend of joy and sorrow some teeth clench - absolutely no appetite (5:15) down to +. (8:00) still some shakes that are partially quelled by wine. Reasonably good sleep. overall ++
- ++ 120 mg (Ed 120 mg) 2/26/79 4:07 = (0:00) normal chrm. to ++ in intensity. Ed says no more than is 100. Decision to join me. Open recounting of personal turmoil both ways. (7:00) out - no sleep problems. Both is some teeth clench.



279
2-CB cont. f.p 204 *

- cont. ex 20A. (this at 3:00) at 20 mg ++ -) There is little if any window. A time of barely turmoil. I would like to deaden the nerves, but sleep try would ~~be~~ be threatening. Still pre-convulsive. I may use alcohol (3:30) still ++ & can feel the pre-conv. vibrations when lying down & eyes closed. (4:00) no more increase - some softening, or at least no more than steady (4:20) drop to ++ (5:00) can lie down without vibration (~6:00) sleep successful. dreams. AM (8:00) awake. OK.
- ++ 16 mg 8/11/78 9:55 AM (0:00) (0:30) alert. (1:00) into subtle + (1:30) to ++ ej! - shower, shave, to Bent's park (2-3); sensible - a little spacey - trust my good senses & all is OK. - no motor or judgement problems but completely weird. (5:00) dropping (6:00) out ++.
- ++ 20 mg 10/2/78 12:00 PM (in 16+4 regimen, 1hr) (CN, CR 12+4) (1:00) additional - all at +) 2:00 to ++ prison message f. nine (3:00) nudes on ceiling, foot soak, shower - sensual sexual (4:00) figs and grapes on stairs - afternoon nude (5:00) foot oiling - dropping. (7:00) hamburgers & wine & excellent appetite.
- ++ 20 mg 10/25/78 9:00 AM (0:00) alert at (0:30) to a 1.5 + at (1:15) modest eroticism - noticeable decline > (3:00) (4:00) to bank - good appetite - substantially out.
- +++ 25 mg 11/29/78 Bunny 20 mg Cindy 3:30 (0:00) - Proper chronology - intense auto-aleph - all erotic potential translated to verbal interaction - notes 303 - out by (5:00)
- ++ 20 mg 12/28/78 (CP 20 mg) to 1:45^{PM} (0:00) (5:00) to + or more - verbal exploration 11 glyx - 1983 suicide - review non-marriage - (5:00) out
- ++ 25 mg 12/31/78 (CN, DB, AB 20 mg; (R, BB 16 mg) 4:00 PM (0:00) all & alerts at (0:30) by 5:00 to ++ all - no adjustment (1:15-2:00) intense time distortion, visual distortion, fine building up the nose of the chimney & DB pillows, wall, table top, grape turmoil - (3:00) begins down, (4:00) almost out, (5:00) clear. Magnificent experiment well rec'd.
- ++ 16 mg 1/10/79 (CN, CR, AB, CQ, DB all 16 mg) to Stanford museum - all usually rich. Rodin, Escher ceiling, graphics display, escalator bank, all & color and voluntary movement in visual field. CQ & 1 1/2 minute of anxiety - CR & lasting marginal unworldliness. well received and most favorably accepted. Excellent group situation. Ravenous appetite at Clark's shark.
- ++ Plushure 2-CB + 2-CD (10+15). see 2-CD 2/10/79 (310)
- ++ 16 mg (5/17/78) 11:50 AM (0:00) (AB, CQ, CN, CR all 16) Grove picnic - alerts ~ (20-40) CN excellent ++, CR early rephrasing, A.T. introspective - dropping at ~ (4:00) - eat well - excellent afterglow (patio) next day extremely pleasant (est. CR, AB).

July 4, 1978


Sage Pine

Bob and I each took 25 mg 2-CD.
about 11:00 AM. The material was
remarkably terrible in taste and
we were in somewhat of a grimy
mood as we took it. Dolly had a
dream about ~~the~~ the previous
night and thought requires prior
to ingestion of 2-CD which led us
to anticipate a potentially anxious,
pained experience. The onset of
the effects was slow and quiet. I
much light reactivity for me and I
was also glassy. Slight queasiness
which was present on my
abdomen - none otherwise. Light
sensitively began about 20 minutes
after ingestion; queasiness to abdomen
pressure disappeared in about
11:30. No hallucinations. Visual no
distortions, no affective changes; no
night; basically no change, but a
feeling of intoxication nonetheless.
There was no enhancement of tactile
sensations except enhanced sexual
guttles, penoscisms. Much like intercourse
in marijuana. There was a slight increase
in parasympathetic and we developed
a case of the munchies. --- no anorexia,
no analgesia. The experience was, a +1
and over in 3 hrs. A brief period of enhanced
mental clarity during that time. ~~Unpleasant~~

July 4, 1978: Lone Pine, California.

Greg: took 25 mg. of 2-CD at 11 AM
two hours after a light breakfast of
cereal. effected a semi-conscious
provocative material (there had been S.S. in
experience) but the evening before had had
a dream in which I was in continuous
danger in a Nazi-occupied European town.
This dream led me to wonder if I was
not about to encounter a frightening area
in myself.

experience: material is bitterer than most
and gave me some internal recollection which
lasted half an hour followed by very
slight queasiness. Then followed a
mild intoxication with some semi-consciousness
of feeling not unlike marijuana BB and
I made love and both agreed there
was some increased genital sensitivity.
We relaxed, after love-making and
talked easily and clearly. There was
no auditory or visual enhancement.
The experience closed after about
two hours with no feeling left over
of intoxication or increased mental clarity.
Conclusion +1; subjective feeling
that the dosage was a bit light or
that the substance itself is barely
mild in effect.



MADA-3a

- 3 mg

± 10 mg

± 15 mg

+ 20 mg

++ 40 mg

p 62.

others 40-100 mg pp 62, 66, 83

7/21/78 AM 9:53 (0:00) (0:30) slight alert (0:45) physical tremor. (1:00) it is starting (good, not bad) (1:15) developing steadily, but some body tremors too. (1:30) at ++, nice development (3:00) steady at ++. It would have been interesting to have gone higher. Relatively imp. (3:30) drooping - sad. (4:30) clearing - still ± slight residual physical hypersensitivity. (6:00) clear. residual diarrhea, MDA-like.

Experience with Aleph 4.

Kelly (subject)

Companions: Carla, Greg, Elizabeth, Sasha

Date: June 17, 1978

Dosage: Carla 6 mg., Kelly 7, Greg and Elizabeth 10, Sasha 12.

We ingested the substance somewhat after 10:00 A.M. and drove to McDonald's. It was a beautiful day, and a beautiful place for the experience.

Going down the hill toward the river, I began to feel the effects. The first effects were negative, tension and depression, and they continued to grow stronger. By the time we reached the stream, the positive effects began to develop, and the stream and tress were starting to enhance in their beauty. However, I was fairly uncomfortable.

As we climbed up the hill, the experience grew in both dimensions. I became more and more uncomfortable, as though carrying a heavy load, with difficult breathing. Yet everything was slowly but steadily growing more beautiful.

The peak of the discomfort came around 1:p.m., somewhat before the time that Elizabeth found her "black hole." The discomfort was both physical and emotional. By the time we started downhill, around 4:00 p.m., the beauty was far out-weighing the discomfort, and the balance in the positive direction continued to grow the rest of the day and evening. For a short time, just before starting down, I moved into the ecstasy of celestial space. On the way down, the discomfort would return in waves, but more and more I was able to get out of it. By the end of our walk, I was enjoying the experience tremendously.

Driving home, I experienced the joy of driving with full perception, although I did develop a little tension from the confinement of driving by the time we got home. But driving was no problem, and very enjoyable.

Arriving home, with the stereo blasting, and Eric and a friend there, I had such a welling of emotion that I realized that I could not handle it. Fortunately, Eric and her friend left. Then I got a deep insight into myself for my lack of responsibility, and my childish way of wallowing in emotions instead of mastering them and doing what is necessary.

The evening was absolutely gorgeous. I've never seen the sky so beautiful, and thoroughly enjoyed all aspects of it. The only flaw was when I choked on some lemonade and it seemed to me, almost drowned. This has made me extremely conscious of swallowing, eating and drinking ever since. Watching the fire with our friends was a marvelous experience which we hated to see end.

I was unable to sleep the whole night. I kept working away, and working away. Mostly, I saw myself as the anti-Christ, and the horrible things I was doing to everyone I knew, and my family. I have never seen my self-centeredness so clearly, and how it interferes with learning. I got many insights into other people and my relationships.

I got up at 7:00 A.M., extremely tired. I would have loved to cancel my Father's Day date in Santa Cruz, and just lay around. But I knew I must master myself. At great pain, I went to the kitchen, and started to clean up from the night before. I moved like a zombie, slowly and deliberately. I took each move at a time. It was as though all previous habits were removed, and I had to weigh

-2-

and decide each act. I had an awful lot to do, and it seemed hopeless, but I knew I must do each step, no matter what the cost. The pain was insignificant, because it is the decision that counts, and I must learn to override the pain.

Everything got done, and we left the house right on time. Once in the car, everything got easier, and the drive was very beautiful. I had a calm, peaceful, and most enjoyable day, with much learning and insight, albeit a little languid. The drive home along the coast was very beautiful, and I got quite energized, although Carla experienced some illness from over-eating.

The next morning I had a fine talk with Greg, after which I experienced some very unusual anxiety. But I was most clear-headed and creative. I killed the anxiety with a carbo-hydrate lunch, and learned why people often eat as they do.

I felt the experience continue for many days, and feel that it is one of the most profound and deep learning experiences I have had.

I would like very much to try Aleph-4 again, and would particularly like to block out more time for it.

EXPERIENCE WITH-MDMA

Participants: Carla, Eric, Kelly

Date: July 15, 1978

Started 10:05 A.M., Carla and Eric with 100 mg. each Kelly with 120.

10:20 Beginning to feel; Kelly and Carla have good onset.

11:00 All have developed nicely, everyone is enjoying the experience.

Eric begins to have a lot of insight about the way she is treating her body. She sees that she is abusing her body a lot with much alcohol, lack of sleep. Mentions a number of times.

11:35 We all decide to take booster: Carla and Eric 20 mg.; Kelly 40 mg.

12:00 Carla and Eric feel lazy, Carla feels non-verbal. I am enjoying the experience very much. The extra amount completely wipes out any trace of tension or interference with complete enjoyment.

12:50 I begin to feel jaw clenching, and starting to come down. Carla & Eric are very much in it. We have had a lot of excellent communication, with the marvelous freedom from defensiveness that seems to be a characteristic of this material.

1:00 Jaw clenching gets quite intense for me, I presume as a result of the larger booster. The others are o.k.

2:40 Carla is aware of her teeth and gums; feels she is coming down. I am over the jaw clenching and feeling fine, as does Eric. Eric has been sleepy, lying with eyes closed, little conversation.

1:40 - 2:20 Ezra, Eric's friend, came by. We all visited with Ezra very pleasantly until she left. She was not a distraction at all.

4:15 Carla is feeling some tension and let-down from the peak. Eric and I are quite peaceful.

5:00 Eric leaves to go over to Ezra's. Carla and I have a most pleasant, peaceful evening, feel very close. We feel very good about being able to share the experience with Eric, and felt a marvelous bond among the three of us.

EXPERIENCE With 2-CD

Participants: Carla and Kelly

Date: July 9, 1978

Dosage: 20 mg. each, taken at 9:25 A.M.

We were alone in our back yard, a beautiful day. We begin to feel the effects in about 20 minutes. Carla gets nauseous; I feel it somewhat, with some tension, but otherwise develop nicely. It becomes apparent that we are alone in an experience for the first time in a long time, and will thoroughly confront each other. We have mixed feelings about such a prospect.

In about one hour, most of the uncomfortable feelings have left me, but Carla still feels quite uncomfortable. Everything is quietly getting very beautiful, not dramatically like the MDMA, but quietly like the onset of Aleph-4. We talk a lot about our relationship, and I am able to joke and kid, but it doesn't seem so funny to Carla.


At 1-1/2 hours, I feel well into it. Carla is reading some E.E. Cummings poems, inspired by Arlo the day before. I find them quite beautiful, and suggest we go inside and explore things more closely. We lie together for a while, but Carla feels cold and wants to go back outside. We feel the shade as very cold, and the direct sun as quiet warm. We stay at the edge and move back and forth, and have an excellent visit. I am enjoying nature very much. I find it a quiet, but subtle and free material. Nature is beautiful in an enhanced by quiet way, and my mind is very free to entertain ideas of many different natures; I feel much freer and clearer than with MDMA, for example, although the latter is most enjoyable.

Carla gradually drops her discomfort and begins to accept me more, which I sense is hard for her. We continue to talk quite freely.

Around 2 p.m., we go back to bed and lay there for 2 to 3 hours. We both felt quite tired, and it was very peaceful to lie in bed. I began to feel Carla's closeness very much, and enjoyed immensely our being together. While I did not feel much sensory enhancement, I felt I was aware of the enormous potential this material has in this direction as two persons care more for each other.

Carla and I grew in closeness through the rest of the day, and even on through the week. We retired early, as we felt very tired. However, I felt fine the next day and got a lot done without distraction. We felt the let-down from this experience was quite gentle and very pleasant and peaceful, although we felt tired. The feeling of tiredness did not linger afterwards, as it does with me with MDMA, and I was very alert and energetic for the following week. Carla and I achieved a new closeness, so that we feel much more energy flow between us when we are physically close, and have enjoyed each other much more. We feel this experience very appreciably improved our relationship. We are anxious to try it again, with a larger amount.


286



X,O-DMS

*8/6/78

CR, CH, ATS, CM, CR each took 3 mg Alpha-O-DMS at 11:00 AM. The first alert, which was nausea, came about $\frac{1}{2}$ hr. after ingestion. Gastro-intestinal discomfort lasted approx. $1\frac{1}{2}$ hrs. prior to the onset ~~of~~ of other symptoms. Color was enhanced and there was a slight psychedelic visual component...by this I mean that there was retinal activity and stationary objects undulated, pulsed, wove about, inhaled & exhaled. For some, the G.I. discomfort lasted throughout the experience; but tended to decrease in severity with walking about or focused attention. Everyone except CN took a 1mg correction about 3-3 $\frac{1}{2}$ hrs. after initial dose. With the correction the experience changed from a $1\frac{1}{2}+$ to about $2\frac{1}{2}+$. There seemed to be a considerable internal analgesia as well as a topical analgesia (I found this to be particularly uncomfortable, especially in my hands and forearms). Even with the analgesia there was no decrement with fine motor coordination. There was a slight amnesia (I had to work at remembering my previous day's activities). The internal clock was also not operating accurately. We experienced a slight anorexia; ~~but~~ by 9:00 we were able to eat a full, ~~but~~ light meal. No one experienced feelings of exaltation, elation, expanded spiritual consciousness, etc. In fact, there seemed to be a feeling of anorexia of mood also. The experience was long lasting -- we went to sleep about 9:30 or 10:00 AM. Retinal activity continued and produced some unpleasant visions. The next couple of days we experienced exaggerated startle reactions and we both felt somewhat irritable. I had the feeling ~~that~~ that this particular chemical was sufficient too expensive to the body without/compensatory psychological gratification.



MDMA-2 continued.

++ 40 mg 8/13/78 10:35 AM = [0:00] ATS, AB, BB. develop between [0:30] and [1:00] to a full and quite windy ++; no appreciable anorexia but food not too interesting. [1:00 → 2:30] to ++.5 - difficulty in adjusting body temperature (shade too cold, sun too hot, nowhere just right). first decrement at [5:30] - drive (a little shaggy) at [6:00] to BBC meeting - not base-line sober until [11:00] - good sleep - awake in AM fresh and energetic. Overall pleasant, not the greatest. Little affect, unlike MDMA. Perhaps this is a virtue in psychiatric use.

8/13/78

At 10:35 AM CM, CA & ATS ingested 40 mg of MDMA-2. The onset was very quiet with the first alert about 20 minutes later. I experienced slight numbness and CM observed several LSD-like symptoms e.g., runny nose, sneezing, inner chill. ATS was symptom free. The chemical was primarily a visual enhancer with only an extremely modest amount of visual distortion. Conversation flowed easily, without inhibitions or defensiveness. There was no strong affective component which appeared to make this a particularly good therapeutic adjunct. The experience was still about 2+ at 4:00 PM and began to drop very slowly after 6:30. Still well intoxicated at 8:30 but driving a car would be easily within limits. ~~There was~~ anorexia accompanied experience. There was no impotence. There was some restless movement which dissipated with exercise (walking and playing frisbee). The chemical seemed to facilitate empathic communication and the emotions felt strong and clear. There was some retical activity but of a minor and non-threatening nature. Insomnia accompanied experience; love-making helped reduce tensions considerably. ~~xxx~~ We fell asleep around 4:00 AM. Woke feeling energetic, no muscular stiffness, alert. The apex of the experience was approx. 2.2+. I will repeat this experience.

PRIMER STUDIES.

(cont. f. 267) (into 317)

- +++ 9/2/78 MDPB (160, -2hrs) LSD 60 10:00 AM = [0:00] ATB, DF. Slightest body window f. MDPB. Quiet development into extreme window. Intense microcosms in all once-living things. Sea-urchin shell, drift-wood, dried seaweed. [5:00] first drop to ++. Grape juice, orange to airport, pigmy forest. [7:00] to + - reasonable appetite. ~~For~~ Henry problems facable - the "21st" microcosms. Very well received, and completely enjoyable. Unquestionably, a +++.
- ++ 1/29/79 MDPB (160, -2hrs) LSD 60 1 PM = [0:00] AB. CP = . Development [0:30] to [1:30] to extraordinary fantasy folia dery - origins of man's arrival to earth, experiment in tropic environment - large eyes - closed controlled imagery. Gentle afterglow. Closest to flux. Last of 4 experiments. Someday look at flux. Overall ++, no erotic.
- ++ 2/24/79 MDPB (160, -2hrs) LSD 60 (AB, CQ, CH, CR, DG, ATB) First Saturday of 1979's arrival - yellow shoes, cactus that tree, wood blocks on patio, CR to fantasy, excellent afterglow.
- ++ 3/7/79 Dameline (300) LSD 60 (ATB). [0:30] start [0:45] at +, interesting, appears milder than LSD [1:15] at + pleasant high - no profundities [1:45] between + & ++ - immanent. [2:45] at (near - the state - ++ - won't answer phone [3:35] almost (not quite) able to get into it with music [4:00] still ++ [4:15] first drop [5:00] back to + - and can get things done. ++
- ++ .5 3/19/79 76-6 (40 mg) LSD 60 [2:50 of 76-6 = 0:00] ATB. [0:15] aware - so soon. nice (in legs) [0:40] up to now, mostly physical - now mental - develop rapidly, nice! [0:50] almost to ++, I would like to ppt further - relax. [0:55] slowed time [1:30] ++ call f. AB2 - Mill Valley invite - hedge. [2:00] absolutely delightful intro, above ++ [2:30] successfully shower, shave - out for a bit. Careful drive to M. Valley [4:00]. at [6:00] largely down - grass - [6:30 - 8:00] incredible with it shared - poem reading; clarinet, voice, guitar; non-verbal communication. My speech is reasonable to me, but on hearing myself through others' ears - disappointed as to content. Considerable time distortion. Drive home at [9:00] - long drive - lost in M.V., 7-up store - concept of failure of welfare when the tarbifan forms are seen. (10:00) home safely. good sleep! Incredible!
- ++ ~3/79 meth (30+30) + 80 LSD (AB 30+80, CQ 25+60, ATB 30+50 (+30). 9:30 AM = meth, LSD at 10:05 [3:35] = [0:00] [0:25] alert. [2:00] AB v++ , CQ v+ , ATB v+ [2:30] subliminal 30 meth. 300 [3:10] some pulse ↑ [4:10] become very valuable - but still not quite to ++ [10:00] dinner - nearly out.
- ++ 3/27/79 MDOH + LSD (60mg MDOH, 60µg LSD = [0:00] [0:30] notice [0:35] developing nicely [0:45] to almost ++ [1:00] try to relax to ++ - can't quite do it [1:30] immanent - call f. DEA - handled OK [3:30] childhood reverie - drooping. grass (old DA) - reinforced hourly - modest intro. Retinal halluc. light spot - concept of focus - imagery in melted way. Overall nicely shared evening - understanding of bilateral source of imagery.

REPORT OF EXPERIENCE With MDMA

Date: September 8, 1978

Participants: Greg, Elizabeth, Tatiana, Holly and Kelly

Background: Greg & Elizabeth were visiting for two days, at the same time that Tatiana arrived for a visit. We spent a very pleasant day visiting, but Kelly was not feeling well. She reports that she was suffering a horrendous depression, anxiety, and felt exhausted, -completely below the line. Greg noticed her state, and suggested that an MDMA experience would be helpful. All agreed, and Tatiana had been hopeful that she would have an opportunity to repeat the experience, as she had gotten so much from her first one. So the experiment was conducted on the following afternoon, after the practical matters of the arrangements were completed, including the weighing of the doses.

2:20 p.m. All ingest 120 m.g. of MDMA except Kelly, who started with 100 m.g.

The experience developed nicely for everyone. It was a perfectly beautiful day, the air nice and warm, bright and sunny, with marvelous visibility and the colors of fall showing on the mountains. We walked around the property, and responded to the beauty of the surroundings. After an hour we returned to the house and sat outside on the deck. By this time, everyone had blossomed and opened up and were feeling marvelous. Kelly became deeply relaxed, and all of her troubles melted away. Everyone's faces became soft, young looking, and took on a transcendental look. The experience seemed particularly rich and deep.

3:50 p.m. All took a supplement of 40 m.g., including Kelly which is the largest supplement she had taken. The experience continued to deepen for everyone, and we had a marvelous time being together, sharing each other, and feeling the depth of our experience. We felt a particular blessed group, as we all fit in so well together. We could not get over how effective this agent is in permitting everyone to drop their concerns, complete relax, and feel the deep warmth of their inner being.

5:00 p.m. (approximately) We moved inside to listen to music. I put on the tape of the Grieg Lyric Pieces, which we listened to in its entirety (90 minutes). We were extremely at piece, the music was outstandingly beautiful, and seemed to aid us all in going much deeper within ourselves. We felt the experience to be particularly profound. Tatiana left during the music to visit a neighbor, and came back later. We ate lightly, soup and bread, and yet it seemed completely adequate and satisfying. Then we listened to Tatiana sing as she played the guitar, and it seemed also very appropriate and maintained the group bond.

The afterglow the next day seemed particularly outstanding. Everyone felt it had been a particularly moving experience, and it was difficult to separate. Kelly was totally changed and had risen completely above the line, where she has remained since.




f. 271

- + 120 mg 9/24/78 (+Grog 120) ~ 12:30 = [0:00] grove picnic - my drum. huber, at +. Grog a little slower in onset - excellent - no negatives. PM [8:00] no absolute whatsoever - no sleep problems.
- + 120 mg 10/11/78 (+Brook 120) 10:50 = [0:00] further drum. extremely desensitizing for CN. Supplement at (2:25) of 40 mg - out at [6] CN. ++ PM. Some BNT. unaffected by this.
- ± 120 mg 10/27/78 (+CA 100) alert [0:25] (CA) [0:30] (ATS) to 100% (+, +, + resb.) at [1:00]. This was 2 days after the 250 DMMA ± - perhaps it was discarded prematurely.
- + 120 mg early 12/78 (+CP, 110, DH, 90) 5:55 = [0:00] to 100% (+, +, + resb.) at [0:50] - clear at [3:00] - no more negatives - well nuanced. Not the character of "flux".
- + 120 mg 12/15/78 12:45 = [0:00] - new batch assay, #5 (100) to ±; + at [1:30] - out at [2:45].
- + 120 mg 1/7/79 6:45 PM = [0:00] - DB, AB, CA ± 120. precise chronology. [1:45] all +40. Excellent evening experience (on farm).
- + 100 mg 4/25/79 ~ 2 PM = [0:00] DG, BB, CM all 100 mg, woods Park. proper chronology. BB a bit late & modest, CM very intro. and enjoying all. Intimate talk on bed. Evening ± light but heartily eating. To BB/CM post front. BB to try again at 120, CM fine at 100.
- + 120 mg? 4/2/79 ~ 7:30 PM - (as best recollection, DI 120, DJ, 100). DJ v. intro, DI mellow, we +
- ++ 120 mg 5/14/79 7:20 PM = [0:00] (DI, DJ, 120, 100 resp.). DI & ATS alert at [0:25] & DI rapidly to ~ +++, ATS - gentle, DJ (recent food, ice cream) without development until ~ [0:50] then to complete intoxication ATS + DI + 40 mg at [1:50] - DJ not until [2:30]. (4:00) DI struck at one-wartini level on way down, I too - but DJ still ↑. Friendly, minimum conversation conversation. Drive home at [5:00] - to bed ± wine (they are in excellent place, DI at +, DJ at ~ ++). Try them next on 2-CB.
- + 120 mg 5/20/79 3:20 PM = 0:00 (A.P. 120). [0:12] AP pulse ↑? [0:20] pulse 84. OK. [0:30] start - AP delayed (recent bread - butter). overall AP light some introversion - modest anorexia - recent mescaline experience (<24 hrs) maybe refractory, we too. +
- + 120 mg 6/3/79 11:00 AM = [0:00] (CN, DK, both 120). Usual chronology. DK (drug name) repress acknowledgment (to himself) f. [0:30] to [0:50] then admit. Most enjoyable - not alcohol-like but "completely different." Some step-uncertainties - 4" short in grasping closure - suggests testing ± optical barricade. Rapid descent to [3:00] - back from hike to chamber music. (DK, CN, ATS +)
- ++ 130 mg 6/17/79 2:45 = [0:00] A.P. 130 mg (ATS 1 day past M&M) [0:22] ATS alert, AP shut [0:35] to a ++ - no visible signs - internal question answering. ± hint of drop + 40 mg at [2:00] strong body responses [4:00] virtually int. moderate: anorexia. Excellent exp desp. DL
- ++ 120 mg 7/2/79 4:22 PM = [0:00] CN 120 mg (following beer at ~ [-2 to -4] 0:26 CN start, rapid and intense. ATS [0:30] rapid and somewhat intense. We both keep forgetting what an excellent experience this is. CN extreme volatile, ATS rather quiet ± patient listening. Noticeable dropping at or before [2:00] - some anorexia - good sleep. To a ++ but no more.

Kava - Kava root (fresh)

± 9/30/78 About 10 g of fresh root chewed & spat into ice bucket (Kyoto Inn, S.F., AQ, DN two others there) and $\bar{c}$ water decanted into glasses & drunk at ~3:00. There was a modest awareness of change, $\pm$ at most, for maybe a couple of hours. AQ (~~as~~ this is a subsequent try) quite intoxicated (same amount - although his first try also was marginal).

+ 10/3/78 10 g (280 g) chewed up and then ground in mixer with $\bar{c}$ lots of saliva - water added, drunk at 2:30 PM = [0:00] at [0:20 to 0:35] definitely enough intoxication to give +. gentle recovery. Intox. not too well defined - alcohol-like? Remaining 24 oz ground up $\bar{c}$ saliva and then diluted $\bar{c}$ ~ 2 l. H₂O. Extracted $\bar{c}$ ether $\rightarrow$ orange extracts. Bad milky emulsions.



4 PSOP

BJ 204


psilocybin 284

4-OH D1PT-HC 296

++ 7 mg 10/20/78 in gel capsule 8:20 = [0:00] (0:30) something, by [1:00] good development to + or ++ [1:30] good ej but largely unobscured [2:30] still ++ - basically not a pleasant place to be in. Quite neurotic - inwardly turned - some feelings of despair - considerable eyes-closed activity - with someone might be considerably more reinforcing. [3:00] a real and abbreviated ebbing of the apathy and unpleasantness. My mood might have been negative. This is basis for comparing with 4-OH D1PT, but this will have to be repeated. There was some visual lightening of depths of lights and darks, and considerable eyes-closed imagery.

++ Sony drive P. cubensis. 2/16/79 12:50 = [0:00] (AB, CA) + 500 each. AS aware ~ (0:45) develop to weak ++ at 1:15 - time (abatement) to [2:00] extremely protracted - vision elaboration much sharpened - some motor problems. AB at ++.5 CA extremely grimly (some nausea) - she ~ +++ gradual decline through the rest of the afternoon.

++ 15mg PSOP 3/29/80 AP = 7:40 PM = [0:00] [1:15] alert [1:25] start. to a good ++, AP to more. few notes. AP residual good dreams ~ 2 weeks.



. HCC.

293

±

10 mg 10/31/78 9:30 AM = [0:00] 0:20 alert? I feel it in my legs.
[0:40] leg tremors - mild physical awareness for ~1 h.
mentally, probably nothing. At most ±.


ex Frank 10/3/78 - 20 mg p.o.
± psilocin, but lasts only 1-1.5
hrs., no residual tailing

++

15 mg 12/22/78 11:10 AM = [0:00] [0:20] alert - noisy & nice [0:30] already to ++ - nice
quite windowish [0:45] perhaps > ++ - some tremors [1:30] still ++ - rather chilled - body
temp. residue confused - sl. imp. but good eq. [2:00] substantially out - short
intense experience - basically enjoyable [3:00] out in every way. Put. again.

+++(!)

20 mg 1/2/79. [11:20] = [0:00] [0:15] alert - nice [1:20] deeply fast - very nice - some leg tremors.
[0:30] already > ++ speed of onset is incredible - I could not drive - I am robbed of
voluntary action [0:40] this could not get any deeper [0:50] incredible eq. of -
[0:55] try to put a name to it, just ++ smashed - eyes closed very little - I am
somewhat chilled. [1:00] - no visual, no sensory - this seems like an extreme alpha-7
both states. [1:10] Rebaroque fancy - no sex but back-to-nother cuddly imagery - seem
removed from physical angles [1:30] go for two very significant pieces of wood for fireplace -
fall my actions are preprogrammed, and I am following commands, then I have no free
will - if the command is "to have free will", then I obey. Who? why obey an
undefined, unheard commander? still ++. Nothing is inventive, all is pre-programmed.
[1:40] back to ++ - still very much in the grips of "lack of self-determination." I could
function "rationally" in the lab, but following ("where?") directions? Is this finally
God? Is this a religious experience? [1:50] down to +. This has to have been
a religious awakening. [2:00] still a little zombie-like - but largely down.
[2:20] I am still shaken to my roots by these realizations. [3:00] completely together.



aleph-4 continued f. 266

brought him away from his anchor at all - fitful sleep next night - in 3rd day still depressed for internal reasons. **CN** had much visual movement, but some stomach problems at [2:00-5:00] and leg twitching persistent to [24] and more. P.G. excellent, dose perhaps too light. All of us were considerably more reflective and inward-turning than in earlier aleph-4 tries. My intoxication abated slowly and subtly - $\bar{c}$ may at $\sim$ [3:00] and still evident at [12:00]. Fitful sleep - next day much energy. **Kojak** wash, tub repair, roof cleaning - at the K's house. Less intense than before - Give a ++.

+++ 11 mg 11/26/78 (9 mg **Bunny** 11:20 PM = [0:00] **Cindy** [1:00] slight awareness [2:00] talking - subtle development [2:30-8:00] intense range of interlinked conceptual loops - see notes p 300 at seq. [10:00] no appreciable dimming - interaction maintains intox - wine & sed. $\rightarrow$ uneasy but sufficient sleep. Certainly, +++

++ 12 mg 10/19/79 7:30 PM = [0:00] AP $\equiv$. [1:00] aware - again subtle development to [4:00] - eating normal but light - involved conversation - I to barely over ++ - v. troubled sleep - none 'til [10:00]. AP to +++ or al. less - residues through $\sim$ [16:00] - lighter reaction than expected.

REPORT OF EXPERIENCE WITH MDMA

Date: August 20, 1978.

Participants: Holly, Tatiana, and Zeke

Start: 9:50 A.M. All participants ingested 100 m.g.

10:10 Everyone is beginning to feel effects.

10:30 All are feeling strongly. Tatiana feels that it hits her very suddenly. We had started in the living room, where there is lots of light and excellent views out of the windows, and a lot of interesting things to look out around the room. But when we stepped outside, it seemed to come on stronger.

We took chairs down to sit under the cottonwood trees, which were most pleasant. A nice breeze carressed us and whispered in the trees. The scenery was magnificent. At first everything seemed too bright, but as we accommodated ourselves to the brilliant sunshine, we began to observe the marvelous detail in the mountains and across the plains. The desert foliage was most interesting, and remarkably different from plants on the Coast. Holly felt heavily intoxicated. She had been extremely tired and tense the night before, with appreciable pains in her neck and shoulders. She felt the experience was a great tranquilizer, and her body felt numb.

11:20 We take supplements, Tatiana and Zeke, 20 mg., Holly 10 mg. (the balance of our supply). Holly was feeling so heavily intoxicated that at first she thought she would refuse the supplement, but when she learned the distribution of the remaining capsules, she opted for the 10 mg. (I had originally planned to take the 10 and give the girls 20.)

Tatiana sailed for 3 hours with the experience. At the end of three hours (12:50 p.m.) she suddenly came out of the spontaneous experience, and began corticalizing about her work and life situations.

I experienced considerable enhancement of perception, but was not as completely into the experience as I have been with larger amounts. I experienced a great deal of cortical activity, similar to what I am more used to with LSD, which I have never before experienced with this compound. This was partly the result of our not being too talkative, Holly feeling very relaxed and Tatiana and myself enjoying our experience. I keenly felt the absence of our former companions on this journey.

After the supplement, we walked around the property for a couple of hours, feeling very content, relaxed, and enjoying the beauty. At first we felt so relaxed we didn't feel like walking, but once we started it was effortless. It felt very good to walk around and look at things.

2:30 We come back to the living room, all feeling very languid. We sat around and talked for a while, and then Holly and I took naps in which we slept very peacefully. Tatiana read a while, and then took a nap.

Later in the afternoon, we took showers, which was very refreshing, and had a delightful visit with our neighbors, the Zinas. For my birthday, they took us to dinner at their restaurant, where we had a late dinner. Tatiana ordered a steak, which did not sit too well with her, and that evening had an attack of diarrhea, and her stomach still bothered her the next morning. Otherwise, everything was most pleasant. We enjoyed the Zinas very much, and were very content and peaceful. Holly was greatly relaxed and no longer pushed by the compulsion to clean up the house immediately.

REPORT OF EXPERIENCE

Date: October 21, 1978

Subjects: Carla, Elizabeth, Greg, Marcela, Sandy, Sasha, Kelly

Ingested: Aleph 4, 7 m.g. for Carla, Marcela, Sandy, 8 mg. for Kelly, 10 m.g. for Sharon, Bob, and Sasha (I am sure of the 7 and 8 amounts, not so sure if 10 is the right amount for the last 3.)

Time: Experiment started at 10:00 A.M.

I personally felt in the best shape for this experiment than in a long time. We drove to the hiking area we have dubbed "Uriah's", because it starts up behind the house that Grockit built. As we got out of the car and started up the hill, I was feeling quite good. This was some 40 minutes after ingestion. I remembered that with my first Aleph 4 experiment, as soon as I felt any affects, I felt uncomfortable, and the discomfort grew as the affects became stronger, along with the enhanced perception. This time I felt euphoric with the first traces, and was confident that I would head up into a pleasant experience, and reported so to Sasha. As we climbed up the hill, 1 to 1-1/2 hours in, the euphoria grew, as did the beauty of the surroundings.

Around noon, we settled into a little valley with a magnificent view of the surrounding countryside. I was feeling the effects much more strongly, and was beginning to get a trace of discomfort. I was aware of the beauty of our surroundings, and noticed some visual hallucinations when looking at homes on the hills across the valley, in the form of smoke trailing across. I lay back and looked up at the sky, and the sky and clouds were incredibly beautiful. I sensed my pain as my inability to accept such fantastic beauty--it was if it were more than I could bear. I became aware of how my cybernetic system is ^{not} accustomed to joy, and felt how grand it was to let joy creep into the various corners of my being. I felt Sasha's greatness next to me, and how wonderful it was to have the opportunity for such experiments.

I thought the experience was progressing nicely at this point, but unfortunately the discomfort continued to increase. It felt good to lay back and watch the sky, and close my eyes. With eyes closed, I had some marvelous imagery, which most often took the form of various plastic shapes imbued with color. At times the colors reached intense brilliance of magnificent beauty. Yet nothing seemed to relieve the tension that was building up, and continued to build up throughout the afternoon.

The rest of the afternoon, there were many experiences of great beauty, but I was always pulled into the great pain I was experiencing, and could not get free of it. I regretted asking for an additional m.g. of dosage, and felt I had too much, but saw nothing I could do but ride it through. The experience was so intense I felt I could do little to direct it, but just flowed with it. It was hard to get my analytical mind to work. This showed up most strongly when I took a little walk aside with Sasha, and he computed the directions by the position of our shadow. I could in no way make my mind follow the reasoning to establish direction. I simply went blank, and was astounded by my inability to think.

The affects continued well into the evening. Going down the hill, I felt at maximum intoxication, and at some moments had very beautiful experiences. They would lift me out of my pain into intense enjoyment, then I would subside back into

-2-

the pain. In my first aleph 4 experience, the late afternoon and evening were glorious, but this time the tension held on right through the rest of the day, the evening, and even through the night. It was not until the next day that I felt relaxed, euphoric, and at peace.

The pain I felt all afternoon and evening was the result of experiencing the blackest side of my life. It seemed as though everything I had done was totally wrong, and I could only see the back side of everything: my marriage, my move to Lone Pine, my withdrawal from life. I experienced myself as completely empty, just being a parasite on others, constantly taking and contributing very little. Such simple acts as tending the fire and washing the dishes brought temporary relief from such feelings. I felt all my major life decisions were wrong, and yet I could see no way out, as I had boxed myself in by reducing my income, and moved into a simple life style which I had no way to reverse. The thought that my activities at Multi-Media were no longer needed and I must find another source of income was extremely frightening. And the extreme irony was that I was supposed to be a proponent of higher consciousness, and man's limitless abilities, and yet I could find nothing but emptiness in myself. I wanted to crawl back to Lone Pine and die.

During the night I churned and churned over these issues, and came to peace with returning to Lone Pine and becoming a better partner to *Carla*, if she really wished to return with me. I could see that my dissatisfactions were my unwillingness to face unsatisfactory areas in myself, which I resolved to correct. One of the main elements here was to stop using her unwillingness as an excuse for me not to do things which I know in my heart should be done.

The following day was by and large a day of great peace and warmth. It was marvelous to be with the rest of the group, and I was still quite open to all of the surrounding beauty. Plunging into such activities as giving *Kajak* a bath with total un-self-consciousness was a great joy. I could see and appreciate the wonderful qualities of all the other group members.

During the next few days, anxiety returned many times, and it took time to totally wear off the tension. However, I began to learn ways to dissipate the pain. This is primarily by instead of allowing myself to be blocked by the pain, to turn it around and see what can be done. There would follow a flow of creative ideas of many alternative actions, which felt very good to see. I learned the importance of once seeing what needed to be done, to move quickly, before lethargy sets in, as the moving and acting releases new energy.

The drive back to Lone Pine was a very beautiful one for both *Carla* and myself. It was like having another good experience, as we were both wide open. We had much energy, and were not tired from the long drive. We both felt very good to be home again, and we have much new energy and insight.



from pp. 194-195

- ++ 6 mg (+6) 10/11/78 (CR 6+6, CN 6+6 or none, no inhaling!) ~ 900 PM = [0.00] effects on second inhalation - star wars by CR listen for tomato worms - drop in a few minutes - lingering effect a couple of hours.
- ++(+) 8 mg (~4+4) 10/31/78 (AB ~ 4 mg, BB ~ 8 mg) again - uncertain - by inhal. of a 20 mg cigarette B.K. immediate - gradual decline. BB intentional hyperventilation - ^{AB} feeling of oxygen deficiency. Well accepted.
- 3 mg (percent, DMSO) 11/2/78 2:30 PM = [0.00] n.e.
- 6 mg (percent, DMSO) 11/2/78 3:00 PM = [0.00] n.e.
- ++ 6 mg 6/10/79 inhalation on Tansy (A.P. 6 mg) to + or +1.5 on second inhalation moderate effect - repeat at [1.00] 10 mg each - to ++, A.P. ++.5. Effects noted < 1 min max ~ 2 minutes - duration no more than 10. Some unreality - but also some imagery - feather stabs to rachmaninoff - also vertical prism refractions. Basically enjoyable - no residues.

REPORT OF EXPERIENCE WITH MDMA

Date: November 11, 1978

Participants: Tatiana, Carla, Kelly

Dosage: Carla 100 m.g.; Tatiana and Kelly 120 m.g.

Initial ingestion was at 12:40 p.m. The experience continued smoothly for all. It was a cold and stormy day outside, so except for one brief interlude for Kelly, the participants remained inside all day. For the first two hours, the sun broke through the clouds so it was pleasant in the living room. When the cloud cover became more solid, a fire was started and maintained through the day and evening.

The affects weren't noticed too much at first. I notice only slightly after 1/2 hour; I wonder if I am getting somewhat immune. The mountains, with some fresh snow and cloud cover, are very beautiful. After about 40 minutes, I become aware that I am carrying a great burden. It is not unpleasant, but interferes with the free-flowing intoxication often previously experienced. It gradually subsides as I pay attention to the beauty around me.

2:20 p.m. All take 40 m.g. supplement.

We are all feeling very good, very relaxed. Kelly and Tatiana's faces turn very soft and very beautiful. We have very free, very open discussion. Tatiana is particularly insightful and responsive, seeming to know exactly what we are saying even as we form the words.

I take the dogs outside. It is sharp and clear and cold. I am transported by the beauty, particularly the wonder of the clouds and the sky. I feel the enormity of this research project and its potential meaning to mankind, how marvelous it is to be able to have such an experience, and I feel most grateful to be a participant in such a glorious movement. I am aware of Sasha and Greg and how marvelous it all is.

I enjoy the outside beauty and freedom for about 20 minutes, then feel called to rejoin the girls. It is extremely pleasant around the fire, feeling our closeness and enjoying the flames. Carla feels very languid, called inward. Tatiana plays and sings to us; it is most beautiful. I feel much energy, and readily get up to get things others wish -- tomato juice, later soup.

The experience trails off leaving us all very mellow. Tatiana feels tired, and we play a tape, and nap in front of the fire until we decide to retire at 9:00 p.m.

The next morning I feel light and energetic, quite different than I usually feel after using this substance. We all feel good, and have a nice hike in the brilliant clear sunshine, but somewhat nippy air. We are all open to the outside beauty.

++-++

Aleph - 4
 (Nov. 26)
 Sunday, Nov. 28. 78

S. 11 May 8. 9 May
 120 pm

+-++

Walk up around Panther, Mirée de l'Union
 1 hr. from alert, in warmth of winter, desire to sit,
 not really seeing objects
 wish to return to Hotel to be warm.

2 hr. Hotel, sitting, talking, nothing, longed for into
 Aleph.

What do you want really want to search
 for? finding out the capability of drug-
 catalyst in opening up a portion of the
 mind that otherwise is not accessible. In
 making one aware, that these doors are somehow
 accessible. "I want to find it". What it?

To you that P. Watt "This is it" found. No
 he is dead. He can no longer search for it. He
 has fixed himself to a certain conclusion. (Do we
 fix ourselves, or living drugs as catalyst?) Yes-no!
 But Yogi - kundalini - drugs - anything - anything all
 somehow congeal to our conclusions and insight.
 Ability to have the mental ability to adapt
 to new inputs and to new inputs and keep your
 intellectual integrity at the same time.

Concept of living within two blocks in Pass:
 Being-native - New Zealand Kiwi plane poster
 intellectual factual knowledge, but no concept
 of that reality. If confronted with it, without
 the mental ability and ability, with the fact,
 confusing, and devastating inevitably. -

Paradox: we are comfortable in the airplane
 to New Zealand but we are surrounded by
 symbol, that trigger immensely higher capabilities,
 and we pretend we understand what we
 know. But if we were confronted with

reality of what was presented as a symbol
 without the preparation of this symbology,
 we would be babbling our philosophy,
 (→ possibility of getting mad → schizophrenia)

I completely confused the these realms of
 which the symbols are real, and we can
 prepare for them and in this way solve the
 that way of promotion.

completely different realm than NOT, (NOT to sensory concept of the intellectual abstr-
 concept)

Amphibious of continuation of superfluity
 and to thing specific catalysts, of

opening doors of the mind, showing
more the drive for opening and looking,
than the drive for finding. finding anticipates
the goal and makes blind.

Biny - Trenchman: 1 thing: to write the poster
of New Zealand, to make inquiry about N.Z., requiring
curiosity, witiosity or the necessary thing for
exploration, followed by inquiry, followed by
assimilation, acceptance, bringing into frame
of life fullness.
Analogy to our level of "Western understanding."

~~Everything is dead, they are dead~~
|| All things are dead. They are dead to us
as soon we assign reality to it.

Everything that came out to be an obvious
worldshaking truth, fell apart by a paradox.
We used aleph as a verb. to ~~absorb~~
absorb the sublime futility of trying
to pin down an absolute truth.

| Concept of transitition is immortality.
transitition between the paradoxes of life and
death. Everything who is totally in the here

And now, is static, is tribnantly dead
(yogi-transcendence).

- Faces on the wallpaper: → everything is
there. We see & don't see. Everybody sees differently.
All of our reality contains all aspects of
everything.

See seeing and hearing for archetypes:
Synchronicity of Sacher face "Pharos" and
S. face Cleopatra. (seeing of Centaur, archangel
Sphinx, ...)

body-image: without any archetypal significance,
but face: what in the face! Reduced itself
down to the unintelligible: primal scream

without which there was no life

starting of life-process out of a state of being
"In the ^{beginning} there was the word and the word
was with god and god was the word =
primal scream?

Concept of a histogram: multiplicity of
historical and future(?) events
but filtered in a specific way

Sanity = intactness of filter (selection-
mechanism). Insanity = damage or lack

of his mechanism.

Is there a chemical answer to schizophrenia?
(Allyl-catalyst a benign counterpart to this-
mesoderm madness).

Selfishness - love.

Why do we love each other?

Are we the same person? The same face,
the same soul? (View into the mirroring lamp).
Is it narcissism?

What else is love? What are the different levels of love?
Form of self-gratification. The more direct (less barriers)
the more intense. → And the moved becomes fact.

In this book is sketched world's history, family-
history, all drama and trauma.

Self-acceptance - love.

(SHURA) → self-aware of Jasha

Aleph-State is (α -State) is
a state is the state.

Aleph = beginning of the alpha box
 α -box = (+) - (-) $\rightarrow$ the whole

— dozens and dozens of the opening which
could be made to find the tools for
gaining access to the potentials.

— choosing of letters
names: Kiro. What was his compulsion?
"He liked to scribble, and scribble - a
scribble... Ah! he liked to write
his name over and over Kiro Kiro
 $\rightarrow$ mirror $\rightarrow$ search for identity.

— Search for why people choose the
name what they have:

PICASSO, Strizh, Brauer, Dyer, Sargent,
Vicky, 'Sax... Sargent - Sasha -
Ulrich,

Real conviction, that names are revealing.

7 Each person bring to Gleyr what he wants to bring to it (or what knows and what he wants to bring to it).

→ what is logically gleyr. (to bring your own personal truth / time)

Once in that light, once seen that universal horizon - how to put of love with human reality again? → one day later.

opening of endless space - eternal space, the brain, the surrounding from the whole universe.

Kindness

If the body loses its demands, and all the energy - and central - is set free to be used in intellectual efforts, the body becomes very soft.

Handle for identity: His: variations of his name,
over and over.

Jack: i.e. hypothesizing of chemicals for
access to brain potentials.

J: striking the student, painting

U: working, repairing ^(little) like working
paving his shoes.

the stage from real experience
by reading, doing, having,
fear of being.

Self-contradicted paradox:

The to achieve something that cannot be done with
has devoted to political action, which in turn
achieves further action, blocks you from doing
anything more. (anti)

++-++

Orleph - 4 S. 11 my 8. 9 my ++-++
 (Nov. 26)
 Sunday, Nov. 28. 78 120 pm

Walk up around Panthera, Mirie de l'Union
 1 hr. from alert, in want of mixed desire to sit,
 not really seeing objects
 wish to return to Hotel to be warm.

2 hr. Hotel, sitting, talking, working, long looking into
 Meph.

What do you want really want to search
 for: finding and the capability of drug-
 catalyst in opening up a portion of the
 mind that otherwise is not accessible. In
 making one aware, that there are somehow
 questions. "I want to find it". What it?

To you that P. Walt "This is it" found. No
 he is dead. He can no longer search for it. He
 has fixed himself to a certain conclusion. (Do we
 fix ourselves, by using drugs as catalyst?) Yes - no!
 But Yogi - kundalini - drugs - anything - they all
 somehow congeal to our conclusions and insight.
 Ability to have the mental ability to adapt
 to new inputs and to new inputs and keep your
 intellectual integrity at the same time.

Implications of continuing of symmetrizing
 and the thing specific catalysts of

Transition between the paradoxes of life and
 death. Somebody who is totally in the here

Sanity = in factness of filter (selection
 mechanism). Insanity = damage or lack

of his mechanism.

Is there a chemical answer to schizophrenia?

(Allyl-catalyst a benign contributor to this -
mesoderm madness)

Selfishness - love.

Why do we love each other?

Are we the same person? The same face,
the same soul? (View into the mirrorless lamp).
Is it narcissism?

What else is love? What are the different levels of love?
Form of self-protection. The more direct (less rational)
the more intense. → And, the more it becomes fact.

In this book is mirrored world's history, family -
history, all drama and trauma.

Self-acceptance - love.

(SHURA) → self-love of Jasha

intellectual efforts, the body becomes very soft.


anyway more. (anti?)

aleph - state → (a) state → a state → the state very - very -
body - body -
↑
Alphabet → aleph - BETH →
(create letters - and you know it.)

Denise (DENISE) state - nascendi = dynamic piece - chaotic complacency
Denise
quiet state
DENISE
BUNNY
intuition
Dryade
Dryade

you bring to Aleph, what you want to bring to → (Aleph) →
charming disenchantment of our intense part 5 years and lives and love!
do trust Aleph

MIRO



What is Miro's message?
"he just likes to draw lines"
→ Miro all his pictures are
variation of his name (→ mirror?)

PICASSO → Pic ASS (Pigme ASS)

GLADYS

DALI → DATA
Shulgin → son of hawk
DREYER → dryer → brain

Auspicio = Vergilidark!

Sasha
name - Christmascand. beyond dryer
dry - dryer → passing → dryer → brain

2-CB. Anti Meph. A.T.S., DG.

not more. oh!3.30
5.10 picture
to wall.even in the realm for knowledge
we are greedy.I can't escape my family
they are content with their discomfort
complete with their inadequacies.Anti-Mephacknowledgment of body,
displacement of air, a place in this world,
in the skin physically,
physical entity, not retreat of into
intellectual entity lost entity

love is having vanity?

vanity!

in tomorrow you see what is missing

2-CB. Anti Meph. A.T.S., DG.


not more. Oh!even in the reach for knowledge
we are greedy.I cannot escape my family
they are content with their discomfort
complete with their inadequacies.Anti-Mephacknowledgment of body,
displacement of our place in this world,
in the skin physicallyphysical entity, not retreat of into
intellectual entity cosmic entity

3.30

5.10 picture
to wall.

vanity
 is every person full of vanity,
 in different degrees of disguise?

vanity because we contain a
 specific grace in the universe



self-consciousness
literally

becoming conscious is evaluating
 looking into the internal grain of sand
 I am the universe

a vanity in common
 love is sharing vanity?

303

What is the mechanism of attraction!

because this is not enough,
I have my secret restraints
to deny myself → (more!)

I cannot be content
because I want (more)
Vanity

is the outgrowth of
vanity!

to
305

a bad self-image -
 is a self-constructed self-image -
 you wanted to mirror your
 body ^{then} to the most beautiful eyes in
 the world.

Which finally says, - with the laughter,
 - are not mine -

Looking into
 The mirror is not only
 seeing what is reflected,
 but making you aware of what is
 missing only by looking into
 a mirror you see what is missing

REPORT OF EXPERIENCE WITH MDMA

Date: December 25, 1978

Participants: *Neva and Orin, Tatiana and Theo, Carla and Zeke*

Background: *Orin* had had previous experiences with earlier psychedelic substances and proven an excellent subject. However, he has not had an experience for several years, since the adverse reaction of *Neva*. *Neva* tried the experience once and found it very uncomfortable, suffering rather severe stomach pains for several weeks afterward. This was about 6-7 years ago. *Tatiana* has been a good subject with MDMA, and *Theo* has been an excellent subject with other substances, and anxious to try this. All were eager to participate in the Christmas Day experiment, after having spent a very close and meaningful Christmas Eve together.

Dosage: *Tatiana and Zeke* 120 m.g. All others 100 m.g.

10:45 Start.

11:15 *Carla* feels tingly, *Tatiana* waking, *Neva* a little dizzy like diet control pills she has used previously, *Orin* feels slightly.

11:20 *Neva* feels dizzy, *Orin* somewhat. *Zeke* feels it coming on, a light pull toward naseau.

12:10 *Neva* has to work hard ~~not~~ to keep from fainting. Finds it hard to concentrate. Has begun to feel better. Everyone is noticing how everyone else is lighted up, looks bright, alive. The eyes particularly look liquid.

12:15 All take 40 m.g. supplement.

ing

Experience continues with all experienc/ great warmth and closeness. We stay close together. *Neva* does not feel like going outside. Others go out in the bright sunshine briefly, and enjoy the fresh air, but principally all want to stay together. It feels good to be close, and talk freely. Everyone becomes quite relaxed.

The experience tapers off very nicely to a very pleasant afternoon and evening. *Neva* is aware that she fought the experience. *Theo* dropped the worries and concerns of the pressures of medical school. We all feel much closer to each other. *Tatiana & Carla* have enjoyed the experience very much, and the softness and relaxation that comes with it. All are grateful for the opportunity to spend Christmas Day in this manner.

from
303

Utter most vanity,
also to see what is missing,
so to complete the picture.

Do we have any other
voice?

Depth

mental absence of
substance, no mass
How I am the universe,
nothing, from keeping
me apart

~~stand~~
~~but undeline~~
~~as stand~~

no substance
no energy / freedom
of thought

concept of high - order
expression

Unlimited - immediate

Artificial

epidemic of private
acknowledgements of
self-image

birth dating

the standard - inorganic
circles / completion - infancy -
from alive for children

from
303

Uttermost vanity,
also to see what is missing,
so to complete the picture.

Do we have any other
choice?

Depl

mental absence of
substance, no mass
Have I am the universe,
nothing, from keeping
me apart

~~As stand~~

Butudeisme

as standis

no substance
energy / freedom
of flight.

Anti-depl

epidemic of private
acknowledgement of
self-image

kind darning

the slender - inescapable
circle / completion infancy -
faded, alive for children,


from
2003

from what ——— to what
transformation

translation of the kind of
capability of transcending, transforming,
in either direction, completely
it in itself

how can you transcend if you don't
know -

then transcending becomes translation
to the extent you have to be sensitive in
all possible aspects.



the code is fitting,

analysis = destruction

Transcending = escape

self denials without knowing
what to deny.

Symbols of the church:

transition in one direction

Whole church concept is one of
transcending grief - happiness
one-dimensional

~~birth~~ ~~from~~
concept of origin - birth

from
303

Translation
between

Mass and Energy
Body and Mind

That is it

Complete Translation =
equation

Ref'deny of self-love is
to be able to give my year life
for everyone else.

self-image

dependence on time ~
freedom of time

net of mesh = code of
translation

MDMA
REPORT OF EXPERIMENT WITH MDMA

Date: November 25, 1975

Participants: Xavier and Gibboth, Zeke and Carla

Initial dosage: 100 m.g. for Xavier, Gibboth and Carla 120 m.g. for Zeke

The chemical was ingested at 10:50 A.M.

11:05 Carla reports getting tingly, excited, I feel some euphoria

11:23 I feel intoxicated, much more than in recent experiments

11:25 Xavier feels real strong. Gibboth feels nothing, is worried that it won't work because she takes so many different drugs that she is refractory, and will need a lot more.

11:35 Gibboth finally feels it strongly. She lies down on the floor, is tingly.

Her face is quite drawn; she experiences many conflicts. She doesn't want to discuss in front of Xavier. Carla encourages her to move out to the back patio in the sun, and stays with her. Xavier and I go for a walk out front.

It had been -totally overcast and rainy all week, but today was a beautiful, warm sunny day, with fascinating clouds in the sky. Gibboth is very happy to have Carla to talk to, and has much confidence in her, after several days of their visiting together.

I am quite impressed the way Xavier has expanded. I feel him strongly, in a very euphoric way. He looks younger, relaxed, he feels good. We walk through the unusually beautiful neighborhood he lives in -- beautiful homes set well back with lots of separation, beautifully landscaped with many trees and bushes. The area was originally a beautiful pine forest. There are few areas so nice in the country, and this was a particularly beautiful day. Xavier notices the beauty, and comments how he never allows himself to enjoy a day like this, but bogs himself down with work. He feels two very strong wave of drug action, not unpleasant but not pleasant, but overwhelming. They pass, leaving him feeling good after the wave. He notices that his back, which has been bothering him for several months, does not hurt as much, and we walk much further than would ordinarily be comfortable for him.

12:20 Supplement time. We return to the girls. Xavier does not want the supplement, but all else take 40 m.g. Gibboth has become to come out of the deep state of conflict she was in, and notices how young and relaxed Xavier looks, and how bright his eyes are, without their usual glaze. She asks us to leave her with Carla again, and Xavier and I continue our walk. I am having a glorious experience, feeling very good with Xavier, and the weight of any past differences dropped away. I am pleased he is having such an excellent reaction, since he approached the experiment with many reservations.

The experiment trails off nicely, with good feelings all around. Xavier gets hungry and makes himself a sandwich. He wants to watch a football game on TV that he had previously set himself up for. I join the girls for relaxed discussion.

Later in the evening, we go out to eat at a cafeteria, having a nice, relaxed evening. Unfortunately, Xavier quickly returns to some of his established routines.

Background. Xavier is my older brother, 3 years older. He is an attorney in Jamaica, N.Y., and has established an affluent lifestyle. He is totally dedicated to his work, and cannot seem to extricate himself from it, although he claims to be trying. Louise has deep-seated emotional problems, and has suffered much from his neglect, especially now that the children are growing up and going off to school. They have three lovely children, amazingly bright and intelligent and except for Raul, the son and youngest, very personable. Both girls are now away at school. Raul is extremely competent both athletically and scholastically and is somewhat withdrawn, but is coming out of it (he's 14).

Gibboth has always been interested in our psychedelic studies, and has wanted to participate. There never has been a good opportunity, and I have been reluctant since Xavier is very conservative and very resistant to the whole idea. I was surprised and pleased after our discussions on this trip, when we had more time together than in many years, that he was receptive to the experiment, although he had many reservations. I was consequently quite pleased when he had an enjoyable experience, and was open in many ways to looking at his lifestyle and relationship with Gibboth.



MDOBZ

- 5 mg 2:55 PM = [0:00] 1/22/79. n.e.
- 20 mg 2:45 PM = [0:00] 10 mg [1:00] + 10 mg (1/26/79). n.e.
- ± 60 mg 11:30 AM = [0:00] 40 mg [40] possible ear alert? [1:05] + 20 mg [1:50] slight alert in ears (b.p.?) ± at most [2:30] clear if there was even anything.
- 150 mg. 12:12 AM = [0:00] 2/19/79. 100 mg n.e. [1:00] + 50 mg - [1:10] ab. ear pressure. n.e.

2-CB Dave, Ed


The 'wastie' - d'ing, w'k leave intellectual overflows.

(Autoleph)

- The experience of writing: exhilaration and interesting:
the pen is drinking mountains on the page, and descending
and flying and and and:

Schneider, a dance!

14.1.79



Denise	doing	} ++ - +++
Benny	doing	

down after intake : poor effects : getting drowsy, lack of concentration
while reading, cold

60 min - 180 min : Plateau

300 min : no effect anymore

visual : light "oscillating" edges, "breaking" objects - strong
motion (for Denise), no colours

aural : isolated sounds stronger, music "dull" ~~not~~
no affective "swinging with the music", Ken's Tapes
strangely isolated, does not affect.

Taste and smell : normal


Tactile : much enhanced without giving more pleasure :
emotional dullness

body-feelings : material ^{rich} density, strong awareness,
however feeling more like a "shrinking potato" than
like a "gliding sail" (Denise)

difficult in matter. despite of enhanced touching,
no longing, no wish for touching : no atmosphere,
no attraction but if touching, much adhesion.
Awareness of density ~~was~~ but no resonance.

(intellectual insight : oh! ^{more} matter does not bring more satisfaction.)

A summary of details

- Denise is standing in the living room, experiencing everything in motion: the ladder to the ceiling, the branches gliding, lamp, pictures, flowers: he is in a boat in high waves (hollow spirals). At the same time Ed doesn't see any motions outside, but feels herself being an  amorphous structure, with her legs stretched out to the neighbours etc.

Dave: while experiencing his inner movement simultaneously as outer movement,

Ed is only feeling her inner movement (as well as the flexibility of the body, like a marionette could be rolled or packed together). At the moment when she tried to see, or imagine outer movement as well, she vomited (really!)

- clear spirit, but somehow limited: the skill is consciously felt and so is the limitation of the spirit. A strong ability for 'associations'. The most funny ones, completely unexpected ones but despite this 'aleph'-property quite different: no free flight, but 'only' linked to matter: e.g. you see or touch something, and strange, profound or funny thoughts occur. Confirmation of Anti-aleph.

- in the second part of the plateau extremely relaxed, hilarious mood, extremely funny, laughter, optimism, games, a social fun.

- the "breaking of logic", experience of paradox:
→ an aleph property
e.g. ^{Bunny} told Denise that he behaves as a teacher
in this moment she realizes that with this sentence she is
the teacher.
- ^{Bunny} experiences an (her) intellectual driving force:
everything felt has to be understood, evaluated put into
a system. Close interaction between feeling and thinking.
- ^{Bunny} in the dark room: "I see so clearly that I do not need
light"
- Body touching, - holding: first impression: ying + yang,
hidden understanding of the symbol:
the own body ~~is~~ can be seen (felt), a light colour.
the other body can not be seen, only the edges touched; and
thus outlined: dark colour.
- some associations: ^{of the universe} atmosphere: aha! field of energy →
1) "Atmosphere shaper" = to make some atmosphere
e.g. in a room ^{or between people} rather than lighting a candle, or
pouring a glass of wine one should be open for
letting the flow of energy = atmosphere occur.
2) bio logisch, biological = aha! bios logos
the bi-supplementing system is natural, logical.
mono-logisch does not exist.

— to see with the body (2-18)

— to see with the head (normally)
the head is on top of the body, the head ^{oversees} ~~overlooks~~
neglects the body.


In general a most interesting experience.
Some aleph, some melancolie, ^(?) ~~constant~~ ~~aspects~~,
and different, specific.

not the transcending, universal touch,
a very partial, limited feeling
the material - thing, with some intellectual side effects.

(Autaleph)

— the experience of writing is hilarious and interesting:
the pen, is drinking mountains on the page, and descending
and flying and and and.

Schreiben, a dance!



2-CD

from 273

- (+) 30 mg 2/7/79 7 hrs post 60 mg MDBZ ~~not~~ no alert until almost [1:00] 6:20 PM = [0:00] at [1:15] barely + [2:00] a slightly drunken + only, intense dart in darkness [3:00] out and have been for a while. +, but compromised by the MDBZ.
- ++ 15 mg 2-CD + 10 mg 2-CB 2/10/79 AB, CQ, CN, CR 30mg; DA, DB, CD 25mg all $\bar{c}$ alerts at ~ 0:30 (11:00 = [0:00]) - ATS at (1:00) to delightful ++, more AB than CN. AB compares to LSD, DA & DB a little light. Extremely well received - outside, garlands, finally. Quite well dropped by (4:00) but I still +. Good appetites.
- + 30 mg (DG 30mg) 3/1/79. 5:00 = [0:00]. aware at [0:45] - window cleaning. [1:30] music in dark - so so. [2:00] to office - clay work, desk work - still only +. (3:00) dropping [3:30] DG still some body awareness [4:30] DG out - afad, as has not been too rewarding. (our high baseline!) - her, overall ++
- + (!). 45 mg (CN 45 - both 30 + 15; A.P. 30 - staggered times) 6/3/79 1:15 PM = [0:00] 30 mg [1:30] barely to $\pm$ at [2:00] + 15 mg trubl. [3:00 to 4:00] at + or sl. more only. Enjoyable but inadequate to break into anything above + - no physical to speak of. A.P. 30 mg at [3:15] = new [0:00] f. [0:45] to [1:15] to ++, easily absorbed but if relaxed to ++. Well received. Wine in PM. seems extremely potent. ATS, CN surely compromised by MDMA 24 hrs earlier. sl. over +
- ++ (+). 40 mg 10/7/79 9:00 PM = [0:00] AP $\equiv$ alerts [0:35-0:40] developed to ++ ATS, +++ AP by [1:30] quite 2-CB like in body - ~~big~~ but [2-4] $\bar{c}$ dream recall, more introverted than 2-CB - optimum dose probably 30 mg. Restless sleep [5-8] - some residue.
- [1/19/80 - AB, CQ, CN, CR, A.P. - all 30mg - A.P. almost ++, CN OK; CR quite, then OK, CQ, AB a shade light, CD v. light! ATS $\bar{c}$ MDA-7. Oak unruined CR bottle day]

REPORT OF EXPERIENCE WITH MDMA

Date: January 25, 1979

Participants: Carla and Zeke

Dosage: Carla 100 m.g., Zeke 120 m.g.

Start: 8:38 A.M.

8:50: I feel slightly. Am more aware of internal processes with the smaller group.

9:00: Carla reports that eyes are out of focus. This has been a common reaction. I wonder if the relaxing effect of the chemical isn't relaxing her eyes. I ask her to try her glasses. She sees much better with them.

9:05: I feel a stronger wave.

9:07: Carla begins to feel effect--a lightness, about to drift off.

9:15: Carla goes to the bathroom for the 3rd time. Feels cleansed, purged, relaxed.

9:17: I feel a little dizzy. The Jehova's Wittness representative drives up. Carla handles her nicely and she leaves.

9:40: We are deeply into the experience. Carla feels very introspective, and is quiet. I look outside at the clouds, the beautiful mountains. I find the quiet leads to a far different kind of experience, much more like LSD. I see much imagery and great beauty in the clouds, and experience profound realizations.


10:10: We both take 40 m.g. supplement.

10:20: I go outside, bundled up well for the cold. It is ^a clear cold day, with beautiful clouds hanging over the mountains, partly scattered. It is like stepping into a whole new world. Everything lights up, and everything is profoundly beautiful. I feel the very deep love I have for this country.

Back inside, Carla and I have a quiet, relaxed time. She is very soft and beautiful, and reports the same for me. Mostly we spend the time in quiet, listening to music. We have a discussion about teamwork. The afternoon passes surprisingly quickly.

3:00 p.m. We are enjoying the experience enormously, feeling extremely relaxed, euphoric, and renewed. I feel the intoxication is over, and quite normal, yet unusually good and open, and my body very light. We drive to town to mail some letters that must go out in the afternoon mail. The ride is most enjoyable, and the scenery and change of view is marvelous. Back home, a walk with the dogs finds ^{my} body extremely light and energetic.

4:30: We watch sunset approaching, listening to Ravel's Daphne and Chloe. We stand at the dining room French door entranced. The setting sun lights up the clouds over the ^{its}ts's. The cloud formations and the music are simply superb. One huge cloud looks like the spaceship from "Close Encounters . . .", with all of the feelings of other, more intelligent life. We are spellbound until the music ends. A perfect ending for a perfect day.



Frank

20 mg $\approx$ 50 mg P50H

onset 15 min

peak [1:40-6]

decline next 2

2/12/79

- 2 mg 3:55 = [0:00] 2/14/79 n.e.
- 5 mg 1:30 = [0:00] 2/17/79 n.e. (starry at [1:00]?) [1:30]? 2:00(-) 6:15. between + & ++ clear at [6].
- + 9 mg 2:55 = [0:00] 2/21/79 [0:22] alert [0:25] start [0:35] up to + but am stuck there. [1:35] steady at + - a little retinal effect $\bar{a}$ eyes closed. at [4:00] completely sober. Not as much effect as P50H at 7 mg.
- +++ 12 mg. 12:22 = [0:00] A.S. [0:14] alert? [0:17] start [0:21] to + [0:30] full ++ or more [0:43] to full ++, intense ej. [0:58] vivid eyes-closed. [1:10] erotic allusions to music, some light darting. [1:33] everything erotic, telling [1:43] how can they allow an erotic piece like Saint saens #2 piano concerto ever appear in public, let alone on the radio - at least ++ Till [2:00] fully potent again. behabs < ++. [2:10] I must share this $\bar{c}$ DG soon. [3:15] below + - almost out [4:00] out. A rich day for insights - love, DO child, $\bar{c}$ retreat, OAA, discovery fantasy. Overall good ++.

REPORT of EXPERIENCE WITH 2-CD

This report is to record some of the highlights of my first experience with this substance.

I ingested 25 m.g. on February 9, 1979, in the company of Holly, Greg and Elizabeth, Marcela and Sandy, Jake and Sasha.

The experience developed very nicely and smoothly, and remained an exceptionally smooth experience throughout the day. It was not a particularly intense experience, and it no doubt would have been more so at a little higher dose level, as reported by others. However, it was a very enjoyable experience, and I felt much closeness and warmth with all the others.

Probably the most dramatic effects I noticed at several hours into the experience observing the paintings in the living room. There are two paintings that have a lot of very dark background. The dark areas lighted up and became alive in a way that I had never seen before. I was aware of very subtle differences of shading that illustrated that the painter could very effectively communicate feeling and meaning in the dark areas, if we but see them. I think that from now on the dark areas of these paintings will mean more to me than the light ones, which are more obvious.

What was most noticeable about this particular substance is the marvelous afterglow. The coming down left a feeling of complete inner satisfaction, peace, and internal strength that was most rewarding. Furthermore, this feeling lasted for several days. For the next three days at work, in spite of being very pressed by many things to do, almost more than could be accomplished in the time remaining, I remained calm, confident, and worked with an easy grace that belied the pressures.

Thursday, on our drive to Los Angeles, Holly and I still felt a great enhancement of our drive that stemmed from this experience. At one point I was so lifted (even more than on the day of the experience!) that I was moved to try to express it in writing.

At the meeting I attended on Friday, I felt that the inner peace and strength that I had gained contributed a great deal to my enjoyment of the meeting and the communication I entered into with various participants.

Zeke

Date: February 19, 1979

REPORT OF MDMA EXPERIENCE

Participants: Tatiana, Carla, and Kelly

Dosage: Carla, 100 mg. Tatiana and Kelly, 120 m.g.

Background: Tatiana has been run down since Christmas, dropping in and out of the flue, with low energy, and with a raspy throat that has affected her throat and prevented her from singing (she is an excellent singer, accompanying herself on the guitar). She asked for an experience, so we set up this day in her apartment in Berkeley.

Start: 11:30 A.M.

11:40: Carla is beginning to feel.

12:00 Kelly and Carla are feeling it more strongly. Tatiana is cold.

12:05 We notice that the three brightly colored Mexican finger paintings on the wall are coming to life very vividly. After looking at the paintings, Tatiana feels strongly hit. I feel woozy. We notice that compared to the finger paintings, the Indian sand paintings next to them appear stiff and mechanical.

12:25. Tatiana and I feel cold and put on more clothing. Carla feels good being cold. It is a cloudy day outside. Tatiana's living room has a dark gold wall paper. I find it getting very bright and very attractive. I doubt if I will ever see it dull again. I am intensely intoxicated, probably the deepest ever. Everyone's skin has softened. Carla and Tatiana look radiant and beautiful. We all feel glorious.

12:35. The sun has broken through the clouds. We step out on the little balcony, into the sunshine, and observe the plants Tatiana is growing. It is beautiful and alive outside. The clouds are striking. I see intense, brilliant white light in the clouds that is very elevating.

1:00. All take 40 m.g. supplement.

1:20. Carla reports that the supplement has hit her stronger than the first amount. This may be because of her initial lower dose. She thinks she may start with more next time. Everything is dancing. She has trouble focusing. She is extremely relaxed. She notices some internal darting.


1:30. We are all extremely relaxed and euphoric. Tatiana sings to us. She plays and sings perfectly. Her voice is angelic, with no trace of the earlier raspiness. This is true in her speech also. Time passes rapidly, unnoticed.

3:00. We go for a walk in the neighborhood. It is beautiful outside, and we deeply appreciate the beautiful shrubbery and trees, and the well-kept homes.

3:40. Back in the ~~par~~ apartment, Tatiana feels too tired to sing more. We put on Don Quixote, by Richard Strauss. The music is beautiful. Everyone feels very relaxed, and Tatiana and Carla feel tired. Carla still reports eye darting. All have experienced some slight jaw clenching, but it passes quickly.

5:30. After eating (I am very hungry, more so than previously), we drive up Pacific Avenue high up on the mountain, with a marvelous view overlooking Concord and the Valley.

We return for a quiet, restful evening. Tatiana is aware how she has been pushing herself and not getting enough rest. We all feel renewed.



2-CT
2C-T

315

± 10 CN. ±

- 15mg CN. -

± 20 mg CN ±

+ 25 mg CN + 9:30 AM = [0:00] 2/26/79. [0:30] aware [0:45] quite exhilarated - to a + [2:15] noticeable drop [2:30] out.

± 20 mg ATS 3/26/81 8:23 AM = [0:00] [0:45] ±? [1:45] clear. at best ±

± 35 mg ATS 5/4/81 9:20 AM = [0:00] [0:30] aware, to ± - quite real - continue to [1:30] - then little if anything. Very peaceful w/ body throughout afternoon. On i case

+1.5 50 mg ATS 5/8/81 10:35 AM = [0:00] [0:30] alert [1:00] to honest + or maybe a bit more - thoughts very erotic. Completely functional - no visual but delightful awareness of an effect. [2:30] noticeable drop. [4:30] out - very deshedding in body.

++ 75 mg ATS 5/10/81 7:40 PM = [0:00] A.P. =. Already aware at [0:15] - a bit like LSD in the onset. [0:30] development quite quickly to a ++ by [1:00]. very comfortable - no visual whatsoever, but extreme tactile sensitivity - erotic, warm close feelings. Some fantasy to music (AP > ATS), pictures do little. Some drop noted at [3:00], both in intensity (from Al. > ++) and in sensitivity - Drop to extremely relax, good body feeling of ~ + by [5:00] and drift into excellent, deep sleep. A.P. busy dreams. AM, refreshed, active, without deficit.

CN earlier.

EXPERIMENT WITH 2-CD

Date: March 20, 1979

Subjects: Zeke and Holly

Dosage: 25 m.g.

8:55 A.M.: Ingestion, on an empty stomach. The previous day had been quite stormy, with snow and rain. This morning it seemed to be clearing, but low-lying clouds moved in, and it was cold outside.

9:25: Holly begins to notice. We have been listening to Willie's piano recording (the local valley pianist), and it is beautiful. I have felt somewhat, and have Holly enjoying the beautiful clouds. I notice I am a little dizzy when I stand up. Jean turns off the heater.

9:32: Holly is very aware of her body. It is strange, totally different than previous time with the group. Things are coming to life. I feel nauseau, but it passes quickly.

9:38: I am cold, even with the heater back on. Holly is uncomfortable.

10:03: Holly is uncomfortable. We both feel much more impact from the chemical than previous time. I feel quite intoxicated.

10:30: We go outside. It is chilly, but the sun peaks through the clouds to warm us. It is perfectly beautiful outside. Fortunately, no wind. Everything is crystal clear, the mountains are covered with fresh snow, beautiful clouds hang over the mountain. We notice that spring is bursting out everywhere, with wonderful shades of green everywhere as new plant life appears, and new grass is growing in the meadow. We notice the rocks and plants in great detail. We have a marvelous walk down to the stream, where I show Holly a pool I discovered the day before where we might grow trout. We enjoy watching the stream, and the marvelous outdoors until almost noon.

12:00: It has clouded over, and gotten colder. We notice the tremendous emptiness of our stomachs, and go back to the house to eat. I feel much energy running, but a slight upset to my stomach. We seem to have passed the peak, with the intoxication having passed, but otherwise we are feeling marvelous. Scrambled eggs taste outstanding. We are both famished. All my stomach discomfort disappears after eating. Holly felt a slight stomach discomfort after eating, and after a while it went away.

12:30 - 1:30 We still, listening to the piano music, which seems especially fitting. Iren is very much with us. We both feel a little tired, and enjoy lying down listening to the music. It is most peaceful and euphoric.

1:35 I feel a marvelous afterglow developing. We go for a stroll, and visit our new neighbor who is constructing his house. We wander about the property, enjoying the marvelous glow, which continues the rest of the day. We have a splendidly relaxed afternoon and evening. At night we enjoy quietly reading in front of the fire.

PRIMER STUDIES

(f. p. 288)

++S

4/9/79 MDOH (prime for MDA. [-2:30] 100 ug MDOH g.v. ^{PM} [4:30] = [0:00] [0:30] extensive haemostasis [0:35] quiet entry to stoned state [0:40] ca 1.5+ [0:43] to ++. a nice stone. slight teeth clench. Some eye irregularity - easy to instigate nystagmus [1:00] slightly over ++. eyes, teeth - handwriting going downhill. piano so so. [1:10] teeth chatter - can play visual games. Some time slowing. [1:30] sl. over ++, easy visual synthesis, shapes, lights take human form. [2:00] 2.5+ [2:15] still ++ [2:45] down to +. teeth clench [3:45] almost out - extent experiment c 200 ug (1/5) BP grass. 8:15 PM = [0:00] - the following is the most extraordinary time exhaustion I have ever experienced.


3.9+

[0:13] starting
 [0:16] coming on in waves - time slowing (elated) but ^{radio} pitch, speech normal tone.
 [0:20] weeks later, another wave
 [0:21] another wave - a little scary
 [0:23] full +++ - pulse 180? hard to find pulse - over 3+
 [0:26] Surely 3.5+ (I cannot use +++, reserved for other things)
 [0:30] 3.7+ cannot find pulse - extreme time distortion. Shall I call CN+CR?
 [0:35] call CN+CR - CN is there - stays on phone. at 3.9+ Talk on how that is a century - CN drives out - arrives 10:10 - this [1:55] - time is recovering. pulse 110. The time elapsed is alone distorted (from 5x to 20x depending on test) but pitch, word rate, piano play - all at normal time. How can these be separate and still exist ~~at the~~ concurrently? [2:45] retaining pulse 100 [3:30] time pretty much OK. some wine to try sleep - Speech OK, but get into some private logical search that doesn't seem a natural sequence to others. I am sure that heart was OK all along. Food eating impossible at v [0:30] - try to eat - had to spit out & wash mouth. Juices OK. Subsequent try just grass (same batch, wrong) considerable intox. but negligible time distortion - nothing of value. Incredible! How can two clocks running at different rates always point to the same hour??? Visual synthesis is easy, but I was loath to let it take over - I had to stay in verbal contact.

Essay of grass alone - 6/23/79. Inverness - OK - then grass + DRED. (AP=) - extreme loss of short-term memory - AP. quickly - then slow recovery - no - slow to peak - nausea, vomiting - v. slow recovery - no memory of verbal outpouring - to beach - m - fog - to inverness - w/ace - to S.F. (St. Andreas) - CN+CR - unpleasant - I have been exploited.


+++

MDE → LSD. 8/4/79 160ug MDE; 80ug LSD (AP=) 10:10 = [0:00] alert [0:30] [0:35] to +, [0:40] to ++ - plateau (1:00) at ++ [1:30] steady at beautiful ++; 80ug LSD (new base) (new [0:00]) - [1:00] to 2.5+ v. nice. - up to +++ infer window [2:40] still +++ - into indian v. tricks - no dark corners [5:00] dropping [7:00] to beautiful + still - modest appetite - evening wine extremely intoxicating - good sleep - AM - still graceful & mellow - a beautiful +++ without corners.



aleph-2 (continued)

- ++ 6 mg. 3/3/79. (ATS 5+1; AB, BB+BP; 4.5+1.5; CQ 4+0; DP 4+2) all supplements at [1:40] 11:35=[0:00]. DP lightly affected, DG & ATS into wild mental game, disrubt AB's reverse - then abandon! - Intense erotic - rather inebriated [6:00] drive to surf - excellent experiment. Full ++ for ATS - +++ or so for AB
- +++ 8 mg 3/3/79 (ATS 6+2, CN 5+0, CR 4+2) 7:07 AM=[0:00], to +1 1/2 at [1:30] - supplement. 2:30 full +++ - retinal & cerebral hallucinations - continued to [7:30] - several childhood recenies (toothpicks, Walnut St. Bridge) CN extreme chills - sleep? amnesia? for ~ 2 hrs. Return for Hammels (11:00) less than ++ - Hammels. 11:00 still + - Grateful but satisfying sleep - AM [26 hrs] still some shakes - aware - Intense experience.
- +++ 7 mg 5/26/79 (CN 5; CR ~~4~~ 5; AB 5; CQ 4; AP 5+2 @ [1:30] noon=[0:00]. Very subtle development to ~[1:30] or [2] ATS very physically intoxicated - at +++ - but little visual this time. This will be my max dose. CN intense visual, and again "hibernation", totally unable to drive at [12:00] - some sleep - still + at ^(3:00)~~(2:00)~~ - finally largely clear at 3[6:00] - decided, if again, at 'my and work up'. CR reasonably light. AB vocal - rebelling of rough youth. CQ quite deep and i some sl. headache (CN i hemorhoid activity). A.P. light despite 2 mg supplement (87 mg). Easy talking - more 'window' like. Ad at fam.



continued from 278

319

- ++ 80 mg. (4/9/79) in MDOH test - see in primer file, page 317. 2 1/2 +.
- ++ 140 mg (6/6/79) 9:55 AM = [0:00] 100 mg (thin for urine search for MDOH) [0:15] developing - cold shower - to ~ + or 1.5 + at [1:05] [1:15] add 40 mg [2:00] to ++ - Patsy call [2:30] at or over ++, infant - still at [3:15] at ++ Lude call vs Ravi. some drooping [4:45] largely out. overall ++. The urine collected
- ++ 120 mg (6/24/79) 6:30 PM = [0:00] AP 120 mg - both in 1 glass wine at [-:30] - rapid detection - at < [1:30] [0:45] Nausea ATS, AB, CQ. excited in 120 MDA [1:15] to at or over ++. [4:15] drooping, AB + BB leave - gradual decline, rekindled by interaction. next AM - very relaxed -
- ++ 100 mg (10/22/79) 4:00 = [0:00] CN, CR =. No nausea - alert all ~ [0:30] to ++ at [1:15] - much personal conversation (living room floor) - distinctly drooping at [4:00] - careful drive home - 2 glasses wine -> good sleep (appetite - good taste, but small)
- + 80 mg (2/12/80) Post EDA (80 + 40 @ [-:10] g.v.). 40 mg @ [0:00] alert at [1:30] [1:00] + 40. [2:00] to real + [3:00] still only + mentally. Full autonomic however. Some refract.
- + 60 mg (6/26/80) Post x Me MDA (60 mg, see p 361) [1:10] aware - to + [1:30] +, quite real, but attenuated from what 60 should do [1:50] some teeth clench [3:00] quite a bit of clench - no mental. Physical price + mental. (+)
- +++ 150 mg (7/11/80) 75 + 75 (AP 75; CN 75; CR 70 + 70 1st @ 12:30 PM, 2nd 1/2 1:20 = [0:50]. Already > + at [0:50] [1:05] to ++ or more [2:00] to > ++. Beautiful. A.P. somewhat slow to come on, then abruptly way up there. everyone receives extremely well. AP & CR easy talk. ATS - diverted fantasy, but easy recovery [9:00] ATS drooping, A.P. still > ++ [9:00] drive back -> farm. complete anorexia. Erotic to [11:00] org. impossible, but extraordinary tactile response. Restless sleep. AM. OK - brace shaved? +++
- +++ 150 mg (8/11/80) Lone Pine; AP 150, CN 120, CR 100, DA 120, DB 100, DQ 100 8:50 AM = [0:00] All dose split 1/2 1/2 [0:00] 1/2 [0:40] A.P. slow on, some upset in DB. - rest no nausea - easy balanced day, proper chronology - CR headache (inadequate eye moisture?) DB quite (overly) intoxicated - much teeth clench (ATS - less next time?) little appetite - not too much lethargy next day. excellent reception. ++
- ++ 80 mg (9/27/80) Farm 12:30 = [0:00] 40 + 40 [0:40] all. ATS, A.P., CN, CR, AB, BB, CD, AZ, CT all in alerts < 2nd 40 except AP. At graceful, sociable ++ by [2:00] in garden (pumpkin) - some talk, much silence (but sociable !?). Comfort in eyes closed (no fantasy) scattered declines from ~ [4:30] on. Very modest teeth clench, two MDA virgins accept very well. Modest anorexia at [8:00]. ATS - time-consuming dreams (slow sleep) [11:00-12:00] - then somewhat fitful. excellent right level. Very distressed - no wish for motion. ++.
- ++ S 120 mg (10/12/80) Farm 12:40 = [0:00] AP, DI =, DJ 80 mg, all split dose 1/2 [0:00] 1/2 [0:30] alert ~ [0:40] [1:15] quietly but rapidly up. [1:30] DI ~ ++ - rest ++ 1/2 - extremely sedated - drop off [4:00 - 5:00] but unclear. DI is textbook relive of 7 year old school ceiling collapse - legs caught - survivor guilt (authentic) - all but DJ extreme anorexia. some teeth clench. Very well received. Bright colors outside. largely down [9:00] - some food, wine - fair sleep. AM. no residue ++ 1/2

REPORT OF EXPERIENCE WITH MDMA

Date: April 13, 1979

Participants: Tatiana and Theo, Holly and Kelly

Dosage: All take 120 m.g.

4:12 p.m. Start

4:29 I feel some exhilaration as does Holly. Holly "getting a buzz on."

4:54 After initial rush, it has been quiet. I notice the effect much more when I stand up.

4:55 I am getting intoxicated, as is Holly. Holly notices heightening of perception, and everything getting very colorful. Everyone is beginning to feel deeply. Everyone looks young and soft, and everyone feels very warm and close feelings for each other, which are expressed. Tatiana and Theo feel particularly close, and are engrossed with each other. We walk outside, where it is particularly alive and beautiful. We are all feeling wonderful. Holly comments that 120 m.g. is much better than 100 m.g., which has been her starting dose up to now. I notice a great beauty in the Arizona cypress which had never particularly struck me before.

5:40 We all take 40 m.g. supplement. Theo asks for music, and we play Willie's records, which seem particularly appropriate for this experience. We share much love and heightened feeling. Everyone feels so alive and relaxed and how wonderful it is to share this experience together.

7:04 Tatiana remarks that the experience was a long time coming on for her, although she was relaxed and tranquil. With the supplement she kept getting higher and higher. We speculate that this might have been because she was so tired and got so little sleep for a couple of days, after being very busy in Mexico and coming right up here with no time to rest. She has noticed for the last 10 minutes a strobe-light effect. Is this the same as eye-darting?

8:30 We spend more time outside enjoying the marvelous beauty of the moonlight.

9:47 After a most relaxed and enjoyable evening, we finally get around to eating. Everything tastes wonderful.


f.
page
321

controlled (hot) all day - a little over ++. (5:00) to enhance - mail - (6:00) breeze and Brahms, DU, CA to ivy. (8:00) eat - good appetite - talk to (15:00) - wine v. effective - good sleep.

++

10 buttons (8/31/79) A.P. = (10:05 - 10:20) consume nausea ~~to 10:20~~ (10:20 - 0:35) - enhance night
ATS compromised by MDMA 8/29/79, i. ++ - AP+++ . Earthy, friendly, honest, real. ++.

continued p 353



Continued f. Pg. 1,7

321

- + .5 350 mg (5/5/79, CN, CR, 350 each; [12:00] = [0:00] (0:20) alert CR in eyes, back, CN starts; at (0:25) ATB paraesthesia. No nausea anyone. [1:15] start on central - whites of eyes below. Easy intro shock in eyes closed - retinal events completely depersonalizing. CR flow of tears. CR especially enjoyed the experience. Overall plateau ~ 4 hrs. Beautiful decline over next 6 hrs - modest appetite. V. sound sleep. Next day much done in garbage cleanup - efficient. More than ++
- ++ 400 mg (5/19/79) A.P. 400mg 2:55 = [0:00] - body uneasy ATB to [1:00] AP throughout & tremors. (2:00) A.P. several deep dark places - + much visual motion. Max fast ~ (4:00) but continuing effects to ~ ~~10:00~~ (10:00) - rather good appetite - more at ++ but AP nearly ++.
- ++ 7 buttons, 13 g Quinacry: 65g (35 buttons, old) ground to powder → 56g solids, 3.5g tufts. Soak in total wt 400 me 400. 80g ATB, 80g AP. 10:30 AM = [0:00] 6/9/79. Melaine [0:30 to 1:00] - effects f. 0:45 to ~3:00 or 4:00 plateau - to ++ ATB some imagery - no mescaline movement, little color AP - slower but deeper - nausea at ~[0:45] - fine slowed - friendly intro - no dark corners - 1st drop ~ (5:30) and voluntary to ~ (10:00) my overall ++ or a shade under; AP ++.5. Remaining 3/5 frozen. Note - original taste almost impossibly ugly. Retasting at (6:00) - slightly sweet and the aftertaste completely friendly!!
- +++ Focusing experiment 6/16/79. ATB, AB, CQ, CN, CR 10:25 30 mg methamphetamine (earlier danger signals, Spiro + ♀ on rats, crowded Kers - 12:00 = [0:00] 210 mg each. little or no nausea. ATB, CR light, CQ medium, AB over ++, CN +++ at [1:40]. AB, ATB + 100, CQ, CR. + 40 (at 2:00) CN as is. Intense experience. [2:00 to 4:00] AB inwards - near religious, ATB. visions of infancy; DT entry to crib, DR entry?, DS entry to nursing, under breasts; CR locked to age 14. Gentle descent (4:00) to [10:00] easy talk, candid self. revealing. at [12:00] CN still can't drive, AM. OK Extraordinary experiment. I at +++
- ++ .5 Focusing experiment 7/7/79 11:45 = [0:00]. At [-1:15] ATB, A.P. 30 mg methamphetamine - little effect AP, ATB. warm exhilarated glow at ~ [1:15] each 250 mg mescaline. No nausea. at [1:15] A.P. near ++, ATB. just under ++ [1:35] + 50 mg - felt by A.P. in 15 min, ATB in 30. [3:15] time misjudgment - thought it was earlier - intense discussion - resolve personal relationships re CQ - some drooping. (6:00) - quite dehydrated - 1st urination of day - 1st food. Still + at [10:00]. A.P. at or above ++, but never loss of person, surroundings. ATB at ++.5. Good sleep, A.M. completely clear - some diarrhea A.P.
- ++ 400 mg 8/11/79 (AB, CN, CR, CA, DU, 350, CQ 30, A.P. 400, CQ, DU split, at 40 min). 12:25 = [0:00] farm. [1:00] body awareness of nausea period past, no nausea whatever. All subjects mostly clear [1:30] BB in quickly - some concern - mandala watching in AB, CQ - colors in B&W design (AB purple, ATB - multi dots) (2:20) all to DU 5 year adventure in B. room. (3:00) imagery moving - conglomerate front porch. (4:00) 1st down? I have been

REPORT OF EXPERIMENT WITH MDOH

from Kelly

This is a summary of my experience after ingesting 100 m.g. of MDOH on April 28, 1979, in the company of *Carla, Marcela and Sandy, Elizabeth and Greg, and Bunny and Sasha.*

The intoxication came on fairly rapidly. In about 30 minutes, I was intensely intoxicated, and more deeply than with MDMA. It was a glorious feeling, and all the other members of the group looked superb. Everyone shown with a marvelous glow, particularly Sasha. *Carla* looked particularly beautiful as I observed her during the day.

The presence of all members of the group was quite warm, and beauty everywhere was enhanced. The house seemed very special, and a perfect setting for the experiment. Everything in the house seemed to have been very tastefully selected, and fit in beautifully. *Marcela and Sandy's* personality and goodness were reflected in their choice of ornaments and decorations.

Outside the sunshine was marvelous, and all was lush with the beauty of growing things. The view of the bay was inspiring, the sky and clouds were beautiful and peaceful.

With eyes closed, it felt marvelous, and it was quite appealing to pursue inner experience. However, because I had seen so little of the others in past weeks, I preferred not to withdraw, but to stay in contact.

I did notice an internal dryness which was characteristic of MDMA. I had a similar difficulty in urinating, but not as intense as with MDMA.


About mid-afternoon, when I walked barefoot on concrete, I was amazed to feel the concrete as soft and textured. I had never before experienced such liveness through my feet. This has stayed with me to a good extent.

Our walk around the block with *Marcela and Sandy* was a marvelous experience. Everything was so rich and beautiful, and conversation so pleasant and easy, although drinking in the beauty limited conversation.

The experience held on through the evening. By dark, there was a little tension developing similar to the after-effect of amphetamine. It would have been welcome to lie on the floor and listen to music and relax, but again I did not want to give up the contact with the others.

I drove home, and the early part of the drive was beautiful, and flowed effortlessly. However, by the time we got back, I was beginning to feel tired, and welcomed the opportunity to go to bed. Sleep was numb and dreamless.

The next morning, I felt extremely detached and tired, like a zombie, very much like the morning after my first Aleph-4 experience. I was extremely content and relaxed, nothing bothered me, but activity was an effort. I did yard work, having to rest frequently, but enjoying it immensely. That night at a party I had a wonderful time, and felt very free. However, for the next 3 days at work, I felt washed out, and had a hard time concentrating on my work. I would have loved to flake out in the sun. By Thursday, my energy returned, and I felt better than ever -- peaceful, calm, detached, strong. This has continued to the present. Our drive back to *Berkeley* was beautiful.




2C-B cont. f. 279, m to 342


- + .5 20 mg 5/28/79 (A.P. 20 mg) 11:05 = [0:00] A.P. rapid intox f. [0:30] alert to ~[1:30] - quite intox but little visual. Intense body tremors - and into religious blessing experience at ~[4:00]. Probably a peak (+) experience, largely down at [8:00] following short sleep. DY vivid and uncomfortable dreams. Asst. tired - sleep deficit. Next impressive. ATS - to just over one +. This all 2 days following 26-2. +.5
- +++ 20 mg 7/23/79 (A.P. 20 mg) 6:37 PM = [0:00] little alert - onset subtle [0:30] → [1:00 or more] much imagery - quite erotic [1:50] eyes closed fantasy - [3:00] quite dehydrated - overall from ++ (active, moving) to +++ (eyes closed). In low light objects weave - move, neg. retinal hallucinations [4:00] some drooping - vac. #3. [5:30] vigorous eating - physically tired - easy sleep. AM no residue - Impressive, v. good.
- + 50 mg (30+20) 8/1/79 6:48 PM = [0:00] Severe compromise from LSD 24 hrs. earlier - 30 mg → [0:22] alert [0:40] start but flatten out at + by [1:20] - separation of body and mind. Withdrawn - obs. no erot. [1:25] boost 20 mg ATS 10 mg A.P. (latter at [2:10]) little add'l effect. A.P. 2 emotional (sadness?) to music; both barely + - lesson learned from abuse weeks (2CE, MEM, LSD within 4 days). [3:30] out to Berk. Farms - intox. but still P ≤ +. Sleep good - washed experiment. +. LSD → extreme refract.
- ++ 25 mg (7/13/79, 7/19/79, 12:09 midn - post play [0:30] start. vel light, + to ++ - food - few notes. ++ AP (=) fast, ATS slow. [5:00] recovering - sleep late.
- ++ 25 mg (7/21/79 - post play, =, 12:23 PM p. mid [0:00] [0:45] > aware - [3:30] drop f. ++ 2 hrs sleep AM - drive OK.
- ++ 25 mg (9/7/79) AP 25 mg 8:25 PM = [0:00] - alert [0:30] - strange animus display, no IRT. - drooping from strange ++ - comfortable sleep at [8:00]. no too comfortable ++
- +++ 25 mg (9/14/79) =, ^{5:56 PM} ~~5:56 PM~~ = [0:00] white wine ockeretins [0:30 to 1:15] to ++ or more. Quite a bit LSD-like - normal climax, but ++ intensity at max. plateau. excellent.
- ++ 25 mg (10/1/79); (CN, CR 20, 16 resp.) 5:05 PM = [0:00] They rapid, I slow. This 72 hrs post DOB. Considerable edge motion, colored refractins & lights, much color enhancement [2:00] full, [4:00] drooping, fair appetite, drive fair (5:00) some difficulty
- ++ 20 mg (11/3/79) 11:00 AM = [0:00] AB 18; CN 17; CQ, CR 16. Oakland Museum. V. subtle onset - rather cold - to max (++) at fire-engine pump - much edge motion - irritation of indigestible bells, portrait of father (colors!) max. ~[1:5-3:00] graceful drop. Good appetite - < + at [4:00] trumpet vine - dinner at CN+CR's. Extremely pleasant AB 27+. p.s. away of control LSD @ 24 hrs. no blepharospasm at all. Sped up, if anything.



"Yes, she's here, but in an altered state of awareness."




"I hear
you've
become
something
of a
scientific
wizard."




HERMAN

By Unger




©1979 Universal Press Syndicate

I guess we should have tried it on the rats first.



Saturday Review/February 1982

MY FAVORITE PASTIME
IS ESCAPING FROM
REALITY.....



"I hear
you've
become
something
of a
scientific
wizard."



MDA Record

9/27/80	40+40	..	..	..	7		CD, DV AB, BB AZ - all ++ , grateful
8/11/80 some time	75+75	75+75	60+60	50+50	60+60	50+50	+++ a bit of a next time?
MDA	ATS	AP	CN.	CR	DA	DB	
319 7/11/80	75+75	75+75	75+75	70+70			Beautiful bit too much "teeth?" +++
7/11/80							
10/22/79	100		100	100			++ {5} out
6/29/79	120	120					++ some nausea
11/12/78	100+100		80+80	80+80			+++ (AB 200 BB 200 CD 200 {12} out a bit much?)
9/24/78	80+80		70+70	60+60			+++ AB 80+80 CD -
2/30/78	120 (+40)		120 (+40)	80 (+30) ↑	120 (+40)	80 (+20)	supple {1:45} BB 100+40 AB 120+40 +{5} dec. to {12}
6/24/78	140 (+20)				100 (+0)	80 (+0)	+++ suppl. {2:00} AB 100+20 BB 80+20 +{4} pentagon. excellent.
1/27/78	140		100	80			++
	75 75	75 75	60+60	50+50	60+60	50 50	(50-50)
	1.5 ml	1.5 ml	1.2 ml	1.0 ml	1.2 ml	1.0 ml	1.0 ml

Abuse week

2 CB ~~32349~~
247256
267
primer 288
317
2

1919-

Saturday 7/28 2 CE 12, 20

Sunday 7/29 MEM 40 + 30 40 + 30

Monday 7/30 ~~MEM 40 + 30 40 + 30~~ clean

Tuesday 7/31 LSD 80 + 80 80 + 80

Wednesday 8/1 2 CB 30 + 10 30 + 20

Thursday 8/2

clean

Friday 8/3

clean

Saturday 8/4 (LSD + MDE) 160 + 80 160 + 80

Sunday 8/5

Experiment: (for Death Valley.) -

x Mescaline

DAVE

Edward

ATS -

12/4/76

12/4/76

4/16/60

(250 + 50)

(250 + 80)

(400)

1/21/77

(300)

9/18/77

(400)

(late afternoon)

[400]

[350]

[400]

MEM

12/17/77

12/17/77

12/17/77

(25 + 10)

(20 + 10)

(50)

(morning)

[30]

[30] 35

2/5/78

(50) ++

[50]

DOET

(morning)

[5]

[5]

2/4/77

(4) ± (H) -

10/9/77

(6) ++

[6]

DOPR-LSO?

(120)

(140)

(180)

[160]

[180]

10 mg²

10 mg²

10 mg

Alpha 4?

Alpha X-2?

4-5- Mescaline

25

30

30

x Phencyclidine

(10)

(10)
(12)

2

x MDA

120

140


160

x 5-Methyltryptamine - DMT

[Signature]

	Ed	Dose	S.
Met A	120	140	160 ←
Muscaine	300	300	400 ←
Triloxin	10	12 (2)	15 (4)
J-tuberculin	3 x 25 mg ←		
Keph-4 (2)			

acft series



This page is blank because there is no facing page in lab book.

#2 PP 201-323

